

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - ICC (I) ICC



PASSED

Matrix: Derivative Type: Distillate


Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA40827005-012 Harvest/Lot ID: 1101 3428 6431 6944 Batch#: 1101 3428 6431 6944 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 1101 3428 6432 3175 Batch Date: 08/15/24 Sample Size Received: 15.5 gram Total Amount: 516 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 08/14/24 Sampled: 08/27/24 Completed: 08/29/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

Aug 29, 2024 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/29/24



Supply Disposable Vape 500mg - ICC (I) ICC



Matrix : Derivative Type: Distillate

PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA40827005-012

 Harvest/Lot ID: 1101 3428 6431
 6944

 Batch# : 1101 3428 6431
 Sample 6944

6944 Sampled : 08/27/24 Ordered : 08/27/24 Sample Size Received : 15.5 gram Total Amount : 516 units Completed : 08/29/24 Expires: 08/29/25 Sample Method : SOP.T.20.010

Page 2 of 6

0

Ter	no	no	C
ICI	hc	IIC	Э

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	15.13	3.026		SABINENE HYDRATE		0.007	ND	ND		
IMONENE	0.007	8.15	1.629		VALENCENE		0.007	ND	ND		
LPHA-PINENE	0.007	1.39	0.277		ALPHA-CEDRENE		0.005	ND	ND		
INALOOL	0.007	1.29	0.258		ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-PINENE	0.007	1.27	0.254		ALPHA-TERPINENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	1.10	0.220		CIS-NEROLIDOL		0.003	ND	ND		
LPHA-TERPINOLENE	0.007	0.38	0.075		GAMMA-TERPINENE		0.007	ND	ND		
AMPHENE	0.007	0.35	0.069		TRANS-NEROLIDOL		0.005	ND	ND		
ETA-MYRCENE	0.007	0.33	0.065		Analyzed by:	Weight:		Extraction d	ato:		Extracted by:
ENCHYL ALCOHOL	0.007	0.24	0.047		3605, 585, 1440	0.2236g		08/27/24 13			3605
ARNESENE	0.007	0.23	0.046		Analysis Method : SOP.T.30.061A.	FL. SOP.T.40.061A.FL					
LPHA-HUMULENE	0.007	0.20	0.039		Analytical Batch : DA077292TER					08/28/24 12:29:52	
LPHA-TERPINEOL	0.007	0.14	0.027		Instrument Used : DA-GCMS-009 Analyzed Date : 08/27/24 13:45:3	9		Batch	Date : 08	/27/24 09:58:45	
LPHA-BISABOLOL	0.007	0.10	0.020		Dilution : 10	2					
-CARENE	0.007	ND	ND		Reagent : 022224.04						
ORNEOL	0.013	ND	ND		Consumables : 947.109; 240321-6	34-A; 280670723; CE	0123				
AMPHOR	0.007	ND	ND		Pipette : DA-065						
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizin	g Gas Chromatography M	ass Spectr	ometry. For all I	Flower sam	ples, the Total Terpenes % is	dry-weight corrected.
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/24



Supply Disposable Vape 500mg - ICC (I) ICC



Matrix : Derivative Type: Distillate

PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40827005-012 Harvest/Lot ID: 1101 3428 6431 6944 Batch# : 1101 3428 6431 Sample

6944 Sampled : 08/27/24 Ordered : 08/27/24 Sample Size Received : 15.5 gram Total Amount : 516 units Completed : 08/29/24 Expires: 08/29/25 Sample Method : SOP.T.20.010

Page 3 of 6

	-
	足:
- 1	ц.
- 1	01
_ L	-

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010	1.1.	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				1.1.	0.1	PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND					0.0		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2301g		tion date: 24 15:46:51		Extracted 3621	i by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.				SOP T 40 101		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	re (ouncovinc), oo	1.1.50.10	2.1 E (Duvic), c	01.11.40.101.	E (Guillesville)	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077314PES				n:08/29/24 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004	(PES)		Batch Date :	08/27/24 11:3	37:43	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	0.0000000000000000000000000000000000000	01024 00	2. 072224 010		. 001022.01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 082724.R02; 082124.R03; 082324.R10; 081924.R02; 072224.R19; 082124.R01; 081023.01 Consumables : 326250IW						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-21	9					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is pe		uid Chron	natography Trig	ole-Ouadrupole	Mass Spectrom	netrv in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2301g		4 15:46:51		3621	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.						
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA077317VOL			eviewed On : 0 atch Date : 08			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :08/27/24 18:27:		Ва	atch Date : 08,	(27/24 11:41:0	70	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 082324.R10; 081023.0	1: 081524.R31: 08	1524.R32				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-21	8					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is pe		s Chroma	tography Triple	-Quadrupole N	lass Spectromet	try in
						accordance with F.S. Rule 64ER20-	39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/29/24



Supply Disposable Vape 500mg - ICC (I) ICC



Matrix : Derivative Type: Distillate

PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40827005-012 Harvest/Lot ID: 1101 3428 6431 6944 Batch# : 1101 3428 6431 Sample 6944 Total Ar

Sampled : 08/27/24 Ordered : 08/27/24 31 6944 Sample Size Received : 15.5 gram Total Amount : 516 units Completed : 08/29/24 Expires: 08/29/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
analyzed by: 350, 585, 1440	Weight: 0.0258g	Extraction date: 08/28/24 11:47:29		E x 85	tracted by:
Analysis Method: SOP.T.40.041.FL Analytical Batch: DA077339SOL Instrument Used: DA-GCMS-003 Analyzed Date: 08/28/24 11:05:07			On : 08/28/24 12:25:15 te : 08/27/24 15:00:36		

Dilution : 1 Reagent : 030420.09 Consumables : 430274: 306143

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/29/24



. Supply Disposable Vape 500mg - ICC (I) ICC



Matrix : Derivative Type: Distillate

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40827005-012 Harvest/Lot ID: 1101 3428 6431 6944 Batch#:1101 3428 6431

6944 Sampled : 08/27/24 Ordered : 08/27/24

Sample Size Received : 15.5 gram Total Amount : 516 units Completed : 08/29/24 Expires: 08/29/25 Sample Method : SOP.T.20.010

	Pag	e	5	of	6
--	-----	---	---	----	---

101	Microl	hial			PAS	CED	2°C	M	cotoxi	inc			PAS	CED
1	MICI OI	JIAI			raj	JED	2	I'' Y	LULUXI	113			ГАJ	JEL
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA T AND MOLD	10.00	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight:	Extraction da			Extracted	by:
	I AND MOLD		, 5						0.2301g	08/27/24 15:		10.1	3621	
Analyzed by: 390, 4520, 58	5, 1440	Weight: 0.969g	Extraction 08/27/24 1		Extracte 4520	ed by:	Analysis Metho SOP.T.30.102.			esville), SOP.T. FL (Davie)	40.101.Fl	_ (Gainesv	ille),	
analysis Metho	od : SOP.T.40.0560	C SOP T 40.05	58 FL SOP 1	40 209 FI			Analytical Bate	h:DA0773		Review		8/28/24 1		
	h : DA077287MIC			Re	eviewed On	:08/28/24	Instrument Us			Batch	Date : 08	/27/24 11:	41:05	
					2:23:22		Analyzed Date	: N/A						
	ed : PathogenDx S cycler DA-010,Fish				atch Date :	08/27/24	Dilution : 250	00.000	2124 002, 003	2324.R10; 0819	24 002.0	ום גרברבו	0. 00212	1 001.
	Scientific Isotemp				.zi.+j		081023.01	24.NUZ, UO	2124.R05, 002	2524.10,0019	24.ΝυΖ, (J/ZZZ4.NI	.9, 00212	+.NUI,
cientific Isote	mp Heat Block (5	5*C) DA-021,F	isher Scien	tific Isotemp			Consumables :	326250IW						
leat Block (55)A-367	i*C) DA-366,Fisher	r Scientific Iso	temp Heat	Block (95*C)			Pipette : DA-0	93; DA-094;	DA-219					
	: 08/27/24 12:38:	57								graphy with Triple	-Quadrupo	le Mass Spo	ectrometry	in
Dilution : 10							- accordance wit	n F.S. Rule 64	ER20-39.					
	824.34; 081624.00	6; 081624.09;	082024.R1	9; 072424.13										
Consumables :	7575001020						I II II	Hoa	vy Me	tale			PAS	CEL
Pipette : N/A							Hg	IICa	vy me	stais			FAJ	JLL
Analyzed by:		Weight:	Extraction		Extracte	ed by:								
1520, 3390, 58	5, 1440	0.969g	08/27/24 1	1:17:28	4520		Metal			LOD	Units	Result	Pass / Fail	Action Level
	od: SOP.T.40.208		SOP.T.40.2				TOTAL CONT			S 0.08	nnm	ND	PASS	1.1
	<pre>ch : DA077289TYM ed : Incubator (25³)</pre>		alibratod w	Reviewed C			ARSENIC	Artinant	LUAD METAL	0.08	ppm ppm	ND	PASS	0.2
A-3821	eu . mcubator (25	C) DA- 320 [C	anniared M	iun baten Date	. 00/2//24	03.22.33				0.02	ppm	ND	PASS	0.2
4	: 08/27/24 11:53:	28					MERCURY			0.02	ppm	ND	PASS	0.2
Dilution : 10							LEAD			0.02	ppm	ND	PASS	0.5
	824.34; 081624.00	6; 081624.09;	080524.R1	3; 082024.R18					14/-1 1 1			110		0.0
Consumables : Pipette : N/A	N/A						Analyzed by: 1022, 4056, 58	5, 1440	Weight 0.2281			9	Extracte 1022	ed by:
	mold testing is perfo	armod utilizing M	ADN and tradi	tional cultura basa	d tochniques	c in	Analysis Metho	d : SOP.T.3	0.082.FL, SOP.	T.40.082.FL				
	F.S. Rule 64ER20-3			cional culture base	u techniques	5 111	Analytical Bate					/28/24 13		
							Instrument Us Analyzed Date			Batch Da	ate: 08/2	7/24 11:3	4:23	
							Dilution : 50							
								224.R15; 08	2624.R06; 082	2324.R03; 0826	24.R04; ()82624.R0	5; 06172	4.01;
							081424.R39							
							Consumables :	179436; 02	1824CH01; 21	L0508058				

)21824CH01; 210508058

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/29/24



......... Supply Disposable Vape 500mg - ICC (I) ICC



Matrix : Derivative Type: Distillate

Page 6 of 6

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40827005-012 Harvest/Lot ID: 1101 3428 6431 6944 Batch# : 1101 3428 6431 6944

Sampled : 08/27/24 Ordered : 08/27/24

Sample Size Received : 15.5 gram Total Amount : 516 units Completed : 08/29/24 Expires: 08/29/25 Sample Method : SOP.T.20.010

	ilth/Fore laterial	eigr	1		ΡΑ	SSED
Analyte Filth and Foreign M	-	. 0D 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: NA		Extraction	on date:	Extr N/A	acted by:
Analysis Method : SOF Analytical Batch : DAO Instrument Used : Filtl Analyzed Date : 08/28	77385FIL n/Foreign Material	Micros	cope			3/24 15:17:32 24 11:21:25
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign materia				spection utilizir	ig naked ey	ve and microscope
technologies in accordar					ΡΑ	SSED
Analyte Water Activity		סס ו 010 a	Jnits aw	Result 0.562	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.5154g		ction da 3/24 09:			acted by: 1,4512
Analysis Method : SOF Analytical Batch : DAO Instrument Used : DA-	77308WAT	ropalm		Reviewed On Batch Date :		

Analytical Batch : DA077308WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 08/28/24 09:33:22 Dilution : N/A Reagent : 080624.18 Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/29/24