

Certificate of Analysis

COMPLIANCE FOR RETAIL



Kaycha Labs

Supply Shake 14g - Red Pop (I) Red Pop

Matrix: Flower Type: Flower-Cured

Sample:DA40828010-012

Harvest/Lot ID: 1101 3428 6432 6157

Batch#: 1101 3428 6432 6157

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 1101 3428 6432 6157

Batch Date: 08/20/24

Sample Size Received: 42 gram Total Amount: 566 units

Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 08/21/24 Sampled: 08/28/24

Completed: 09/01/24

Sampling Method: SOP.T.20.010

Sep 01, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 5

PASSED

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



PASSED



Water Activity **PASSED**



PASSED





PASSED



Cannabinoid

Total THC

Total THC/Container: 3236.800 mg



Total CBD 0.027%

Total CBD/Container: 3.780 mg



Total Cannabinoids

Total Cannabinoids/Container: 3840.760 mg

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077435POT Instrument Used: DA-LC-001

Analyzed Date: 08/29/24 15:01:15

Dilution: 400

Reagent: 082724.R09; 081324.16; 082724.R12 Consumables: 947.109; 021824CH01; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 08/30/24 12:43:09 Batch Date: 08/29/24 11:14:58

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 09/01/24



Kaycha Labs

Supply Shake 14g - Red Pop (I)

Red Pop

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA40828010-012 Harvest/Lot ID: 1101 3428 6432 6157

Batch#: 1101 3428 6432

Sampled: 08/28/24 Ordered: 08/28/24 Sample Size Received: 42 gram
Total Amount: 566 units

Completed: 09/01/24 Expires: 09/01/25 Sample Method: SOP.T.20.010 Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)
TOTAL TERPENES	0.007	147.70	1.055		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	35.42	0.253		ALPHA-BISABOLOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	35.42	0.253		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	12.46	0.089		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	11.90	0.085		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	11.34	0.081		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-PINENE	0.007	9.52	0.068		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	8.82	0.063		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	8.54	0.061		Analyzed by:	Weight:	Evtra	ction date:	Extracted by:
ALPHA-TERPINEOL	0.007	6.30	0.045		4451, 3605, 585, 1440	1.0778g		9/24 13:23:24	
FENCHYL ALCOHOL	0.007	5.18	0.037		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL			
TRANS-NEROLIDOL	0.005	2.80	0.020		Analytical Batch : DA077401TER				3/30/24 12:43:11
3-CARENE	0.007	ND	ND		Instrument Used: DA-GCMS-004 Analyzed Date: 08/29/24 13:23:40		Bato	:h Date : 08/2	29/24 09:31:48
BORNEOL	0.013	ND	ND		Dilution: 10				
CAMPHENE	0.007	ND	ND		Reagent : 022224.04				
CAMPHOR	0.007	ND	ND		Consumables: 947.109; 240321-634-	-A; 280670723; CE0123			
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	as Chromatography Mass Spectro	metry. For al	I Flower sample	les, the Total Terpenes % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.055						

Total (%) 1.05

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/01/24



Kaycha Labs

Supply Shake 14g - Red Pop (I)

Red Pop

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chavez@crescolabs.com Sample : DA40828010-012 Harvest/Lot ID: 1101 3428 6432 6157

Pacc/Eail Pacult

Batch#: 1101 3428 6432

6157 Sampled: 08/28/24 Ordered: 08/28/24 Sample Size Received: 42 gram
Total Amount: 566 units

Completed: 09/01/24 Expires: 09/01/25 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND			0.010		Level	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	OXAMYL		0.010		0.5		ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRINS		ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm	0.2	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEOUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE		ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
		ppm	0.3	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE ((PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *	,	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CHLORFENAPYR *				0.5		ND
DIAZINON		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050			PASS	
DICHLORVOS		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DIMETHOATE		ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted b	y:
ETHOPROPHOS		ppm	0.1	PASS	ND	585, 3379, 1440	1.0008g		18:17:39		450,585	
ETOFENPROX		ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.	FL (Gainesville), SO	P.T.30.10	2.FL (Davie), S	5OP.T.40.101.I	FL (Gainesville)	,
ETOXAZOLE		ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA077418PES			Paviawad Or	n:09/01/24 10	1.00.41	
FENHEXAMID		ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003				08/29/24 10:3		
FENOXYCARB		ppm	0.1	PASS	ND	Analyzed Date: 08/29/24 19:45:5	53					
FENPYROXIMATE		ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL		ppm	0.1	PASS	ND	Reagent: 082624.R03; 082924.R	R04; 082924.R03; 0	82924.R2	8; 082724.R15	5; 082924.R01	; 081023.01	
FLONICAMID		ppm	0.1	PASS	ND	Consumables: 326250IW	0					
FLUDIOXONIL		ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is pe					M C	
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3		julu Cilion	iatograpity trip	ne-Quadrupole	мазэ эресион	ietry iii
IMAZALIL		ppm	0.1	PASS	ND			Extractio	n date:		Extracted b	v:
IMIDACLOPRID		ppm	0.4	PASS	ND			08/29/24			450,585	,.
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.	FL (Gainesville), SO	P.T.30.15	1A.FL (Davie),	SOP.T.40.151	.FL	
MALATHION		ppm	0.2	PASS	ND	Analytical Batch : DA077420VOL			viewed On :			
METALAXYL		ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Ba	tch Date: 08	/29/24 10:39:2	29	
METHIOCARB		ppm	0.1	PASS	ND	Analyzed Date : 08/29/24 18:28:2	23					
METHOMYL			0.1	PASS	ND	Dilution: 250	11. 001524 021. 00	1524 022				
	0.010	mag	U.I			Reagent: 082924.R03; 081023.01; 081524.R31; 081524.R32						
MEVINPHOS	0.010		0.1	PASS	ND			1324.032				
	0.010	ppm ppm			ND ND	Consumables: 3262501W; 14725 Pipette: DA-080; DA-146; DA-218	5401	1324.N32				
MEVINPHOS	0.010 0.010	ppm	0.1	PASS		Consumables: 326250IW; 14725	5401 8		ography Triple	-Quadrupole M	lass Spectromet	cry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/01/24



Kaycha Labs

Supply Shake 14g - Red Pop (I)

Red Pop

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40828010-012 Harvest/Lot ID: 1101 3428 6432 6157

Batch#: 1101 3428 6432

Sampled: 08/28/24 **Ordered**: 08/28/24

Sample Size Received: 42 gram Total Amount : 566 units

Completed: 09/01/24 Expires: 09/01/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TER	RREUS			Not Present	PASS	
ASPERGILLUS NIC	SER			Not Present	PASS	
ASPERGILLUS FUI	MIGATUS			Not Present	PASS	
ASPERGILLUS FLA	AVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE				Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
TOTAL YEAST ANI	10.00	CFU/g	410	PASS	100000	
Analyzed by	Majalah	Evelore	ation date.		Evenend	lesso

Extracted by: 4520, 585, 1440 1.1336g 08/29/24 13:05:39

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA077389MIC

Reviewed On: 08/30/24 Batch Date: 08/29/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55*C) 08:14:38 DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp

Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C)

Analyzed Date : 08/29/24 15:54:40

Dilution: 10

Reagent: 082224.38; 082224.39; 082224.41; 082024.R19; 072424.13

Consumables: 7575001014 Pipette: N/A

4044, 4520, 4531, 585, 1440	1.1336g	08/29/24 13		4520	
Analysis Method : SOP.T.40.208 (G	iainesville), SC	P.T.40.209.FL			
Analytical Batch: DA077390TYM			Reviewed O	n: 09/01/24 10:11:	58
Instrument Used: Incubator (25*C) DA- 328 [cali	brated with	Batch Date	: 08/29/24 08:15:36	ô
DA-382]					
Analyzed Date: 08/29/24 14:30:26					

Dilution: 10

Reagent: 082224.38; 082224.39; 082224.41; 080524.R13; 082024.R18

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	LOD	Units	Result	Pass / Fail	Action Level
	0.00	ppm	ND	PASS	0.02
	0.00	ppm	ND	PASS	0.02
	0.00	ppm	ND	PASS	0.02
	0.00	ppm	ND	PASS	0.02
	0.00	ppm	ND	PASS	0.02
Weight: 1.0008g	Extraction date: 08/29/24 18:17:39				
	Weight:	0.00 0.00 0.00 0.00 0.00 Weight: Extract	0.00 ppm 0.00 ppm 0.00 ppm 0.00 ppm 0.00 ppm 0.00 ppm	0.00 ppm ND Weight: Extraction date:	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA077419MYC Reviewed On: 09/01/24 10:13:56 Instrument Used : N/A Batch Date: 08/29/24 10:39:27

Analyzed Date: 08/29/24 19:44:12

Dilution: 250
Reagent: 082624.R03; 082924.R04; 082924.R03; 082924.R28; 082724.R15; 082924.R01;

081023.01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 585, 1022, 1440	Weight: 0.2159g	Extraction dat 08/29/24 12:2		Extracted by: 4056		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA077402HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 08/29/24 19:45:44

Reviewed On: 08/30/24 10:50:15 Batch Date: 08/29/24 09:36:50

Dilution: 50

Reagent: 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01;

082824.R21

Consumables: 179436; 210618-336; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/01/24



Kaycha Labs

Supply Shake 14g - Red Pop (I)

Red Pop

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40828010-012 Harvest/Lot ID: 1101 3428 6432 6157

Batch#: 1101 3428 6432

Sampled: 08/28/24 Ordered: 08/28/24

Sample Size Received: 42 gram Total Amount : 566 units

Completed: 09/01/24 Expires: 09/01/25 Sample Method: SOP.T.20.010

Page 5 of 5

Result

12.37

10:40:17

P/F

PASS

Reviewed On: 08/30/24



Filth/Foreign **Material**

Weight:

NA

PASSED

Extracted by:

N/A



Moisture

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser

PASSED

15

Action Level

Analyte LOD Units Result P/F Action Level Analyte LOD Filth and Foreign Material 0.100 % ND PASS 1 **Moisture Content** 1.00 Analyzed by: 1879, 585, 1440

Analyzed by: 4512, 585, 1440 Extraction date Weight: 0.5g 08/29/24 17:01:59 4512 Analysis Method: SOP.T.40.021

Units

%

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Batch Date: 08/29/24 10:03:09

Analysis Method: SOP.T.40.090 Analytical Batch : DA077449FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 08/29/24 13:40:48 Batch Date: 08/29/24 12:31:36

N/A

Analyzed Date : 08/29/24 13:23:48

Dilution: N/AReagent: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte

Pipette: N/A

Water Activity

LOD Units Result P/F **Action Level**

Reviewed On: 08/30/24 10:42:42

Batch Date: 08/29/24 10:12:03

PASS Water Activity 0.010 aw 0.515 0.65 Extraction date: 08/29/24 15:52:37 Analyzed by: 4512, 585, 1440 Weight: 0.625g Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA077412WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date: 08/29/24 16:04:37

Dilution: N/A Reagent: 080624.18 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyzed Date: 08/29/24 17:12:08

Reagent: 092520.50; 020124.02

Analytical Batch: DA077410MOI

Consumables : N/A

Pipette: DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Vivian Celestino

Lab Director

Signature 09/01/24