



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40830008-011
Harvest/Lot ID: 1101 3428 6431 7362
Batch#: 1101 3428 6431 7362
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 1101 3428 6432 8512
Batch Date: 08/20/24
Sample Size Received: 4 units
Total Amount: 205 units
Retail Product Size: 57 gram
Retail Serving Size: 57 gram
Servings: 1
Ordered: 08/15/24
Sampled: 08/30/24
Completed: 09/05/24
Revision Date: 09/10/24
Sampling Method: SOP.T.20.010

Sep 10, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals Solvents
PASSED


Filtration
PASSED


Water Activity
PASSED


Moisture
NOT TESTED

MISC.

Terpenes
TESTED



Cannabinoid

PASSED



Total THC
0.848%
Total THC/Container : 483.360 mg



Total CBD
ND
Total CBD/Container : 0.000 mg



Total Cannabinoids
0.917%
Total Cannabinoids/Container : 522.690 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.848	ND	<0.010	ND	ND	0.050	ND	ND	ND	ND	0.019
mg/unit	8.48	ND	<0.10	ND	ND	0.50	ND	ND	ND	ND	0.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1053g

Extraction date:
09/04/24 13:26:37

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA077562POT
Instrument Used : DA-LC-003
Analyzed Date : 09/03/24 23:01:43

Reviewed On : 09/04/24 10:11:29
Batch Date : 09/02/24 14:17:30

Dilution : 400
Reagent : 082724.R03; 081324.16; 080624.R01
Consumables : 947.109; 021824CH01; CE123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
09/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-011
Harvest/Lot ID: 1101 3428 6431 7362
Batch# : 1101 3428 6431 7362
Sample Size Received : 4 units
Total Amount : 205 units
Completed : 09/05/24 Expires: 09/10/25
Ordered : 08/30/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	428.40	42.840	NEROL	0.007	ND	ND
CAMPHOR	0.007	193.10	19.310	SABINENE HYDRATE	0.007	ND	ND
HEXAHYDROTHYMOL	0.007	172.89	17.289	VALENCENE	0.007	ND	ND
EUCALYPTOL	0.007	35.14	3.514	ALPHA-BISABOLOL	0.007	ND	ND
ALPHA-TERPINEOL	0.007	5.39	0.539	ALPHA-CEDRENE	0.005	ND	ND
LIMONENE	0.007	4.21	0.421	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	3.24	0.324	CIS-NEROLIDOL	0.003	ND	ND
BORNEOL	0.013	2.68	0.268	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-PINENE	0.007	2.28	0.228				
BETA-PINENE	0.007	1.67	0.167	Analyzed by:	Weight:	Extraction date:	Extracted by:
ISOBORNEOL	0.007	1.40	0.140	4451, 3605, 585, 1440	0.2241g	08/31/24 15:19:45	4451
ALPHA-HUMULENE	0.007	1.39	0.139				
GAMMA-TERPINENE	0.007	1.34	0.134	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BETA-MYRCENE	0.007	0.91	0.091	Analytical Batch : DA077503TER		Reviewed On : 09/05/24 10:59:21	Batch Date : 08/31/24 09:56:07
ALPHA-TERPINOLENE	0.007	0.84	0.084	Instrument Used : DA-GCMS-004			
LINALOOL	0.007	0.49	0.049	Analyzed Date : 09/03/24 07:53:14			
ALPHA-TERPINENE	0.007	0.33	0.033				
OCIMENE	0.007	0.30	0.030	Dilution : 10			
PULEGONE	0.007	0.30	0.030	Reagent : 022224.07			
FENCHONE	0.007	0.25	0.025	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
SABINENE	0.007	0.25	0.025	Pipette : DA-065			
3-CARENE	0.007	ND	ND				
CAMPHENE	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHYL ALCOHOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
Total (%)			42.840				

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
09/05/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40830008-011
Harvest/Lot ID: 1101 3428 6431 7362

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 1101 3428 6431 Sample Size Received : 4 units
7362 Total Amount : 205 units
Sampled : 08/30/24 Completed : 09/05/24 Expires: 09/10/25
Ordered : 08/30/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.202g Extraction date: 09/03/24 14:49:45 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA077529PES Reviewed On : 09/04/24 12:23:31 Instrument Used : DA-LCMS-003 (PES) Batch Date : 08/31/24 14:40:05 Analyzed Date : 09/03/24 14:52:16 Dilution : 250 Reagent : 082624.R03; 082924.R04; 082924.R03; 082924.R28; 082724.R15; 082924.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.202g Extraction date: 09/03/24 14:49:45 Extracted by: 3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA077531VOL Reviewed On : 09/04/24 12:43:15 Instrument Used : DA-GCMS-011 Batch Date : 08/31/24 14:42:00 Analyzed Date : 09/03/24 15:05:32 Dilution : 250 Reagent : 082924.R03; 081023.01; 081524.R31; 081524.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
09/05/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-011

 Harvest/Lot ID: 1101 3428 6431 7362
 Batch# : 1101 3428 6431 7362
 Sample Size Received : 4 units
 Total Amount : 205 units
 Completed : 09/05/24 Expires: 09/10/25
 Ordered : 08/30/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0268g	Extraction date: 09/02/24 13:44:46	Extracted by: 850
-----------------------------	-----------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 09/04/24 09:38:05
Analytical Batch : DA07752850L	Batch Date : 08/31/24 14:28:21
Instrument Used : DA-GCMS-003	
Analyzed Date : 09/03/24 08:37:08	

Dilution : 1
 Reagent : 030420.09
 Consumables : 430274; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 09/05/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-011

Harvest/Lot ID: 1101 3428 6431 7362

Batch# : 1101 3428 6431
7362

Sample Size Received : 4 units

Total Amount : 205 units

Completed : 09/05/24 Expires: 09/10/25

Ordered : 08/30/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4520, 4351, 585, 1440 Weight: 0.891g Extraction date: 08/31/24 11:53:40 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077498MIC Reviewed On : 09/04/24 12:43:17 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 09:07:17 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 08/31/24 16:28:50 Dilution : 10 Reagent : 082224.09; 082224.12; 082224.38; 082024.R19; 030724.31 Consumables : 7575001003 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 0.202g Extraction date: 09/03/24 14:49:45 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077530MYC Reviewed On : 09/04/24 10:38:53 Instrument Used : N/A Batch Date : 08/31/24 14:41:58 Analyzed Date : 09/03/24 14:53:04 Dilution : 250 Reagent : 082624.R03; 082924.R04; 082924.R03; 082924.R28; 082724.R15; 082924.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.08	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
MERCURY	0.02	ppm	ND	PASS	0.5
LEAD	0.02	ppm	ND	PASS	3
Analyzed by: 1022, 585, 1440 Weight: 0.2047g Extraction date: 09/01/24 12:13:33 Extracted by: 1022,1879 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077525HEA Reviewed On : 09/04/24 15:07:05 Instrument Used : DA-ICPMS-004 Batch Date : 08/31/24 14:06:20 Analyzed Date : 09/03/24 16:34:44 Dilution : 50 Reagent : 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01; 082824.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
09/05/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Remedi 500mg Infused Balm
 Balm
 Matrix : Derivative
 Type: Topical



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-011
 Harvest/Lot ID: 1101 3428 6431 7362
 Batch# : 1101 3428 6431 Sample Size Received : 4 units
 7362 Total Amount : 205 units
 Sampled : 08/30/24 Completed : 09/05/24 Expires: 09/10/25
 Ordered : 08/30/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/01/24 20:56:02	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA077558FIL Reviewed On : 09/02/24 17:11:40
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 09/01/24 18:28:56
 Analyzed Date : 09/01/24 20:54:27

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	TESTED	

Analyzed by: 4512, 585, 1440	Weight: 0.3183g	Extraction date: 09/01/24 15:08:47	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA077521WAT Reviewed On : 09/04/24 09:35:01
 Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 08/31/24 11:49:38
 Analyzed Date : 09/01/24 15:18:18

Dilution : N/A
 Reagent : 080624.18
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 09/05/24