



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40830008-017  
Harvest/Lot ID: 1101 3428 6432 6434  
Batch#: 1101 3428 6432 6434  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale# 1101 3428 6432 6434  
Batch Date: 08/21/24  
Sample Size Received: 27.5 gram  
Total Amount: 500 units  
Retail Product Size: 2.5 gram  
Retail Serving Size: 2.5 gram  
Servings: 1  
Ordered: 08/21/24  
Sampled: 08/30/24  
Completed: 09/04/24  
Sampling Method: SOP.T.20.010

Sep 04, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals  
Solvents  
NOT TESTED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
PASSED



Terpenes  
TESTED

MISC.



Cannabinoid

PASSED



Total THC  
**21.664%**

Total THC/Container : 541.600 mg



Total CBD  
**0.019%**

Total CBD/Container : 0.475 mg



Total Cannabinoids  
**25.259%**

Total Cannabinoids/Container : 631.475 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.167	23.372	ND	0.022	ND	0.089	0.521	ND	ND	ND	0.088
mg/unit	29.18	584.30	ND	0.55	ND	2.23	13.03	ND	ND	ND	2.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.201g

Extraction date:  
09/03/24 08:49:31

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA077548POT  
Instrument Used : DA-LC-001  
Analyzed Date : 09/03/24 08:49:36

Reviewed On : 09/04/24 10:13:36  
Batch Date : 09/01/24 09:14:39

Dilution : 400  
Reagent : 082724.R04; 081324.16; 081524.R03  
Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
09/04/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-017  
Harvest/Lot ID: 1101 3428 6432 6434

Batch# : 1101 3428 6432    Sample Size Received : 27.5 gram  
6434    Total Amount : 500 units  
Sampled : 08/30/24    Completed : 09/04/24 Expires: 09/04/25  
Ordered : 08/30/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	25.03	1.001	VALENCENE	0.007	ND	ND
LINALOOL	0.007	5.85	0.234	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	5.43	0.217	ALPHA-PHELLANDRENE	0.007	ND	ND
LIMONENE	0.007	2.88	0.115	ALPHA-PINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	2.13	0.085	ALPHA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.98	0.079	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.85	0.074	CIS-NEROLIDOL	0.003	ND	ND
BETA-MYRCENE	0.007	1.68	0.067	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	1.48	0.059				
TRANS-NEROLIDOL	0.005	1.10	0.044	Analyzed by:	Weight:	Extraction date:	Extracted by:
BETA-PINENE	0.007	0.68	0.027	4451, 3605, 585, 1440	1.115g	08/31/24 15:16:12	4451
3-CARENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	ND	ND	Analytical Batch : DA077502TER			
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-004			
CAMPHOR	0.007	ND	ND	Analyzed Date : 08/31/24 15:16:34			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 022224.07			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
FARNESENE	0.001	ND	ND	Pipette : DA-065			
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.001</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/04/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40830008-017  
Harvest/Lot ID: 1101 3428 6432 6434

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch#: 1101 3428 6432 Sample Size Received : 27.5 gram  
6434 Total Amount : 500 units  
Sampled : 08/30/24 Completed : 09/04/24 Expires: 09/04/25  
Ordered : 08/30/24 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.8401g <b>Extraction date:</b> 09/03/24 14:46:07 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA077535PES <b>Reviewed On :</b> 09/04/24 13:58:10 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 08/31/24 14:48:32 <b>Analyzed Date :</b> 09/03/24 14:52:36 <b>Dilution :</b> 250 <b>Reagent :</b> 082624.R03; 082924.R04; 082924.R03; 082924.R28; 082724.R15; 082924.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/04/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40830008-017  
Harvest/Lot ID : 1101 3428 6432 6434  
Batch# : 1101 3428 6432    Sample Size Received : 27.5 gram  
6434    Total Amount : 500 units  
Sampled : 08/30/24    Completed : 09/04/24 Expires: 09/04/25  
Ordered : 08/30/24    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 4520, 4351, 585, 1440 <b>Weight:</b> 0.855g <b>Extraction date:</b> 08/31/24 11:53:41 <b>Extracted by:</b> 4520 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Reviewed On :</b> 09/04/24 10:28:28 <b>Analytical Batch :</b> DA077498MIC <b>Batch Date :</b> 08/31/24 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 09:07:17 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 <b>Analyzed Date :</b> 08/31/24 16:28:50 <b>Dilution :</b> 10 <b>Reagent :</b> 082224.09; 082224.12; 082224.38; 082024.R19; 030724.31 <b>Consumables :</b> 7575001003 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.8401g <b>Extraction date:</b> 09/03/24 14:46:07 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA077536MYC <b>Reviewed On :</b> 09/04/24 12:27:32 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 08/31/24 14:50:38 <b>Analyzed Date :</b> 09/03/24 14:53:14 <b>Dilution :</b> 250 <b>Reagent :</b> 082624.R03; 082924.R04; 082924.R03; 082924.R28; 082724.R15; 082924.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2661g <b>Extraction date:</b> 08/31/24 15:42:15 <b>Extracted by:</b> 1022, 1879 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Reviewed On :</b> 09/04/24 12:41:18 <b>Analytical Batch :</b> DA077507HEA <b>Batch Date :</b> 08/31/24 10:11:36 <b>Instrument Used :</b> DA-ICPMS-004 <b>Analyzed Date :</b> 09/03/24 13:50:49 <b>Dilution :</b> 50 <b>Reagent :</b> 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01; 082824.R21 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2661g <b>Extraction date:</b> 08/31/24 15:42:15 <b>Extracted by:</b> 1022, 1879 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Reviewed On :</b> 09/04/24 12:41:18 <b>Analytical Batch :</b> DA077507HEA <b>Batch Date :</b> 08/31/24 10:11:36 <b>Instrument Used :</b> DA-ICPMS-004 <b>Analyzed Date :</b> 09/03/24 13:50:49 <b>Dilution :</b> 50 <b>Reagent :</b> 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01; 082824.R21 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
09/04/24



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

**Sample : DA40830008-017**

Harvest/Lot ID: 1101 3428 6432 6434  
Batch#: 1101 3428 6432  
Sample Size Received : 27.5 gram  
Total Amount : 500 units  
Completed : 09/04/24 Expires: 09/04/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440  
Weight: 1g  
Extraction date: 09/01/24 20:56:03  
Extracted by: 1879

Analysis Method : SOP.T.40.090  
Analytical Batch : DA077558FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 09/01/24 20:54:27  
Reviewed On : 09/02/24 17:11:37  
Batch Date : 09/01/24 18:28:56

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.469	PASS	0.65

Analyzed by: 4512, 585, 1440  
Weight: 0.77g  
Extraction date: 09/01/24 14:34:03  
Extracted by: 4512

Analysis Method : SOP.T.40.019  
Analytical Batch : DA077520WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 09/01/24 14:38:30  
Reviewed On : 09/04/24 09:46:35  
Batch Date : 08/31/24 11:48:05

Dilution : N/A  
Reagent : 080624.18  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.07	PASS	15

Analyzed by: 4512, 585, 1440  
Weight: 0.504g  
Extraction date: 09/01/24 13:43:25  
Extracted by: 4512

Analysis Method : SOP.T.40.021  
Analytical Batch : DA077519MOI  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer  
Analyzed Date : 09/01/24 13:59:49  
Reviewed On : 09/04/24 09:43:45  
Batch Date : 08/31/24 11:42:56

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

