



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40904015-004
 Harvest/Lot ID: 1101 3428 6432 8482
 Batch#: 1101 3428 6432 8482
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 1101 3428 6433 2975
 Batch Date: 08/26/24
 Sample Size Received: 574 gram
 Total Amount: 3281 units
 Retail Product Size: 43.4468 gram
 Retail Serving Size: 41 gram
 Servings: 1
 Ordered: 08/30/24
 Sampled: 09/04/24
 Completed: 09/08/24
 Sampling Method: SOP.T.20.010

Sep 08, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US



PASSED

Pages 1 of 5

SAFETY RESULTS

								
Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.244	ND	0.234	ND	ND	0.016	ND	0.002	ND	ND	0.005
mg/unit	2.44	ND	2.34	ND	ND	0.16	ND	0.02	ND	ND	0.05
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by: 3335, 1665, 585, 1440	Weight: 3.0831g	Extraction date: 09/05/24 15:45:38	Extracted by: 3335
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 09/06/24 12:35:07
Analytical Batch : DA077659POT	Batch Date : 09/05/24 11:10:08
Instrument Used : DA-LC-007	
Analyzed Date : 09/05/24 16:20:43	

Dilution : 40
 Reagent : 080624.01; 090324.R05; 071124.23; 071624.04; 090324.R04
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 09/08/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40904015-004

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 1101 3428 6432 8482

Batch# : 1101 3428 6432 Sample Size Received : 574 gram
8482 Total Amount : 3281 units
Sampled : 09/04/24 Completed : 09/08/24 Expires: 09/08/25
Ordered : 09/04/24 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.0454g Extraction date: 09/05/24 20:41:32 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077669PES Reviewed On : 09/06/24 16:21:21 Instrument Used : DA-LCMS-003 (PES) Batch Date : 09/05/24 11:34:00 Analyzed Date : 09/06/24 09:05:57					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 090324.R03; 081023.01; 090524.R01; 082924.R04; 082924.R27; 082724.R15; 090424.R25 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.0454g Extraction date: 09/05/24 20:41:32 Extracted by: 450,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077671VOL Reviewed On : 09/06/24 16:17:34 Instrument Used : DA-GCMS-011 Batch Date : 09/05/24 11:37:40 Analyzed Date : 09/05/24 21:16:12					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 090324.R03; 081023.01; 090324.R07; 090324.R08 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40904015-004
Harvest/Lot ID: 1101 3428 6432 8482
Batch# : 1101 3428 6432 8482
Sample Size Received : 574 gram
Total Amount : 3281 units
Completed : 09/08/24 Expires: 09/08/25
Sample Method : SOP.T.20.010
Sampled : 09/04/24
Ordered : 09/04/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.02836g	Extraction date: 09/06/24 13:07:08	Extracted by: 850
--------------------------------	---------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA077691SOL Instrument Used : DA-GCMS-002 Analyzed Date : 09/06/24 13:04:36	Reviewed On : 09/06/24 14:00:48 Batch Date : 09/05/24 17:07:36
---	---

Dilution : 1
 Reagent : 030420.09
 Consumables : 430274; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40904015-004
Harvest/Lot ID: 1101 3428 6432 8482
Batch#: 1101 3428 6432
Sample Size Received : 574 gram
Total Amount : 3281 units
Completed : 09/08/24 Expires: 09/08/25
Sample Method : SOP.T.20.010
Sampled : 09/04/24
Ordered : 09/04/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4520, 585, 1440 Weight: 1.2g Extraction date: 09/05/24 12:41:47 Extracted by: 4044,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077619MIC Reviewed On : 09/06/24 13:59:00 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 08:21:56 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 09/05/24 15:20:11 Dilution : 10 Reagent : 082224.07; 082224.34; 082024.R19; 082724.R24; 030724.31 Consumables : 7575001013 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 1.0454g Extraction date: 09/05/24 20:41:32 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077670MYC Reviewed On : 09/06/24 12:27:23 Instrument Used : N/A Batch Date : 09/05/24 11:37:17 Analyzed Date : 09/06/24 09:07:16 Dilution : 250 Reagent : 090324.R03; 081023.01 Consumables : 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440 Weight: 0.2891g Extraction date: 09/05/24 16:14:30 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077687HEA Reviewed On : 09/06/24 16:41:58 Instrument Used : DA-ICPMS-004 Batch Date : 09/05/24 13:02:40 Analyzed Date : 09/05/24 19:29:55 Dilution : 50 Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 082824.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440 Weight: 0.2891g Extraction date: 09/05/24 16:14:30 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077687HEA Reviewed On : 09/06/24 16:41:58 Instrument Used : DA-ICPMS-004 Batch Date : 09/05/24 13:02:40 Analyzed Date : 09/05/24 19:29:55 Dilution : 50 Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 082824.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/08/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40904015-004

Harvest/Lot ID: 1101 3428 6432 8482
Batch#: 1101 3428 6432 8482
Sample Size Received : 574 gram
Total Amount : 3281 units
Sampled : 09/04/24
Completed : 09/08/24 Expires: 09/08/25
Ordered : 09/04/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**

Homogeneity **PASSED**
Amount of tests conducted : 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440
Weight: 1g
Extraction date: 09/05/24 13:36:22
Extracted by: 1879
Analysis Method : SOP.T.40.090
Analytical Batch : DA077690FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 09/05/24 13:35:41
Reviewed On : 09/05/24 13:53:45
Batch Date : 09/05/24 13:26:03

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.646	PASS	0.85

Analyzed by: 4512, 585, 1440
Weight: 9.379g
Extraction date: 09/05/24 18:41:31
Extracted by: 4512
Analysis Method : SOP.T.40.019
Analytical Batch : DA077664WAT
Instrument Used : DA257 Rotronic HygroPalm
Analyzed Date : 09/05/24 18:50:13
Reviewed On : 09/06/24 08:46:49
Batch Date : 09/05/24 11:21:26

Dilution : N/A
Reagent : 080624.18
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.241	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	5.286	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4351, 3702, 585, 1440	4.268g	09/05/24 15:18:05	3702

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA077628HOM
Instrument Used : DA-LC-004
Analyzed Date : 09/05/24 15:54:17
Reviewed On : 09/06/24 12:31:37
Batch Date : 09/05/24 08:55:42

Dilution : 40
Reagent : 082024.R16; 071124.23; 020124.02; 080624.R01
Consumables : 947.109; 04311046; LCJ0311R; 021824CH01; 250346; 1009056395; R1KB14270
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

