



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40906011-006
 Harvest/Lot ID: 1101 3428 6432 5591
 Batch#: 1101 3428 6432 5591
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 1101 3428 6432 5591
 Batch Date: 08/20/24
 Sample Size Received: 16 gram
 Total Amount: 851 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 08/20/24
 Sampled: 09/06/24
 Completed: 09/10/24
 Sampling Method: SOP.T.20.010

Sep 10, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
83.967%
 Total THC/Container : 839.670 mg



Total CBD
1.533%
 Total CBD/Container : 15.330 mg



Total Cannabinoids
89.696%
 Total Cannabinoids/Container : 896.960 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.629	0.386	1.533	ND	ND	2.745	ND	0.658	0.420	ND	0.325
mg/unit	836.29	3.86	15.33	ND	ND	27.45	ND	6.58	4.20	ND	3.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.1091g

Extraction date:
09/09/24 11:57:57

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA077807POT
 Instrument Used : DA-LC-003
 Analyzed Date : 09/09/24 12:28:34

Reviewed On : 09/10/24 09:54:28
 Batch Date : 09/08/24 06:53:05

Dilution : 400
 Reagent : 090324.R05; 071624.04; 090324.R04
 Consumables : 947.109; 04311046; 280670723; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
09/10/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-006

Harvest/Lot ID: 1101 3428 6432 5591

Batch# : 1101 3428 6432
5591

Sampled : 09/06/24
Ordered : 09/06/24

Sample Size Received : 16 gram

Total Amount : 851 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	35.32	3.532	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	10.24	1.024	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	7.09	0.709	ALPHA-CEDRENE	0.005	ND	ND
BETA-MYRCENE	0.007	6.54	0.654	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	2.94	0.294	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	2.10	0.210	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	1.49	0.149	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.40	0.140	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-PINENE	0.007	1.27	0.127				
ALPHA-TERPINEOL	0.007	1.23	0.123	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-HUMULENE	0.007	0.52	0.052	4451, 3605, 585, 1440	0.2441g	09/07/24 21:22:16	4451
ALPHA-TERPINOLENE	0.007	0.50	0.050	Analysis Batch : DA07751TER			
3-CARENE	0.007	ND	ND	Instrument Used : DA-GCMS-008			
BORNEOL	0.013	ND	ND	Analysis Date : 09/09/24 09:00:58			
CAMPHENE	0.007	ND	ND	Dilution : 10			
CAMPHOR	0.007	ND	ND	Reagent : 022224.07			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
CEDROL	0.007	ND	ND	Pipette : DA-065			
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			3.532				

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
09/10/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40906011-006

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 1101 3428 6432 5591

Batch# : 1101 3428 6432 Sample Size Received : 16 gram
5591 Total Amount : 851 units
Sampled : 09/06/24 Completed : 09/10/24 Expires: 09/10/25
Ordered : 09/06/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2613g Extraction date: 09/08/24 11:13:14 Extracted by: 4640,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA077766PES Reviewed On : 09/10/24 19:59:17 Instrument Used : DA-LCMS-003 (PES) Batch Date : 09/07/24 11:57:30 Analyzed Date : 09/09/24 14:56:01 Dilution : 250 Reagent : 090324.R02; 090624.R04; 090524.R14; 082924.R28; 082724.R15; 090424.R25; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/10/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA40906011-006
 Harvest/Lot ID: 1101 3428 6432 5591
 Batch# : 1101 3428 6432 5591
 Sample Size Received : 16 gram
 Total Amount : 851 units
 Completed : 09/10/24 Expires: 09/10/25
 Sample Method : SOP.T.20.010
 Sampled : 09/06/24
 Ordered : 09/06/24

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.02196g	Extraction date: 09/09/24 11:18:04	Extracted by: 850
--------------------------------	---------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07777850L Instrument Used : DA-GCMS-003 Analyzed Date : 09/09/24 11:28:55	Reviewed On : 09/10/24 08:54:23 Batch Date : 09/07/24 13:14:35
---	---

 Dilution : 1
 Reagent : 030420.10
 Consumables : 430274; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-006

Harvest/Lot ID: 1101 3428 6432 5591
Batch#: 1101 3428 6432 5591
Sample Size Received : 16 gram
Total Amount : 851 units
Sampled : 09/06/24
Completed : 09/10/24 Expires: 09/10/25
Ordered : 09/06/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4531, 3390, 585, 1440 Weight: 0.814g Extraction date: 09/07/24 11:14:05 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077741MIC Reviewed On : 09/10/24 09:53:24 Batch Date : 09/07/24 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) 08:42:39 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 09/08/24 10:02:52 Dilution : 10 Reagent : 082224.11; 082224.34; 082724.R24; 042924.38 Consumables : 7576001013 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.2613g Extraction date: 09/08/24 11:13:14 Extracted by: 4640,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077767MYC Reviewed On : 09/10/24 11:52:55 Instrument Used : N/A Batch Date : 09/07/24 12:02:47 Analyzed Date : 09/09/24 14:56:25 Dilution : 250 Reagent : 090324.R02; 090624.R04; 090524.R14; 082924.R28; 082724.R15; 090424.R25; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2667g Extraction date: 09/08/24 11:54:25 Extracted by: 1022,4571 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077755HEA Reviewed On : 09/10/24 13:10:06 Instrument Used : DA-ICPMS-004 Batch Date : 09/07/24 10:53:19 Analyzed Date : 09/09/24 12:25:53 Dilution : 50 Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 090624.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2667g Extraction date: 09/08/24 11:54:25 Extracted by: 1022,4571 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077755HEA Reviewed On : 09/10/24 13:10:06 Instrument Used : DA-ICPMS-004 Batch Date : 09/07/24 10:53:19 Analyzed Date : 09/09/24 12:25:53 Dilution : 50 Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 090624.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-006

Harvest/Lot ID: 1101 3428 6432 5591
Batch#: 1101 3428 6432 Sample Size Received : 16 gram
5591 Total Amount : 851 units
Sampled : 09/06/24 Completed : 09/10/24 Expires: 09/10/25
Ordered : 09/06/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/08/24 23:15:19	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA077819FIL Reviewed On : 09/10/24 13:07:26
Instrument Used : Filth/Foreign Material Microscope Batch Date : 09/08/24 23:07:43
Analyzed Date : 09/08/24 23:13:44

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.609	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.0999g	Extraction date: 09/09/24 07:58:08	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA077787WAT Reviewed On : 09/10/24 08:56:02
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 09/07/24 13:58:27
Analyzed Date : 09/09/24 07:41:57

Dilution : N/A
Reagent : 080624.18
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

