



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40906011-010  
**Harvest/Lot ID:** 1101 3428 6431 7153  
**Batch#:** 1101 3428 6431 7153  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#** 1101 3428 6433 3685  
**Batch Date:** 08/29/24  
**Sample Size Received:** 16 units  
**Total Amount:** 468 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 08/22/24  
**Sampled:** 09/06/24  
**Completed:** 09/10/24  
**Sampling Method:** SOP.T.20.010

Sep 10, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**


Total THC

**73.363%**

Total THC/Container : 733.630 mg



Total CBD

**ND**

Total CBD/Container : 0.000 mg



Total Cannabinoids

**94.066%**

Total Cannabinoids/Container : 940.660 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.179	82.308	ND	ND	0.050	0.557	9.781	ND	ND	0.038	0.153
mg/unit	11.79	823.08	ND	ND	0.50	5.57	97.81	ND	ND	0.38	1.53
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1188g

Extraction date:  
09/09/24 11:56:45

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077808POT

Instrument Used : DA-LC-003

Analyzed Date : 09/09/24 12:31:09

Reviewed On : 09/10/24 09:54:47

Batch Date : 09/08/24 06:56:41

Dilution : 400

Reagent : 090324.R05; 071624.04; 090324.R04

Consumables : 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 09/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Metaverse (S)  
Metaverse  
Matrix : Derivative  
Type: Live Badder



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40906011-010

Harvest/Lot ID: 1101 3428 6431 7153

Batch# : 1101 3428 6431 7153

Sampled : 09/06/24

Ordered : 09/06/24

Sample Size Received : 16 units

Total Amount : 468 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	32.84	3.284		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.20	1.020		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	5.40	0.540		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	4.32	0.432		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.24	0.324		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.007	2.71	0.271		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.07	0.207		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	0.96	0.096		GAMMA-TERPINENE	0.007	ND	ND	
BORNEOL	0.013	0.77	0.077		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	0.75	0.075		4451, 3605, 585, 1440	0.2401g	09/07/24 21:22:16	4451	
FENCHYL ALCOHOL	0.007	0.73	0.073		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	0.71	0.071		Analytical Batch : DA077751TER		Reviewed On : 09/10/24 09:54:49		
TRANS-NEROLIDOL	0.005	0.54	0.054		Instrument Used : DA-GCMS-008		Batch Date : 09/07/24 09:52:43		
CARYOPHYLLENE OXIDE	0.007	0.44	0.044		Analyzed Date : 09/09/24 09:00:58				
3-CARENE	0.007	ND	ND		Dilution : 10				
CAMPHERE	0.007	ND	ND		Reagent : 022224.07				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				3.284					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Badder



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-010

Harvest/Lot ID: 1101 3428 6431 7153

Batch# : 1101 3428 6431  
7153

Sampled : 09/06/24

Ordered : 09/06/24

Sample Size Received : 16 units

Total Amount : 468 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2607g	09/08/24 11:13:14	4640,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077766PES		Reviewed On : 09/10/24 20:00:24			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/07/24 11:57:30			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/09/24 14:56:01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 090324.R02; 090624.R04; 090524.R14; 082924.R28; 082724.R15; 090424.R25; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2607g	09/08/24 11:13:14	4640,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA077768VOL		Reviewed On : 09/10/24 19:57:51			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/07/24 12:02:48			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/09/24 17:21:55					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 090524.R14; 081023.01; 090324.R07; 090324.R08					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Badder



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40906011-010

Harvest/Lot ID: 1101 3428 6431 7153

Batch# : 1101 3428 6431  
7153

Sampled : 09/06/24

Ordered : 09/06/24

Sample Size Received : 16 units

Total Amount : 468 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0266g

Extraction date:  
09/09/24 13:21:26

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA077816SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 09/09/24 13:22:07

Reviewed On : 09/10/24 12:30:06  
Batch Date : 09/08/24 12:31:34

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Live Badder



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-010

Harvest/Lot ID: 1101 3428 6431 7153

Batch# : 1101 3428 6431 7153

Sampled : 09/06/24

Ordered : 09/06/24

Sample Size Received : 16 units

Total Amount : 468 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by:	3379, 585, 1440	Weight:	0.2607g	Extraction date:	09/08/24 11:13:14
Analyzed by:	4531, 3390, 585, 1440	Weight:	1.006g	Extraction date:	09/07/24 11:14:06	Extracted by:	4520	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA077741MIC	Reviewed On :	09/10/24 11:52:57	Batch Date :	09/07/24 12:02:47
Analytical Batch :	DA077741MIC					Instrument Used :	N/A	Analyzed Date :	09/09/24 14:56:25		
Instrument Used :	PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) 08:42:39 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367					Dilution :	250	Reagent :	090324.R02; 090624.R04; 090524.R14; 082924.R28; 082724.R15; 090424.R25; 081023.01		
Analyzed Date :	09/08/24 10:02:52					Consumables :	326250IW	Pipette :	DA-093; DA-094; DA-219		
Dilution :	10					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent :	082224.11; 082224.34; 082724.R24; 042924.38										
Consumables :	7576001013										
Pipette :	N/A										

Dilution : 10

Reagent : 082224.11; 082224.34; 082724.R24; 042924.38

Consumables : 7576001013

Pipette : N/A

Analyzed by: 4531, 585, 1440

Weight: 1.006g

Extraction date: 09/07/24 11:14:06

Extracted by: 4520

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA077743TYM

Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]

Analyzed Date : 09/07/24 16:32:55

Dilution : 10

Reagent : 082224.11; 082224.34; 082024.R18

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.08	ppm	ND	PASS	1.1
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2076g	Extraction date: 09/08/24 11:42:40	Extracted by: 1022,4444		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA077755HEA		Reviewed On : 09/10/24 13:10:08			
Instrument Used : DA-ICPMS-004		Batch Date : 09/07/24 10:53:19			
Analyzed Date : 09/09/24 12:25:53					
Dilution : 50					
Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 090624.R21					
Consumables : 179436; 021824CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Metaverse (S)  
Metaverse  
Matrix : Derivative  
Type: Live Badder



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40906011-010

Harvest/Lot ID: 1101 3428 6431 7153

Batch# : 1101 3428 6431  
7153

Sampled : 09/06/24

Ordered : 09/06/24

Sample Size Received : 16 units

Total Amount : 468 units

Completed : 09/10/24 Expires: 09/10/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/08/24 23:15:20	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA077819FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/08/24 23:13:44

Reviewed On : 09/10/24 13:07:27

Batch Date : 09/08/24 23:07:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.514	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.2775g	Extraction date: 09/09/24 07:58:47	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA077787WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 09/09/24 07:41:57

Reviewed On : 09/10/24 08:56:05

Batch Date : 09/07/24 13:58:27

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/10/24