



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40906011-017



Sep 11, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
22.297%

Total THC/Container : 780.395 mg



Total CBD
0.010%

Total CBD/Container : 0.350 mg



Total Cannabinoids
26.503%

Total Cannabinoids/Container : 927.605 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.584 | 24.759 | ND | 0.012 | ND | 0.101 | 0.950 | ND | ND | ND | 0.097 |
| mg/unit | 5.84 | 247.59 | ND | 0.12 | ND | 1.01 | 9.50 | ND | ND | ND | 0.97 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2227g

Extraction date:
09/09/24 12:07:29

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077802POT

Instrument Used : DA-LC-001

Analyzed Date : 09/09/24 12:21:57

Reviewed On : 09/10/24 09:55:24

Batch Date : 09/08/24 06:36:30

Dilution : 400

Reagent : 090324.R05; 071624.04; 090324.R04

Consumables : 947.109; 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
09/11/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40906011-017

Harvest/Lot ID: 1101 3428 6432 0439

Batch# : 1101 3428 6432
0439

Sample Size Received : 29 units
Total Amount : 7704 units
Completed : 09/11/24 Expires: 09/11/25
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 12.79 | 1.279 | | VALENCENE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 3.64 | 0.364 | | ALPHA-BISABOLOL | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 3.00 | 0.300 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| LINALOOL | 0.007 | 1.34 | 0.134 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 1.14 | 0.114 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| OCIMENE | 0.007 | 0.93 | 0.093 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 0.61 | 0.061 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| ALPHA-PINENE | 0.007 | 0.57 | 0.057 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 0.45 | 0.045 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| FENCHYL ALCOHOL | 0.007 | 0.44 | 0.044 | | 4451, 3605, 585, 1440 | 1.0653g | 09/07/24 12:37:27 | 4451 | |
| ALPHA-TERPINOLENE | 0.007 | 0.44 | 0.044 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| TRANS-NEROLIDOL | 0.005 | 0.23 | 0.023 | | Analytical Batch : DA07750TER | | | | |
| 3-CARENE | 0.007 | ND | ND | | Instrument Used : DA-GCMS-008 | | | | |
| BORNEOL | 0.013 | ND | ND | | Analyzed Date : 09/07/24 16:57:56 | | | | |
| CAMPHENE | 0.007 | ND | ND | | Dilution : 10 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Reagent : 022224.07 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | | |
| CEDROL | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.279 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/11/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40906011-017

Harvest/Lot ID: 1101 3428 6432 0439

Batch# : 1101 3428 6432
0439

Sampled : 09/06/24
Ordered : 09/06/24

Sample Size Received : 29 units

Total Amount : 7704 units

Completed : 09/11/24 Expires: 09/11/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---|---------|---------------------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 0.9547g | 09/08/24 10:59:08 | 4640,3379 | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA077763PES | | Reviewed On : 09/11/24 10:07:07 | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | Batch Date : 09/07/24 11:55:22 | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 09/09/24 14:58:16 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 090524.R01; 090624.R04; 090524.R14; 082924.R27; 082724.R15; 090424.R25; 081023.01 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | 450, 585, 1440 | 0.9547g | 09/08/24 10:59:08 | 4640,3379 | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Analytical Batch : DA077765VOL | | Reviewed On : 09/10/24 20:00:19 | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-011 | | Batch Date : 09/07/24 11:56:43 | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 09/09/24 17:26:51 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 090524.R14; 081023.01; 090324.R07; 090324.R08 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| | | | | | | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in | | | | | |
| | | | | | | accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/11/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-017

Harvest/Lot ID: 1101 3428 6432 0439

 Batch# : 1101 3428 6432
 0439

 Sampled : 09/06/24
 Ordered : 09/06/24

Sample Size Received : 29 units

Total Amount : 7704 units

Completed : 09/11/24 Expires: 09/11/25

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|-------------|-------------|--------------|---|-----------------|------------------------------------|-------------------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 240 | PASS | 100000 | Analyzed by: 3379, 585, 1440 | Weight: 0.9547g | Extraction date: 09/08/24 10:59:08 | Extracted by: 4640,3379 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA077741MIC | | | | | | Analytical Batch : DA077764MYC | | | | | |
| | | | | | | Instrument Used : N/A | | | | | |
| | | | | | | Reviewed On : 09/11/24 10:03:14 | | | | | |
| | | | | | | Batch Date : 09/07/24 11:56:41 | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) 08:42:39 | | | | | | Dilution : 250 | | | | | |
| DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 | | | | | | Reagent : 090524.R01; 090624.R04; 090524.R14; 082924.R27; 082724.R15; 090424.R25; 081023.01 | | | | | |
| Analyzed Date : 09/08/24 10:02:52 | | | | | | Consumables : 326250IW | | | | | |
| Dilution : 10 | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | |
| Reagent : 082224.11; 082224.34; 082724.R24; 042924.38 | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Consumables : 7576001013 | | | | | | <div><div><div>Hg</div></div><div>Heavy Metals</div><div>PASSED</div></div> | | | | | |
| Pipette : N/A | | | | | | | | | | | |
| | | | | | | | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | | Metal | | | | | |
| Analytical Batch : DA077743TYM | | | | | | TOTAL CONTAMINANT LOAD METALS | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | | 0.08 ppm ND PASS 1.1 | | | | | |
| Analyzed Date : 09/07/24 16:32:55 | | | | | | 0.02 ppm ND PASS 0.2 | | | | | |
| Dilution : 10 | | | | | | 0.02 ppm ND PASS 0.2 | | | | | |
| Reagent : 082224.11; 082224.34; 082024.R18 | | | | | | 0.02 ppm ND PASS 0.2 | | | | | |
| Consumables : N/A | | | | | | 0.02 ppm ND PASS 0.5 | | | | | |
| Pipette : N/A | | | | | | Analyzed by: 1022, 585, 1440 | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | Weight: 0.20998g | | | | | |
| | | | | | | Extraction date: 09/08/24 11:07:36 | | | | | |
| | | | | | | Extracted by: 1022,4621 | | | | | |
| | | | | | | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| | | | | | | Analytical Batch : DA077749HEA | | | | | |
| | | | | | | Reviewed On : 09/10/24 13:13:07 | | | | | |



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|---------------------|---------------------------------------|----------------------------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analysised by: 1022, 585, 1440 | Weight: 0.20998g | Extraction date: 09/08/24 11:07:36 | Extracted by: 1022,4621 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA077749HEA | | Reviewed On : 09/10/24 13:13:07 | | | |
| Instrument Used : DA-ICPMS-004 | | Batch Date : 09/07/24 09:49:25 | | | |
| Analysised Date : 09/09/24 12:02:10 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 082824.R05; 090324.R23; 090324.R20; 090324.R21; 090324.R22; 061724.01; 090624.R21 | | | | | |
| Consumables : 179436; 021824CH01; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40906011-017

Harvest/Lot ID: 1101 3428 6432 0439

Batch# : 1101 3428 6432
0439

Sampled : 09/06/24
Ordered : 09/06/24

Sample Size Received : 29 units

Total Amount : 7704 units

Completed : 09/11/24 Expires: 09/11/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---|---------------|---------------------------------------|--------|------|-----------------------|---|-------------------|---------------------------------------|--------|------|-----------------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 14.34 | PASS | 15 |
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 09/08/24 23:15:20 | | | Extracted by: 1879 | Analyzed by: 4512, 585, 1440 | Weight: 0.501g | Extraction date: 09/08/24 13:57:35 | | | Extracted by: 4512 |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA077819FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 09/08/24 23:13:44 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA077785MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer Analyzed Date : 09/08/24 14:20:16 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Reviewed On : 09/10/24 13:07:35 Batch Date : 09/08/24 23:07:43 Reviewed On : 09/10/24 09:16:01 Batch Date : 09/07/24 13:53:38 | | | | | |
| Filtr and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Water Activity

PASSED

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|------------------|---------------------------------------|---|------|--------------|
| Water Activity | 0.010 | aw | 0.497 | PASS | 0.65 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.88g | Extraction date: 09/08/24 14:49:35 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.019 | | | Reviewed On : 09/10/24 09:00:57 Batch Date : 09/07/24 13:56:56 | | |
| Analytical Batch : DA077786WAT | | | | | |
| Instrument Used : DA257 Rotronic HygroPalm | | | | | |
| Analyzed Date : 09/08/24 14:59:16 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 080624.18 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/11/24