



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40909004-007



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 1101 3428 6431 4067  
**Batch#:** 1101 3428 6431 4067  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 1101 3428 6433 0622  
**Harvest Date:** 08/28/24  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 1958 units  
**Retail Product Size:** .5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Ordered:** 08/22/24  
**Sampled:** 09/09/24  
**Completed:** 09/12/24  
**Sampling Method:** SOP.T.20.010

Sep 12, 2024 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filth  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**

### MISC.


**Cannabinoid**
**PASSED**

**Total THC**  
**81.809%**

Total THC/Container : 409.045 mg


**Total CBD**  
**0.183%**

Total CBD/Container : 0.915 mg


**Total Cannabinoids**  
**88.331%**

Total Cannabinoids/Container : 441.655 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.443	0.418	0.183	ND	ND	4.139	0.080	0.204	0.616	ND	1.248
mg/unit	814.43	4.18	1.83	ND	ND	41.39	0.80	2.04	6.16	ND	12.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1072g

 Extraction date:  
 09/10/24 14:39:58

 Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077872POT

Instrument Used : DA-LC-003

Analyzed Date : 09/10/24 14:46:45

Reviewed On : 09/11/24 11:35:01

Batch Date : 09/10/24 11:18:19

Dilution : 400

Reagent : 090324.R05; 071624.04; 090324.R04

Consumables : 947.109; 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 09/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Rollins x Sgr Ddy (S)  
Rollins X Sugar Daddy  
Matrix : Derivative  
Type: Live Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40909004-007

Harvest/Lot ID: 1101 3428 6431 4067

Batch# : 1101 3428 6431 4067

Sampled : 09/09/24

Ordered : 09/09/24

Sample Size Received : 15.5 gram

Total Amount : 1958 units

Completed : 09/12/24 Expires: 09/12/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.36	3.836		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	12.06	1.206		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.23	1.023		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	5.54	0.554		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.24	0.324		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.30	0.130		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	1.05	0.105		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.03	0.103		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.97	0.097		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LINALOOL	0.007	0.83	0.083		Analytical Batch : DA077865TER				
FARNESENE	0.007	0.74	0.074		Instrument Used : DA-GCMS-008				
BETA-PINENE	0.007	0.54	0.054		Analyzed Date : 09/10/24 14:01:22				
CAMPHENE	0.007	0.44	0.044		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.39	0.039		Reagent : 022224.07				
3-CARENE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
BORNEOL	0.013	ND	ND		Pipette : DA-065				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			3.836						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Rollins x Sgr Ddy (S)

Rollins X Sugar Daddy

Matrix : Derivative

Type: Live Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40909004-007

Harvest/Lot ID: 1101 3428 6431 4067

Batch# : 1101 3428 6431 4067

Sampled : 09/09/24

Ordered : 09/09/24

Sample Size Received : 15.5 gram

Total Amount : 1958 units

Completed : 09/12/24 Expires: 09/12/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 450, 585, 1440	0.2057g	09/10/24 18:05:17	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077882PES		Reviewed On : 09/12/24 21:24:40			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/10/24 12:06:44			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/10/24 18:16:19					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 090924.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2057g	09/10/24 18:05:17	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA077884VOL		Reviewed On : 09/12/24 15:08:31			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/10/24 12:08:47			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/10/24 18:56:02					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 090924.R01; 081023.01; 090324.R07; 090324.R08					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Rollins x Sgr Ddy (S)

Rollins X Sugar Daddy

Matrix : Derivative

Type: Live Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40909004-007

Harvest/Lot ID: 1101 3428 6431 4067

Batch# : 1101 3428 6431 4067

Sampled : 09/09/24

Ordered : 09/09/24

Sample Size Received : 15.5 gram

Total Amount : 1958 units

Completed : 09/12/24 Expires: 09/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
585, 850, 1440

Weight:  
0.021g

Extraction date:  
09/11/24 12:45:54

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA077897SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 09/10/24 20:28:55

Reviewed On : 09/11/24 13:53:23  
Batch Date : 09/10/24 12:30:15

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/12/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA40909004-007

Harvest/Lot ID: 1101 3428 6431 4067

Batch# : 1101 3428 6431 4067

Sampled : 09/09/24

Ordered : 09/09/24


Sample Size Received : 15.5 gram


Total Amount : 1958 units


Completed : 09/12/24 Expires: 09/12/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4531, 4520, 585, 1440	Weight: 0.803g	Extraction date: 09/10/24 12:18:44	Extracted by: 4531		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 09/11/24 11:34:18 Batch Date : 09/10/24		
Analytical Batch : DA077845MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) 08:53:04 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367					
Analyzed Date : 09/10/24 13:02:02					
Dilution : 10					
Reagent : 082224.27; 082224.29; 082224.33; 082724.R24; 042924.38					
Consumables : 7576001046					
Pipette : N/A					
Analyzed by: 3390, 585, 1440	Weight: 0.803g	Extraction date: 09/10/24 12:18:44	Extracted by: 4531		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 09/12/24 18:52:45 Batch Date : 09/10/24 08:53:56		
Analytical Batch : DA077847TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Analyzed Date : 09/10/24 14:31:43					
Dilution : 10					
Reagent : 082224.27; 082224.29; 082224.33; 082024.R18					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 450, 585, 1440	Weight: 0.2057g	Extraction date: 09/10/24 18:05:17	Extracted by: 3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA077883MYC		Reviewed On : 09/12/24 21:29:36			
Instrument Used : N/A		Batch Date : 09/10/24 12:08:26			
Analyzed Date : 09/10/24 18:14:27					
Dilution : 250					
Reagent : 090924.R01; 081023.01					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 585, 1022, 1440	Weight: 0.2287g	Extraction date: 09/10/24 13:29:22	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA077892HEA		Reviewed On : 09/11/24 11:24:58			
Instrument Used : DA-ICPMS-004		Batch Date : 09/10/24 12:22:51			
Analyzed Date : 09/10/24 20:26:48					
Dilution : 50					
Reagent : 082824.R05; 090924.R06; 090324.R20; 090924.R04; 090924.R05; 061724.01; 090624.R21					
Consumables : 179436; 021824CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Rollins x Sgr Ddy (S)  
Rollins X Sugar Daddy  
Matrix : Derivative  
Type: Live Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40909004-007

Harvest/Lot ID: 1101 3428 6431 4067

Batch# : 1101 3428 6431  
4067

Sampled : 09/09/24

Ordered : 09/09/24

Sample Size Received : 15.5 gram

Total Amount : 1958 units

Completed : 09/12/24 Expires: 09/12/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/11/24 20:41:54	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA077929FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 09/11/24 21:16:54

Batch Date : 09/11/24 10:03:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.564	PASS	0.85

Analyzed by: 585, 4571, 1440	Weight: 0.6089g	Extraction date: 09/11/24 08:08:51	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA077881WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/10/24 20:27:28

Reviewed On : 09/11/24 09:12:38

Batch Date : 09/10/24 11:57:51

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/12/24