



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40911009-009



**Production Method:** Cured  
**Harvest/Lot ID:** 1101 3428 6432 3121  
**Batch#:** 1101 3428 6432 3121  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0002 3428 6430 4993  
**Harvest Date:** 09/03/24  
**Sample Size Received:** 11 units  
**Total Amount:** 2573 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Ordered:** 08/27/24  
**Sampled:** 09/11/24  
**Completed:** 09/14/24  
**Sampling Method:** SOP.T.20.010

Sep 14, 2024 | Sunnyside  
 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

 <b>Pesticides</b> PASSED	 <b>Heavy Metals</b> PASSED	 <b>Microbials</b> PASSED	 <b>Mycotoxins</b> PASSED	 <b>Residuals Solvents</b> NOT TESTED	 <b>Filtration</b> PASSED	 <b>Water Activity</b> PASSED	 <b>Moisture</b> PASSED	 <b>Terpenes</b> TESTED
---	---	---	---	---	--	---	---	---

### MISC.

 **Cannabinoid** **PASSED**

 <b>Total THC</b> <b>30.946%</b> Total THC/Container : 1083.110 mg	 <b>Total CBD</b> <b>0.040%</b> Total CBD/Container : 1.400 mg	 <b>Total Cannabinoids</b> <b>36.665%</b> Total Cannabinoids/Container : 1283.275 mg
--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.565	34.643	ND	0.046	0.016	0.118	1.164	ND	ND	ND	0.113
mg/unit	5.65	346.43	ND	0.46	0.16	1.18	11.64	ND	ND	ND	1.13
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 1440      Weight: 0.2171g      Extraction date: 09/12/24 12:28:44      Extracted by: 3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 09/13/24 13:52:46  
 Analytical Batch : DA077958POT      Batch Date : 09/12/24 09:33:50  
 Instrument Used : DA-LC-002

Dilution : 400  
 Reagent : 090324.R05; 071624.04; 090324.R04  
 Consumables : 947.109; 20240202; CE123; R1KB45277  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



Signature  
 09/14/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40911009-009

Harvest/Lot ID: 1101 3428 6432 3121

Batch# : 1101 3428 6432 3121

Sampled : 09/11/24

Ordered : 09/11/24

Sample Size Received : 11 units

Total Amount : 2573 units

Completed : 09/14/24 Expires: 09/14/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	25.10 2.510		VALENCENE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	9.44 0.944		ALPHA-CEDRENE	0.005	ND ND	
LIMONENE	0.007	4.34 0.434		ALPHA-PHELLANDRENE	0.007	ND ND	
BETA-MYRCENE	0.007	4.01 0.401		ALPHA-TERPINENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	3.27 0.327		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-BISABOLOL	0.007	1.20 0.120		CIS-NEROLIDOL	0.003	ND ND	
LINALOOL	0.007	0.73 0.073		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	0.72 0.072		TRANS-NEROLIDOL	0.005	ND ND	
FENCHYL ALCOHOL	0.007	0.50 0.050					
ALPHA-TERPINEOL	0.007	0.47 0.047		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0809g	Extraction date: 09/12/24 13:38:06	Extracted by: 4451
ALPHA-PINENE	0.007	0.42 0.042		Analytical Batch : DA077966TER			
3-CARENE	0.007	ND ND		Instrument Used : DA-GCMS-009		Reviewed On : 09/13/24 12:26:58	Batch Date : 09/12/24 10:02:59
BORNEOL	0.013	ND ND		Analyzed Date : 09/12/24 13:38:23			
CAMPHENE	0.007	ND ND		Dilution : 10			
CAMPHOR	0.007	ND ND		Reagent : 022224.07			
CARYOPHYLLENE OXIDE	0.007	ND ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123			
CEDROL	0.007	ND ND		Pipette : DA-065			
EUCALYPTOL	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
<b>Total (%)</b>		<b>2.510</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
09/14/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40911009-009

Harvest/Lot ID: 1101 3428 6432 3121

Batch# : 1101 3428 6432  
3121

Sampled : 09/11/24  
Ordered : 09/11/24

Sample Size Received : 11 units

Total Amount : 2573 units

Completed : 09/14/24 Expires: 09/14/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>3621, 1665, 1440</b>	<b>Weight:</b> 0.9417g	<b>Extraction date:</b> 09/12/24 16:15:18	<b>Extracted by:</b> 450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA077976PES		<b>Reviewed On :</b> 09/14/24 10:36:14			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-004 (PES)		<b>Batch Date :</b> 09/12/24 10:13:49			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 09/13/24 07:14:39					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 091024.R01; 091224.R04; 091224.R03; 091024.R02; 082724.R15; 091224.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>450, 1665, 1440</b>	<b>Weight:</b> 0.9417g	<b>Extraction date:</b> 09/12/24 16:15:18	<b>Extracted by:</b> 450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA077979VOL		<b>Reviewed On :</b> 09/13/24 12:24:32			
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-011		<b>Batch Date :</b> 09/12/24 10:17:04			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 09/12/24 16:44:45					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 091024.R01; 091224.R04; 091224.R03; 091024.R02; 082724.R15; 091224.R01; 081023.01					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
09/14/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40911009-009  
Harvest/Lot ID: 1101 3428 6432 3121  
Batch#: 1101 3428 6432 3121  
Sample Size Received : 11 units  
Total Amount : 2573 units  
Sampled : 09/11/24  
Ordered : 09/11/24  
Completed : 09/14/24 Expires: 09/14/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	40	PASS	100000
Analyzed by:		Weight:	Extraction date:	Extracted by:	
3390, 4044, 1665, 1440		1.0269g	09/12/24 11:34:17	4044	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA077947MIC					
Reviewed On : 09/13/24 12:22:32					
Batch Date : 09/12/24					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 08:24:33 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367					
Analyzed Date : 09/12/24 14:27:14					
Dilution : 10					
Reagent : 082224.17; 082224.28; 082224.36; 082724.R24; 091124.R15; 042924.38					
Consumables : 7575002062					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	40	PASS	100000
Analyzed by:		Weight:	Extraction date:	Extracted by:	
3390, 4612, 1665, 1440		1.0269g	09/12/24 11:34:17	4044	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA077948TYM					
Reviewed On : 09/14/24 20:37:26					
Batch Date : 09/12/24 08:25:30					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Analyzed Date : 09/12/24 14:26:20					
Dilution : 10					
Reagent : 082224.17; 082224.28; 082224.36; 082024.R18					
Consumables : N/A					
Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by:		Weight:	Extraction date:	Extracted by:	
3621, 1665, 1440		0.9417g	09/12/24 16:15:18	450	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA077978MYC					
Reviewed On : 09/14/24 10:38:13					
Batch Date : 09/12/24 10:17:02					
Instrument Used : N/A					
Analyzed Date : 09/13/24 07:15:47					
Dilution : 250					
Reagent : 091024.R01; 091224.R04; 091224.R03; 091024.R02; 082724.R15; 091224.R01; 081023.01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by:		Weight:	Extraction date:	Extracted by:	
1022, 1665, 1440		0.224g	09/12/24 12:00:46	4056	

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA077962HEA  
Instrument Used : DA-ICPMS-004  
Reviewed On : 09/13/24 10:54:47  
Batch Date : 09/12/24 09:59:26  
Analyzed Date : 09/12/24 16:05:21

Dilution : 50  
Reagent : 082824.R05; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21  
Consumables : 179436; 20240202; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

**Sample : DA40911009-009**

Harvest/Lot ID: 1101 3428 6432 3121  
Batch#: 1101 3428 6432 3121  
Sampled : 09/11/24  
Ordered : 09/11/24  
Sample Size Received : 11 units  
Total Amount : 2573 units  
Completed : 09/14/24 Expires: 09/14/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1
<b>Analyzed by:</b> 1879, 1665, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A		
<b>Analysis Method :</b> SOP.T.40.090		<b>Reviewed On :</b> 09/13/24 09:52:31			
<b>Analytical Batch :</b> DA077998FIL		<b>Batch Date :</b> 09/12/24 17:02:09			
<b>Instrument Used :</b> Filth/Foreign Material Microscope					
<b>Analyzed Date :</b> 09/12/24 17:11:51					
<b>Dilution :</b> N/A					
<b>Reagent :</b> N/A					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Moisture Content</b>	1.00	%	14.11	PASS	15
<b>Analyzed by:</b> 4512, 1665, 1440	<b>Weight:</b> 0.505g	<b>Extraction date:</b> 09/12/24 16:27:35		<b>Extracted by:</b> 4512	
<b>Analysis Method :</b> SOP.T.40.021		<b>Reviewed On :</b> 09/13/24 16:46:47			
<b>Analytical Batch :</b> DA077967MOI		<b>Batch Date :</b> 09/12/24 10:03:26			
<b>Instrument Used :</b> DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer					
<b>Analyzed Date :</b> 09/12/24 16:32:51					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 092520.50; 020124.02					
<b>Consumables :</b> N/A					
<b>Pipette :</b> DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.499	PASS	0.65
<b>Analyzed by:</b> 4512, 1665, 1440	<b>Weight:</b> 0.875g	<b>Extraction date:</b> 09/12/24 17:17:41		<b>Extracted by:</b> 4512	
<b>Analysis Method :</b> SOP.T.40.019		<b>Reviewed On :</b> 09/13/24 11:54:19			
<b>Analytical Batch :</b> DA077973WAT		<b>Batch Date :</b> 09/12/24 10:10:35			
<b>Instrument Used :</b> DA257 Rotronic HygroPalm					
<b>Analyzed Date :</b> 09/12/24 17:18:03					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 080624.18					
<b>Consumables :</b> PS-14					
<b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

