

Kaycha Labs

FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)

Zooted Samoas

Matrix: Flower Classification: High THC Type: Flower-Cured-Small



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40913007-002



Sep 17, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Production Method: Cured

Harvest/Lot ID: 0002 3428 6430 5036

Batch#: 0002 3428 6430 5036

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734)

Seed to Sale#: 0002 3428 6430 5036 **Harvest Date:** 09/04/24

Sample Size Received: 31.5 gram

Total Amount: 1651 units

Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram

Servings: 1 Ordered: 09/05/24

Sampled: 09/13/24

Completed: 09/17/24 Sampling Method: SOP.T.20.010

PASSED

Sunnyside Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



Filth **PASSED**



Water Activity **PASSED**



PASSED



Terpenes TESTED

PASSED



Cannabinoid

Total THC 27.499%

Total THC/Container: 962.465 mg



Total CBD 0.031%

Total CBD/Container: 1.085 mg

Reviewed On: 09/17/24 10:08:30

Batch Date: 09/15/24 08:18:46



Total Cannabinoids

Total Cannabinoids/Container: 1137.815

D9-THC THCV CBC THCA CBD CBDA D8-THC CBG CBGA CRN CBDV 0.626 30,643 ND 0.036 0.016 0.108 0.975 ND ND ND 0.105 6.26 306.43 ND 0.36 0.16 1.08 9.75 ND ND ND 1.05 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % Analyzed by: 3335, 1665, 585, 1440 Weight Extraction date: Extracted by: 09/16/24 09:15:23

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA078087POT

Instrument Used : DA-LC-002 Analyzed Date : 09/16/24 09:54:24

Dilution: 400

Dilution: 400
Reagent: 090324.R05; 071624.04; 090324.R04
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 09/17/24



Kaycha Labs

FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)

Zooted Samoas Matrix: Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample: DA40913007-002 Harvest/Lot ID: 0002 3428 6430 5036

Batch#:0002 3428 6430

Sampled: 09/13/24 Ordered: 09/13/24

Sample Size Received: 31.5 gram Total Amount: 1651 units

Completed: 09/17/24 Expires: 09/17/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg	g/unit	%	Result (%)	
TOTAL TERPENES	0.007	24.82	2.482		VALENCENE	0.007	ND		ND		
BETA-CARYOPHYLLENE	0.007	9.53	0.953		ALPHA-CEDRENE	0.005	ND		ND		
LIMONENE	0.007	4.09	0.409		ALPHA-PHELLANDRENE	0.007	ND		ND		
BETA-MYRCENE	0.007	3.94	0.394		ALPHA-TERPINENE	0.007	ND		ND		
ALPHA-HUMULENE	0.007	3.31	0.331		ALPHA-TERPINOLENE	0.007	ND		ND		
ALPHA-BISABOLOL	0.007	1.17	0.117		CIS-NEROLIDOL	0.003	ND		ND		
LINALOOL	0.007	0.74	0.074		GAMMA-TERPINENE	0.007	ND		ND		
BETA-PINENE	0.007	0.70	0.070		TRANS-NEROLIDOL	0.005	ND		ND		
FENCHYL ALCOHOL	0.007	0.47	0.047		Analyzed by:	Weight:		Extracti	ion date:		Extracted by:
ALPHA-TERPINEOL	0.007	0.45	0.045		4451, 3605, 585, 1440	1.0554g			4 13:06:35	i	4451
ALPHA-PINENE	0.007	0.42	0.042		Analysis Method : SOP.T.30.061A	FL, SOP.T.40.061A.FL					
3-CARENE	0.007	ND	ND		Analytical Batch : DA078054TER Instrument Used : DA-GCMS-009					/17/24 16:17:27	
BORNEOL	0.013	ND	ND		Analyzed Date : 09/14/24 13:16:0	7		Batch I	Date: 09/1	4/24 09:33:15	
CAMPHENE	0.007	ND	ND		Dilution: 10						
CAMPHOR	0.007	ND	ND		Reagent: 022224.07						
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables: 947.109; 240321-	34-A; 280670723; CE0123					
CEDROL	0.007	ND	ND		Pipette : DA-065						
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing	g Gas Chromatography Mass Spect	rometry.	. For all FI	ower sample	es, the Total Terpenes %	is dry-weight corrected.
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
OCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
Total (%)			2.482								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/17/24



Kaycha Labs

FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)

Zooted Samoas Matrix : Flower

Type: Flower-Cured-Small



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA40913007-002 Harvest/Lot ID: 0002 3428 6430 5036

Pacc/Eail Pacult

Batch#: 0002 3428 6430

5036 **Sampled :** 09/13/24 **Ordered :** 09/13/24 **Sample Size Received:** 31.5 gram **Total Amount:** 1651 units

Completed: 09/17/24 Expires: 09/17/25 Sample Method: SOP.T.20.010 Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND			0.010		Level	PASS	ND
TOTAL CONTAMINANT LOAD (FESTICIDES)	0.010		0.2	PASS	ND	OXAMYL		0.010		0.5		ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *				0.5		ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050			PASS	
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted b	y:
		ppm	0.1	PASS	ND	585, 3621, 1440	1.0033g		1 09:54:36		450,585	
FTHOPROPHOS	().()1()					Analysis Method : SOP.T.30.101	.FL (Gainesville), SC	JP.1.30.10	2.FL (Davie), S	OP.1.40.101.	FL (Gainesville)	
ETHOPROPHOS ETGENDROY		nnm	0.1	PASS	NII)	SOP.T.40.102.FL (Davie) Analytical Batch : DA078071PES Reviewed On : 09/17/24 15:16:47						
ETOFENPROX	0.010		0.1	PASS PASS	ND ND				Reviewed Or	:09/17/24 1	5:16:47	
ETOFENPROX ETOXAZOLE	0.010 0.010	ppm				SOP.T.40.102.FL (Davie) Analytical Batch : DA078071PES Instrument Used : DA-LCMS-004			Reviewed Or Batch Date :			
ETOFENPROX ETOXAZOLE FENHEXAMID	0.010 0.010 0.010	ppm ppm	0.1 0.1	PASS	ND ND	Analytical Batch : DA078071PES	(PES)					
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB	0.010 0.010 0.010 0.010	ppm ppm ppm	0.1 0.1 0.1	PASS PASS	ND	Analytical Batch: DA078071PES Instrument Used: DA-LCMS-004 Analyzed Date: 09/17/24 09:02: Dilution: 250	(PES) 22		Batch Date :	09/14/24 10:5	56:43	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm	0.1 0.1	PASS PASS PASS	ND ND ND	Analytical Batch: DA078071PES Instrument Used: DA-LCMS-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224.	(PES) 22		Batch Date :	09/14/24 10:5	56:43	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND	Analytical Batch: DA078071PES Instrument Used: DA-LCMS-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW	(PES) 222 R04; 091324.R14; (Batch Date :	09/14/24 10:5	56:43	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND	Analytical Batch: DA078071PES Instrument Used: DA-LCM5-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW Pipette: DA-093; DA-094; DA-21	(PES) :22 R04; 091324.R14; 0	091024.R02	Batch Date : 2; 082724.R15	09/14/24 10:5 5; 091224.R01	56:43 l; 081023.01	otovin
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND ND	Analytical Batch: DA078071PES Instrument Used: DA-LCMS-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW	(PES) :22 R04; 091324.R14; 0 19 erformed utilizing Li	091024.R02	Batch Date : 2; 082724.R15	09/14/24 10:5 5; 091224.R01	56:43 l; 081023.01	etry in
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Analytical Batch : DA078071PES Instrument Used : DA-LCM5-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 09/1024.R01; 09/1224. Consumables : 326250IW Pipette : DA-093; DA-094; DA-21 Testing for agricultural agents is p	(PES) :22 R04; 091324.R14; 0 19 erformed utilizing Li	091024.R02	Batch Date: 2; 082724.R15	09/14/24 10:5 5; 091224.R01	56:43 l; 081023.01	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND	Analytical Batch : DAO/38071PES Instrument Used : DA-LCM5-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 091024.R01; 091224.l Consumables : 326250IW Pipette : DA-093; DA-094; DA-21 Testing for agricultural agents is p accordance with F.S. Rule 64ER20	(PES) :22 R04; 091324.R14; (19 erformed utilizing Lic -39.	091024.R02	Batch Date : 2; 082724.R15 natography Trip	09/14/24 10:5 5; 091224.R01	56:43 ; 081023.01 • Mass Spectrom	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch: DA078071PES Instrument Used: DA-LCM5-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW Pipette: DA-093; DA-094; DA-21 Testing for agricultural agents is p accordance with F.S. Rule 64ER20- Analyzed by:	I (PES) .22 R04; 091324.R14; (19 erformed utilizing Lid .39. Weight: 1.0033g	091024.R02 quid Chrom Extractio 09/15/24	Batch Date: 2; 082724.R15 atography Trip n date: 09:54:36	09/14/24 10:55; 091224.R01	66:43 L; 081023.01 Mass Spectrom Extracted b 450,585	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch : DAO78071PES Instrument Used : DA-LCMS-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 09/1024.R01; 09/1224. Consumables : 326250IW Pipette : DA-093; DA-094; DA-21 Testing for agricultural agents is paccordance with F.S. Rule 64ER20-Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DAO78073VOI	I (PES) .222 R04; 091324.R14; (19 erformed utilizing Li39. Weight: 1.0033g .FL (Gainesville), SCL	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.15:	Batch Date: 2; 082724.R15 latography Trip n date: 09:54:36 1A.FL (Davie), viewed On:0	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch: 10A078071PES Instrument Used: DA-LCM5-004 Analyzed Date: 10917724 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW Pipette: DA-093; DA-094; DA-21 Testing for agricultural agents is paccordance with F.S. Rule 64ER20- Analyzed by: 450, 585, 1440 Analytical Batch: DA078073VOI Instrument Used: DA-GCMS-001	I (PES) .22 R04; 091324.R14; 0 19 erformed utilizing Lid .39. Weight: 1.0033g .FL (Gainesville), SO	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.15:	Batch Date : 2; 082724.R15 atography Trip n date: 09:54:36 1A.FL (Davie),	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLORID KRESOXIM-METHYL MALATHON	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch: DAO/8071PES Instrument Used: DA-LCM5-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW Pipette: DA-093; DA-094; DA-21 Testing for agricultural agents is p accordance with F.S. Rule 64ER20- Analyzed by: 450, 585, 1440 Analysis Method: SOP.T.30.151 Analytical Batch: DAO/8073VOI Instrument Used: DA-6CM5-001 Analyzed Date: 09/16/24 15:09:	I (PES) .22 R04; 091324.R14; 0 19 erformed utilizing Lid .39. Weight: 1.0033g .FL (Gainesville), SO	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.15:	Batch Date: 2; 082724.R15 latography Trip n date: 09:54:36 1A.FL (Davie), viewed On:0	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch : DAO/38071PES Instrument Used : DA-LCMS-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 09/1024, RO1; 09/1224, Consumables : 326250IW Pipette : DA-093; DA-094; DA-21 Testing for agricultural agents is paccordance with F.S. Rule 64ER20-Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DAO/78073VOI Instrument Used : DA-GCMS-001 Analyzed Date : 09/16/24 15:09: Dilution : 250	I (PES) .222 R04; 091324.R14; (19 erformed utilizing Li39. Weight: 1.0033g .FL (Gainesville), SCL 1 .004	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.153 Re Ba	Batch Date: 2; 082724.R15 latography Trip n date: 09:54:36 1A.FL (Davie), viewed On:0	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHICARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch: DAO/8071PES Instrument Used: DA-LCM5-004 Analyzed Date: 09/17/24 09:02: Dilution: 250 Reagent: 091024.R01; 091224. Consumables: 326250IW Pipette: DA-093; DA-094; DA-21 Testing for agricultural agents is p accordance with F.S. Rule 64ER20- Analyzed by: 450, 585, 1440 Analysis Method: SOP.T.30.151 Analytical Batch: DAO/8073VOI Instrument Used: DA-6CM5-001 Analyzed Date: 09/16/24 15:09:	(PES)	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.153 Re Ba	Batch Date: 2; 082724.R15 latography Trip n date: 09:54:36 1A.FL (Davie), viewed On:0	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch : DAO/BO71PES Instrument Used : DA-LCM5-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 091024.R01; 091224.I Consumables : 326250W Pipette : DA-093; DA-094; DA-21 Testing for agricultural agents is paccordance with F.S. Rule 64ER20- Analyzed by: 450, 585, 1440 Analytical Batch : DAO/BO78073VOI Instrument Used : DA-6CM5-001 Analyzed Date : 09/16/24 15:09: Dilution : 250 Reagent : 091324.R14; 081023.I	I (PES) .222 .222 .222 .234 .245 .254 .254 .254 .254 .255 .255 .25	091024.R02 quid Chrom Extractio 09/15/24 DP.T.30.153 Re Ba	Batch Date: 2; 082724.R15 latography Trip n date: 09:54:36 1A.FL (Davie), viewed On:0	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 09/17/24 10:4	56:43 L; 081023.01 Mass Spectrom Extracted b 450,585 L.FL B:56	
ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MEVINPHOS	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analytical Batch : DA078071PES Instrument Used : DA-LCMS-004 Analyzed Date : 09/17/24 09:02: Dilution : 250 Reagent : 09/1024.R01; 09/1224. Consumables : 326250IW Pipette : DA-093; DA-094; DA-094; DA-21 Testing for agricultural agents is paccordance with F.S. Rule 64ER20-Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA078073VOI Instrument Used : DA-GCMS-001 Analyzed Date : 09/16/24 15:09: Dilution : 250 Reagent : 09/1324.R14; 08/1023. Consumables : 326250IW; 1472	(PES)	quid Chrom Extractio 09/15/24 PP.T.30.15; Re Ba	Batch Date : 2; 082724.R15 atography Trip n date: 09:54:36 1A.FL (Davie), viewed On : 0 tch Date : 09/	09/14/24 10:5 5; 091224.R01 ble-Quadrupole SOP.T.40.151 19/17/24 10:4 14/24 10:57:4	Extracted b 450,585	y:

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 09/17/24



Kaycha Labs

FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)

Zooted Samoas Matrix: Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40913007-002 Harvest/Lot ID: 0002 3428 6430 5036

Batch#: 0002 3428 6430

Sampled: 09/13/24 Ordered: 09/13/24

Sample Size Received: 31.5 gram Total Amount: 1651 units

Completed: 09/17/24 Expires: 09/17/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE ECOLI SHIGELLA TOTAL YEAST AND MOLD Not Present PASS	Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS Not Present SALMONELLA SPECIFIC GENE ECOLI SHIGELLA Not Present PASS Not Present PASS PASS	ASPERGILLUS TERREUS			Not Present	PASS		I
ASPERGILLUS FLAVUS Not Present PASS SALMONELLA SPECIFIC GENE Not Present PCSS PASS PASS PASS PASS PASS	ASPERGILLUS NIGER			Not Present	PASS		1
SALMONELLA SPECIFIC GENE Not Present PASS ECOLI SHIGELLA Not Present PASS	ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ECOLI SHIGELLA Not Present PASS	ASPERGILLUS FLAVUS			Not Present	PASS		I
The state of the s	SALMONELLA SPECIFIC GENE			Not Present	PASS		1
TOTAL YEAST AND MOLD 10.00 CFU/g 150 PASS 100000	ECOLI SHIGELLA			Not Present	PASS		Α
	TOTAL YEAST AND MOLD	10.00	CFU/g	150	PASS	100000	5

Analyzed by: Weight: **Extraction date:** Extracted by: 4531, 3390, 585, 1440 09/14/24 11:00:32 1.062g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA078046MIC

Reviewed On: 09/17/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 09/14/24 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 08:48:28 (55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 09/14/24 13:28:53

Dilution: 10

Reagent: 082224.17; 082224.22; 082224.28; 091124.R15; 030724.29

Consumables: 7575002023

Pipette: N/A

؞ٛ؆ٛ؞
240

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by: 585, 3621, 1440	Weight: 1.0033a	Extraction dat 09/15/24 09:5			xtracted 50.585	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA078072MYC Reviewed On: 09/17/24 15:15:33 Instrument Used : N/A Batch Date: 09/14/24 10:57:45 Analyzed Date: 09/17/24 09:02:32

Dilution: 250

Reagent: 091024.R01; 091224.R04; 091324.R14; 091024.R02; 082724.R15; 091224.R01; 081023.01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Result Pass / Action

Analyzed by: 4531, 585, 1440	Weight: 1.062g	Extraction date: 09/14/24 11:00:32	Extracted by: 4044
Analysis Method: SOP Analytical Batch: DAO Instrument Used: Incu DA-382] Analyzed Date: 09/14	78047TYM ubator (25*C) DA-	sville), SOP.T.40.209.Fl	Reviewed On: 09/17/24 08:07:2 Batch Date: 09/14/24 08:49:40
Dilution: 10 Reagent: 082224.17; Consumables: N/A Pipette: N/A	082224.22; 0822	24.28; 082024.R18	
Total yeast and mold tes accordance with F.S. Rul-		tilizing MPN and traditiona	l culture based techniques in

rictai		205	Omes	resure	Fail	Level
TOTAL CONTAMINANT LOA	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction			Extracted	
4056, 1022, 585, 1440	0.2633g	09/14/24	11:10:19		4351,405	06

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA078059HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 09/16/24 08:14:26

Reviewed On: 09/17/24 08:31:11 Batch Date: 09/14/24 10:09:38

Dilution: 50

Reagent: 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21

Consumables: 179436; 20240202; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/17/24



Kaycha Labs

FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)

Zooted Samoas Matrix: Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA40913007-002 Harvest/Lot ID: 0002 3428 6430 5036

Batch#: 0002 3428 6430

Sampled: 09/13/24 Ordered: 09/13/24

Result

ND

Sample Size Received: 31.5 gram Total Amount: 1651 units

Completed: 09/17/24 Expires: 09/17/25 Sample Method: SOP.T.20.010





Filth/Foreign **Material**

PASSED

Extracted by:

1879



Moisture

PASSED

Analyte Filth and Foreign Material

Analyzed Date: 09/15/24 09:11:52

LOD Units 0.100 %

P/F PASS Action Level Analyte 1

Moisture Content Analyzed by: 4512, 585, 4571, 1440 LOD Units 1.00 %

0.502q

Result 14.33

Extraction date

09/14/24 15:04:39

P/F **Action Level** PASS

15 Extracted by:

4512

Reviewed On: 09/17/24

Batch Date: 09/14/24

10:15:44

Analyzed by: 1879, 585, 1440 Analysis Method: SOP.T.40.090

1g

Weight:

Extraction date: 09/15/24 09:06:14 Analytical Batch : DA078100FIL
Instrument Used : Filth/Foreign Material Microscope

Reviewed On: 09/16/24 01:36:21

Batch Date: 09/15/24 08:57:25

Analysis Method: SOP.T.40.021 Analytical Batch: DA078062MOI

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer

Analyzed Date: $09/14/24 \ 15:13:19$

Dilution: N/A Reagent: 092520.50; 020124.02

Consumables : N/A Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Dilution: N/AReagent: N/A

Consumables : N/A Pipette: N/A

Water Activity

Action Level

0.65

Extracted by: 4512

isture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Water Activity

Analyte

LOD Units Result 0.010 aw

P/F PASS 0.535

Reviewed On: 09/17/24 08:32:15

Batch Date: 09/14/24 10:16:43

Extraction date: 09/14/24 15:36:05 Analyzed by: 4512, 585, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA078064WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date: 09/14/24 15:36:24

Dilution: N/A Reagent: 080624.18 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 09/17/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors