



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40913007-005



Production Method: Other - Not Listed

Harvest/Lot ID: 0001 3428 6430 5402

Batch#: 0001 3428 6430 5402

Cultivation Facility: FL - Indiantown (3734)

Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734)

Seed to Sale#: 0001 3428 6430 5402

Harvest Date: 09/04/24

Sample Size Received: 16 gram

Total Amount: 1930 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 09/08/24

Sampled: 09/13/24

Completed: 09/17/24

Sampling Method: SOP.T.20.010

Sep 17, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

92.323%

Total THC/Container : 923.230 mg



Total CBD

0.286%

Total CBD/Container : 2.860 mg



Total Cannabinoids

97.231%

Total Cannabinoids/Container : 972.310 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	92.323	ND	0.286	ND	ND	3.191	ND	0.917	0.514	ND	ND
mg/unit	923.23	ND	2.86	ND	ND	31.91	ND	9.17	5.14	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1029g

Extraction date:
09/16/24 09:09:08

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078094POT

Instrument Used : DA-LC-003

Analyzed Date : 09/16/24 09:31:43

Reviewed On : 09/17/24 10:08:38

Batch Date : 09/15/24 08:26:06

Dilution : 400

Reagent : 090624.R16; 071624.04; 090624.R12

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - ICC (I)

ICC

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40913007-005

Harvest/Lot ID: 0001 3428 6430 5402

Batch# : 0001 3428 6430
5402

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 09/17/24 Expires: 09/17/25

Ordered : 09/13/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	21.59	2.159		OCIMENE	0.007	ND	ND	
LIMONENE	0.007	8.98	0.898		PULEGONE	0.007	ND	ND	
LINALOOL	0.007	1.99	0.199		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.73	0.173		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.65	0.165		VALENCENE	0.007	ND	ND	
BETA-PINENE	0.007	1.65	0.165		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-TERPINOLENE	0.007	0.66	0.066		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.001	0.65	0.065		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	0.60	0.060		Analized by:	Weight:	Extraction date:	Extracted by:	
BETA-MYRCENE	0.007	0.59	0.059		4451, 3605, 585, 1440	0.2086g	09/14/24 13:09:11	4451	
ALPHA-HUMULENE	0.007	0.57	0.057		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	0.54	0.054		Analytical Batch : DA078055TER			Reviewed On : 09/17/24 10:08:40	
ALPHA-TERPINEOL	0.007	0.43	0.043		Instrument Used : DA-GCMS-004			Batch Date : 09/14/24 09:36:24	
ALPHA-BISABOLOL	0.007	0.38	0.038		Analyzed Date : 09/14/24 13:09:21				
GAMMA-TERPINENE	0.007	0.37	0.037		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.31	0.031		Reagent : 022224.07				
ALPHA-PHELLANDRENE	0.007	0.26	0.026		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ALPHA-TERPINENE	0.007	0.23	0.023		Pipette : DA-065				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			2.159						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - ICC (I)

ICC

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40913007-005

Harvest/Lot ID: 0001 3428 6430 5402

Batch# : 0001 3428 6430
5402

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 09/17/24 Expires: 09/17/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 3621, 1440	Weight: 0.2564g	Extraction date: 09/15/24 09:51:14	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078067PES		Reviewed On : 09/17/24 21:50:27			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/14/24 10:52:25			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/17/24 10:04:18					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 091324.R03; 091224.R04; 091324.R14; 090924.R03; 082724.R15; 091224.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 795, 585, 1440	Weight: 0.2564g	Extraction date: 09/15/24 09:51:14	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078070VOL		Reviewed On : 09/17/24 21:48:38			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011		Batch Date : 09/14/24 10:55:53			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 09/16/24 15:09:18					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 091324.R14; 081023.01; 091324.R18; 091324.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - ICC (I)

ICC

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40913007-005

Harvest/Lot ID: 0001 3428 6430 5402

Batch# : 0001 3428 6430
5402

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 09/17/24 Expires: 09/17/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0218g

Extraction date:
09/16/24 13:09:51

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA078101SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 09/16/24 13:10:18

Reviewed On : 09/17/24 10:03:35
Batch Date : 09/15/24 11:35:39

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - ICC (I)

ICC

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40913007-005

Harvest/Lot ID: 0001 3428 6430 5402

Batch# : 0001 3428 6430
5402

Sampled : 09/13/24
Ordered : 09/13/24



Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 09/17/24 Expires: 09/17/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td>Weight: 0.82g</td><td>Extraction date: 09/14/24 11:00:33</td><td>Extracted by: 4044</td><td colspan="2" rowspan="8">Reviewed On : 09/17/24 08:02:57</td></tr><tr><td>Analytical Batch : DA078046MIC</td><td colspan="5" rowspan="7">Batch Date : 09/14/24 08:48:28</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td></tr><tr><td colspan="6">Analyzed Date : 09/14/24 13:28:53</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 082224.17; 082224.22; 082224.28; 091124.R15; 030724.29</td></tr><tr><td colspan="6">Consumables : 7575002023</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.82g	Extraction date: 09/14/24 11:00:33	Extracted by: 4044	Reviewed On : 09/17/24 08:02:57		Analytical Batch : DA078046MIC	Batch Date : 09/14/24 08:48:28					Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Analyzed Date : 09/14/24 13:28:53						Dilution : 10						Reagent : 082224.17; 082224.22; 082224.28; 091124.R15; 030724.29						Consumables : 7575002023						Pipette : N/A						
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.82g	Extraction date: 09/14/24 11:00:33	Extracted by: 4044	Reviewed On : 09/17/24 08:02:57																																																																																													
Analytical Batch : DA078046MIC	Batch Date : 09/14/24 08:48:28																																																																																																
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021																																																																																																	
Analyzed Date : 09/14/24 13:28:53																																																																																																	
Dilution : 10																																																																																																	
Reagent : 082224.17; 082224.22; 082224.28; 091124.R15; 030724.29																																																																																																	
Consumables : 7575002023																																																																																																	
Pipette : N/A																																																																																																	
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 0.2564g</td><td>Extraction date: 09/15/24 09:51:14</td><td>Extracted by: 450,585</td><td colspan="2" rowspan="9">Reviewed On : 09/17/24 12:09:20</td></tr><tr><td>Analytical Batch : DA078069MYC</td><td colspan="5" rowspan="8">Batch Date : 09/14/24 10:55:51</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analyzed Date : 09/17/24 10:04:19</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 091324.R03; 091224.R04; 091324.R14; 090924.R03; 082724.R15; 091224.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2564g	Extraction date: 09/15/24 09:51:14	Extracted by: 450,585	Reviewed On : 09/17/24 12:09:20		Analytical Batch : DA078069MYC	Batch Date : 09/14/24 10:55:51					Instrument Used : N/A						Analyzed Date : 09/17/24 10:04:19						Dilution : 250						Reagent : 091324.R03; 091224.R04; 091324.R14; 090924.R03; 082724.R15; 091224.R01; 081023.01						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																												
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																												
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																												
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																												
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																												
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																												
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2564g	Extraction date: 09/15/24 09:51:14	Extracted by: 450,585	Reviewed On : 09/17/24 12:09:20																																																																																													
Analytical Batch : DA078069MYC	Batch Date : 09/14/24 10:55:51																																																																																																
Instrument Used : N/A																																																																																																	
Analyzed Date : 09/17/24 10:04:19																																																																																																	
Dilution : 250																																																																																																	
Reagent : 091324.R03; 091224.R04; 091324.R14; 090924.R03; 082724.R15; 091224.R01; 081023.01																																																																																																	
Consumables : 326250IW																																																																																																	
Pipette : DA-093; DA-094; DA-219																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																	
	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																																																																															
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2137g</td><td>Extraction date: 09/14/24 11:45:43</td><td>Extracted by: 1879,4056,1022</td><td colspan="2" rowspan="9">Reviewed On : 09/17/24 10:43:19</td></tr><tr><td>Analytical Batch : DA078060HEA</td><td colspan="5" rowspan="8">Batch Date : 09/14/24 10:11:42</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analyzed Date : 09/16/24 08:17:36</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21</td></tr><tr><td colspan="6">Consumables : 179436; 20240202; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2137g	Extraction date: 09/14/24 11:45:43	Extracted by: 1879,4056,1022	Reviewed On : 09/17/24 10:43:19		Analytical Batch : DA078060HEA	Batch Date : 09/14/24 10:11:42					Instrument Used : DA-ICPMS-004						Analyzed Date : 09/16/24 08:17:36						Dilution : 50						Reagent : 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21						Consumables : 179436; 20240202; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																												
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																												
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																												
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																												
LEAD	0.02	ppm	ND	PASS	0.5																																																																																												
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2137g	Extraction date: 09/14/24 11:45:43	Extracted by: 1879,4056,1022	Reviewed On : 09/17/24 10:43:19																																																																																													
Analytical Batch : DA078060HEA	Batch Date : 09/14/24 10:11:42																																																																																																
Instrument Used : DA-ICPMS-004																																																																																																	
Analyzed Date : 09/16/24 08:17:36																																																																																																	
Dilution : 50																																																																																																	
Reagent : 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21																																																																																																	
Consumables : 179436; 20240202; 210508058																																																																																																	
Pipette : DA-061; DA-191; DA-216																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - ICC (I)

ICC

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40913007-005

Harvest/Lot ID: 0001 3428 6430 5402

Batch# : 0001 3428 6430
5402

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 09/17/24 Expires: 09/17/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/15/24 09:06:15	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA078100FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/15/24 09:11:52

Reviewed On : 09/16/24 01:36:20

Batch Date : 09/15/24 08:57:25

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.520	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.0818g	Extraction date: 09/15/24 09:45:13	Extracted by: 4571,4512
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA078065WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 09/15/24 12:13:37

Reviewed On : 09/17/24 08:09:23

Batch Date : 09/14/24 10:19:49

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24