



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40913007-008



Production Method: Cured
Harvest/Lot ID: 1101 3428 6431 7454
Batch#: 1101 3428 6431 7454
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0000 0028 6430 5811
Harvest Date: 09/05/24
Sample Size Received: 38.5 gram
Total Amount: 2844 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 08/27/24
Sampled: 09/13/24
Completed: 09/17/24
Revision Date: 09/18/24
Sampling Method: SOP.T.20.010

Sep 18, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
25.132%
 Total THC/Container : 879.620 mg



Total CBD
0.025%
 Total CBD/Container : 0.875 mg



Total Cannabinoids
29.506%
 Total Cannabinoids/Container : 1032.710 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.047	27.463	ND	0.029	0.011	0.185	0.693	ND	ND	ND	0.078
mg/unit	10.47	274.63	ND	0.29	0.11	1.85	6.93	ND	ND	ND	0.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2133g

Extraction date:
09/16/24 09:15:24

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA078087POT
 Instrument Used : DA-LC-002
 Analyzed Date : 09/16/24 09:54:24

Reviewed On : 09/17/24 10:08:54
 Batch Date : 09/15/24 08:18:46

Dilution : 400
 Reagent : 090324.R05; 071624.04; 090324.R04
 Consumables : 947.109; 20240202; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
09/17/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40913007-008

Harvest/Lot ID: 1101 3428 6431 7454

Batch# : 1101 3428 6431 7454

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 38.5 gram

Total Amount : 2844 units

Completed : 09/17/24 Expires: 09/18/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	25.54	2.554	ALPHA-BISABOLOL	0.007	ND	ND
LIMONENE	0.007	6.13	0.613	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	5.57	0.557	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	4.30	0.430	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.84	0.184	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	1.36	0.136	CIS-NEROLIDOL	0.003	ND	ND
OCIMENE	0.007	1.30	0.130	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.23	0.123	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-TERPINEOL	0.007	1.01	0.101				
FARNESENE	0.007	0.95	0.095	Analysis by:	Weight:	Extraction date:	Extracted by:
FENCHYL ALCOHOL	0.007	0.95	0.095	4451, 3605, 585, 1440	1.1129g	09/14/24 13:06:35	4451
ALPHA-PINENE	0.007	0.90	0.090	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND	ND	Analytical Batch : DA078054TER		Revised On : 09/17/24 10:08:58	Batch Date : 09/14/24 09:33:15
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-009			
CAMPHENE	0.007	ND	ND	Analyzed Date : 09/14/24 13:16:07			
CAMPHOR	0.007	ND	ND	Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Reagent : 022224.07			
CEDROL	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
EUCALYPTOL	0.007	ND	ND	Pipette : DA-065			
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			2.554				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/17/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40913007-008

Harvest/Lot ID: 1101 3428 6431 7454

22205 Sw Martin Hwy

indiantown, FL, 34956, US

Telephone: (772) 631-0257

Email: Julio.Chavez@crescolabs.com

Batch# : 1101 3428 6431

7454

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 38.5 gram

Total Amount : 2844 units

Completed : 09/17/24 Expires: 09/18/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 3621, 1440 Weight: 0.9942g Extraction date: 09/15/24 09:54:36 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA078071PES Reviewed On : 09/17/24 15:16:48 Instrument Used : DA-LCMS-004 (PES) Batch Date : 09/14/24 10:56:43 Analyzed Date : 09/17/24 09:02:22 Dilution : 250 Reagent : 091024.R01; 091224.R04; 091324.R14; 091024.R02; 082724.R15; 091224.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9942g Extraction date: 09/15/24 09:54:36 Extracted by: 450,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA078073VOL Reviewed On : 09/17/24 10:48:57 Instrument Used : DA-GCMS-001 Batch Date : 09/14/24 10:57:46 Analyzed Date : 09/16/24 15:09:04 Dilution : 250 Reagent : 091324.R14; 081023.01; 091324.R18; 091324.R19 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
09/17/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40913007-008
Harvest/Lot ID: 1101 3428 6431 7454
Batch#: 1101 3428 6431 7454
Sample Size Received : 38.5 gram
Total Amount : 2844 units
Completed : 09/17/24 Expires: 09/18/25
Sample Method : SOP.T.20.010
Ordered : 09/13/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	220	PASS	100000
Analyzed by: 4531, 3390, 585, 1440 Weight: 0.945g Extraction date: 09/14/24 11:00:33 Extracted by: 4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA078046MIC Reviewed On : 09/17/24 08:03:00 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 09/14/24 13:28:53 Dilution : 10 Reagent : 082224.17; 082224.22; 082224.28; 091124.R15; 030724.29 Consumables : 7575002023 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 585, 3621, 1440 Weight: 0.9942g Extraction date: 09/15/24 09:54:36 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA078072MYC Reviewed On : 09/17/24 15:15:34 Instrument Used : N/A Batch Date : 09/14/24 10:57:45 Analyzed Date : 09/17/24 09:02:32 Dilution : 250 Reagent : 091024.R01; 091224.R04; 091324.R14; 091024.R02; 082724.R15; 091224.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2894g Extraction date: 09/14/24 11:13:00 Extracted by: 4351,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA078059HEA Reviewed On : 09/17/24 08:31:12 Instrument Used : DA-ICPMS-004 Batch Date : 09/14/24 10:09:38 Analyzed Date : 09/16/24 08:14:26 Dilution : 50 Reagent : 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	220	PASS	100000
Analyzed by: 4531, 3390, 585, 1440 Weight: 0.945g Extraction date: 09/14/24 11:00:33 Extracted by: 4044 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA078047TYM Reviewed On : 09/17/24 08:07:31 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 09/14/24 13:25:58 Dilution : 10 Reagent : 082224.17; 082224.22; 082224.28; 082024.R18 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2894g Extraction date: 09/14/24 11:13:00 Extracted by: 4351,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA078059HEA Reviewed On : 09/17/24 08:31:12 Instrument Used : DA-ICPMS-004 Batch Date : 09/14/24 10:09:38 Analyzed Date : 09/16/24 08:14:26 Dilution : 50 Reagent : 091324.R16; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
09/17/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40913007-008

Harvest/Lot ID: 1101 3428 6431 7454

Batch#: 1101 3428 6431 7454

Sampled : 09/13/24

Ordered : 09/13/24

Sample Size Received : 38.5 gram

Total Amount : 2844 units

Completed : 09/17/24 Expires: 09/18/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 09/15/24 09:06:15 Extracted by: 1879
 Analysis Method : SOP.T.40.090 Analytical Batch : DA078100FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 09/16/24 01:36:19 Batch Date : 09/15/24 08:57:25
 Analyzed Date : 09/15/24 09:11:52

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.65

Analyzed by: 4512, 585, 1440 Weight: 0.818g Extraction date: 09/14/24 15:36:05 Extracted by: 4512
 Analysis Method : SOP.T.40.019 Analytical Batch : DA078064WAT Instrument Used : DA257 Rotronic HygroPalm Reviewed On : 09/17/24 08:32:16 Batch Date : 09/14/24 10:16:43
 Analyzed Date : 09/14/24 15:36:24

Dilution : N/A
 Reagent : 080624.18
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.03	PASS	15

Analyzed by: 4512, 585, 1440 Weight: 0.506g Extraction date: 09/14/24 15:04:39 Extracted by: 4512
 Analysis Method : SOP.T.40.021 Analytical Batch : DA078062MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyser, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyser Reviewed On : 09/17/24 08:24:26 Batch Date : 09/14/24 10:15:44
 Analyzed Date : 09/14/24 15:13:19

Dilution : N/A
 Reagent : 092520.50; 020124.02
 Consumables : N/A
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
09/17/24