



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40916004-014



Sep 19, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**20.480%**

Total THC/Container : 1433.600 mg



Total CBD

**0.017%**

Total CBD/Container : 1.190 mg



Total Cannabinoids

**23.890%**

Total Cannabinoids/Container : 1672.300 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.929	22.294	ND	0.020	0.011	0.070	0.479	ND	ND	ND	0.087
mg/unit	9.29	222.94	ND	0.20	0.11	0.70	4.79	ND	ND	ND	0.87
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
1665, 3335, 585, 1440

Weight:  
0.2074g

Extraction date:  
09/17/24 11:37:42

Extracted by:  
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078138POT

Instrument Used : DA-LC-002

Analyzed Date : 09/17/24 11:39:10

Dilution : 400

Reagent : 090324.R05; 071624.04; 090324.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 09/18/24 10:15:32

Batch Date : 09/17/24 09:51:08

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
09/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Mt. Ripsmore (H)

Mt. Ripsmore

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40916004-014

Harvest/Lot ID: 0000 0028 6430 6886

Batch# : 0000 0028 6430  
6886

Sampled : 09/16/24

Ordered : 09/16/24

Sample Size Received : 5 units

Total Amount : 465 units

Completed : 09/19/24 Expires: 09/19/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.50	1.550		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.02	0.302		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.97	0.297		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	2.72	0.272		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	2.22	0.222		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.00	0.100		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	0.97	0.097		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.67	0.067		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	0.63	0.063		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.52	0.052		4451, 585, 1440	1.0845g	09/17/24 12:03:13	4451	
BETA-PINENE	0.007	0.49	0.049		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	0.29	0.029		Analytical Batch : DA078129TER			Reviewed On : 09/18/24 14:33:01	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 09/17/24 09:37:30	
BORNEOL	0.013	ND	ND		Analyzed Date : 09/17/24 12:03:29				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 022224.07				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.550						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Mt. Ripsmore (H)

Mt. Ripsmore

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40916004-014

Harvest/Lot ID: 0000 0028 6430 6886

Batch# : 0000 0028 6430  
6886

Sampled : 09/16/24  
Ordered : 09/16/24

Sample Size Received : 5 units

Total Amount : 465 units

Completed : 09/19/24 Expires: 09/19/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.947g	Extraction date: 09/17/24 13:53:18	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA078147PES		Reviewed On : 09/18/24 12:35:31			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/17/24 10:55:29			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/17/24 15:17:48					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 091324.R14; 081023.01; 091624.R04; 091224.R04; 091624.R05; 082724.R15; 091224.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.947g	Extraction date: 09/17/24 13:53:18	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA078149VOL		Reviewed On : 09/18/24 12:34:12			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 09/17/24 10:57:17			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/17/24 17:23:41					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 091324.R14; 081023.01; 091324.R18; 091324.R19					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Mt. Ripsmore (H)

Mt. Ripsmore

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40916004-014

Harvest/Lot ID: 0000 0028 6430 6886

Batch# : 0000 0028 6430  
6886

Sampled : 09/16/24

Ordered : 09/16/24



Sample Size Received : 5 units

Total Amount : 465 units

Completed : 09/19/24 Expires: 09/19/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level						
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN B2			0.00	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER					Not Present	PASS		AFLATOXIN B1			0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS					Not Present	PASS		OCHRATOXIN A			0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS					Not Present	PASS		AFLATOXIN G1			0.00	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN G2			0.00	ppm	ND	PASS	0.02						
ECOLI SHIGELLA					Not Present	PASS		Analyzed by: 3621, 585, 1440			Weight: 0.947g	Extraction date: 09/17/24 13:53:18		Extracted by: 3621							
TOTAL YEAST AND MOLD			10.00	CFU/g	110	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)			Reviewed On : 09/18/24 09:45:20										
Analyzed by: 4531, 4520, 585, 1440			Weight: 0.868g	Extraction date: 09/17/24 11:05:00		Extracted by: 4044,4520		Analytical Batch : DA078148MYC			Batch Date : 09/17/24 10:56:59										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 09/18/24 14:32:07					Instrument Used : N/A													
Analytical Batch : DA078105MIC			Batch Date : 09/17/24 08:09:39					Analyzed Date : 09/17/24 15:18:48													
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems			Dilution : 250					Reagent : 091324.R14; 081023.01													
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C)			Consumables : 326250IW					Pipette : N/A													
DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021			Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																		
Analyzed Date : 09/17/24 12:05:45																					
Dilution : 10																					
Reagent : 082224.18; 082224.24; 091124.R15; 030724.29																					
Consumables : 7575002078																					
Pipette : N/A																					
Analyzed by: 4531, 3390, 585, 1440			Weight: 0.868g	Extraction date: 09/17/24 11:05:00		Extracted by: 4044,4520		Metal			LOD	Units	Result	Pass / Fail	Action Level						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 09/19/24 19:51:43					TOTAL CONTAMINANT LOAD METALS			0.08	ppm	ND	PASS	1.1						
Analytical Batch : DA078106TYM			Batch Date : 09/17/24 08:10:36					ARSENIC			0.02	ppm	ND	PASS	0.2						
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]								CADMIUM			0.02	ppm	ND	PASS	0.2						
Analyzed Date : 09/17/24 12:09:11								MERCURY			0.02	ppm	ND	PASS	0.2						
Dilution : 10								LEAD			0.02	ppm	ND	PASS	0.5						
Reagent : 082224.18; 082224.24; 082024.R18								Analyzed by: 1022, 585, 1440			Weight: 0.2593g	Extraction date: 09/17/24 10:37:39		Extracted by: 4056							
Consumables : N/A								Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL													
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440					
Weight: 0.2593g					
Extraction date: 09/17/24 10:37:39					
Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA078140HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 09/17/24 14:35:44					
Dilution : 50					
Reagent : 091324.R16; 091624.R09; 091024.R07; 091624.R07; 091624.R08; 061724.01; 090624.R21					
Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Mt. Ripsmore (H)  
Mt. Ripsmore  
Matrix : Flower  
Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40916004-014

Harvest/Lot ID: 0000 0028 6430 6886

Batch# : 0000 0028 6430  
6886

Sampled : 09/16/24

Ordered : 09/16/24

Sample Size Received : 5 units

Total Amount : 465 units

Completed : 09/19/24 Expires: 09/19/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.63	PASS	15

Analyzed by: 585, 1879, 1440  
Weight: 1g  
Extraction date: 09/18/24 17:05:52  
Extracted by: 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA078196FIL

Instrument Used : N/A

Analyzed Date : 09/18/24 15:30:47

Reviewed On : 09/18/24 17:31:09

Batch Date : 09/18/24 11:22:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyzed by: 4571, 585, 1440  
Weight: 0.497g  
Extraction date: 09/17/24 14:52:01  
Extracted by: 4571

Analysis Method : SOP.T.40.021

Analytical Batch : DA078156MOI

Reviewed On : 09/18/24  
09:25:42

Batch Date : 09/17/24  
11:12:16

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture  
Analyzer, DA-263 Moisture Analyser, DA-264 Moisture  
Analyser, DA-385 Moisture Analyzer

Analyzed Date : 09/17/24 14:37:31

Dilution : N/A

Reagent : 092520.50; 020124.02

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.544	PASS	0.65

Analyzed by: 4571, 585, 1440  
Weight: 0.722g  
Extraction date: 09/17/24 14:54:19  
Extracted by: 4571

Analysis Method : SOP.T.40.019

Analytical Batch : DA078157WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/17/24 14:41:27

Reviewed On : 09/18/24 09:26:51

Batch Date : 09/17/24 11:14:10

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/19/24