



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40920007-005



**Production Method:** Cured  
**Harvest/Lot ID:** 0000 0026 6431 0919  
**Batch#:** 0000 0026 6431 0919  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0000 0026 6431 1204  
**Harvest Date:** 09/16/24  
**Sample Size Received:** 4 units  
**Total Amount:** 780 units  
**Retail Product Size:** 14 gram  
**Retail Serving Size:** 14 gram  
**Servings:** 1  
**Ordered:** 09/18/24  
**Sampled:** 09/20/24  
**Completed:** 09/24/24  
**Revision Date:** 09/26/24  
**Sampling Method:** SOP.T.20.010

Sep 26, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**

**24.552%**

Total THC/Container : 3437.280 mg



**Total CBD**

**0.025%**

Total CBD/Container : 3.500 mg



**Total Cannabinoids**

**28.302%**

Total Cannabinoids/Container : 3962.280 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.995	26.862	ND	0.029	ND	0.100	0.240	ND	ND	0.033	0.043
mg/unit	139.30	3760.68	ND	4.06	ND	14.00	33.60	ND	ND	4.62	6.02
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.2237g

Extraction date:  
09/23/24 08:55:26

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078334POT

Instrument Used : DA-LC-001

Analyzed Date : 09/23/24 09:11:13

Reviewed On : 09/24/24 10:24:24

Batch Date : 09/21/24 22:41:11

Dilution : 400

Reagent : 091624.R01; 090624.15; 092124.R01

Consumables : 947.109; 04311046; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/24/24

**Revision: #1**

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Red Blz (H)  
Red Bullz  
Matrix : Flower  
Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40920007-005

Harvest/Lot ID: 0000 0026 6431 0919

Batch# : 0000 0026 6431  
0919

Sampled : 09/20/24  
Ordered : 09/20/24

Sample Size Received : 4 units

Total Amount : 780 units

Completed : 09/24/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	218.82	1.563		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	105.42	0.753		ALPHA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	34.58	0.247		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	24.50	0.175		ALPHA-TERPINEOL	0.007	ND	ND	
LINALOOL	0.007	22.40	0.160		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	16.80	0.120		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	11.20	0.080		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.92	0.028		TRANS-NEROLIDOL	0.005	ND	ND	
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Analytical Batch : DA078290TER				
CAMPHENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
CAMPHOR	0.007	ND	ND		Analyzed Date : 09/21/24 13:15:07				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 090924.03				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
FARNESENE	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	ND	ND						
ALPHA-CEDRENE	0.005	ND	ND						
Total (%)			1.563						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Red Blz (H)

Red Bullz

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40920007-005

Harvest/Lot ID: 0000 0026 6431 0919

Batch# : 0000 0026 6431  
0919

Sampled : 09/20/24

Ordered : 09/20/24

Sample Size Received : 4 units

Total Amount : 780 units

Completed : 09/24/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.8239g	09/22/24 12:32:13	4640,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078306PES		Reviewed On : 09/24/24 10:09:14			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/21/24 10:01:18			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/24/24 10:08:39					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 091824.R03; 081023.01; 091924.R14; 091824.R04; 092124.R10; 082724.R15; 091824.R01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.8239g	09/22/24 12:32:13	4640,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA078309VOL		Reviewed On : 09/24/24 10:04:10			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 09/21/24 10:28:10			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/24/24 09:58:53					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 091824.R03; 081023.01; 091324.R18; 091324.R19					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
09/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Red Blz (H)

Red Bullz

Matrix : Flower

Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40920007-005

Harvest/Lot ID: 0000 0026 6431 0919

Batch# : 0000 0026 6431 0919

Sampled : 09/20/24

Ordered : 09/20/24

Sample Size Received : 4 units

Total Amount : 780 units

Completed : 09/24/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10.00	CFU/g	50	PASS	100000	
Analyzed by: 3390, 4520, 585, 1440						
Weight: 1.033g						
Extraction date: 09/21/24 12:09:04						
Extracted by: 4044						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						
Analytical Batch : DA078294MIC						
Reviewed On : 09/24/24 15:56:23						
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021						
Batch Date : 09/21/24 08:35:58						
Analyzed Date : 09/21/24 14:54:50						
Dilution : 10						
Reagent : 082224.23; 090424.28; 091124.R15; 030724.29						
Consumables : 7576002076						
Pipette : N/A						
Analyzed by: 3390, 4531, 585, 1440						
Weight: 1.033g						
Extraction date: 09/21/24 12:09:04						
Extracted by: 4044						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						
Analytical Batch : DA078295TYM						
Reviewed On : 09/24/24 10:23:30						
Batch Date : 09/21/24 08:36:40						
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						
Analyzed Date : 09/21/24 14:56:17						
Dilution : 10						
Reagent : 082224.23; 090424.28; 082024.R18						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						
	Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 1440						
Weight: 0.8239g						
Extraction date: 09/22/24 12:32:13						
Extracted by: 4640, 3379						
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA078308MYC						
Instrument Used : N/A						
Analyzed Date : 09/24/24 10:06:59						
Reviewed On : 09/24/24 10:07:01						
Batch Date : 09/21/24 10:28:08						
Dilution : 250						
Reagent : 091824.R03; 081023.01; 091924.R14; 091824.R04; 092124.R10; 082724.R15; 091824.R01						
Consumables : 326250IW						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440						
Weight: 0.2229g						
Extraction date: 09/21/24 12:39:35						
Extracted by: 1879, 1022						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA078304HEA						
Reviewed On : 09/24/24 09:56:23						
Batch Date : 09/21/24 09:55:00						
Instrument Used : DA-ICPMS-004						
Analyzed Date : 09/23/24 10:30:00						
Dilution : 50						
Reagent : 091324.R16; 090624.R20; 091624.R09; 092024.R03; 091624.R07; 091624.R08; 061724.01						
Consumables : 179436; 20240202; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Red Blz (H)  
Red Bullz  
Matrix : Flower  
Type: Flower-Cured-Small



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40920007-005

Harvest/Lot ID: 0000 0026 6431 0919

Batch# : 0000 0026 6431  
0919

Sampled : 09/20/24

Ordered : 09/20/24

Sample Size Received : 4 units

Total Amount : 780 units

Completed : 09/24/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.17	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/23/24 00:41:15			Extracted by: 1879	Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 09/22/24 12:06:34			Extracted by: 4512
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA078352FIL			Reviewed On : 09/23/24 00:44:02			Analytical Batch : DA078329MOI			Reviewed On : 09/24/24		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 09/23/24 00:13:56						09:52:21		
Analyzed Date : 09/23/24 00:20:05						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer			Batch Date : 09/21/24		
Dilution : N/A									11:56:39		
Reagent : N/A											
Consumables : N/A						Analyzed Date : 09/22/24 12:14:27					
Pipette : N/A						Dilution : N/A					
						Reagent : 092520.50; 020124.02					
						Consumables : N/A					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.479	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.627g	Extraction date: 09/22/24 15:18:37	Extracted by: 4512		
Analysis Method : SOP.T.40.019			Reviewed On : 09/24/24 09:54:45		
Analytical Batch : DA078330WAT			Batch Date : 09/21/24 12:01:13		
Instrument Used : DA257 Rotronic HygroPalm					
Analyzed Date : 09/22/24 15:19:11					
Dilution : N/A					
Reagent : 080624.18					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.