



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40923007-003



**Production Method:** Cured  
**Harvest/Lot ID:** 0000 0026 6431 1710  
**Batch#:** 0000 0026 6431 1710  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0000 0026 6431 1710  
**Harvest Date:** 09/13/24  
**Sample Size Received:** 5 units  
**Total Amount:** 590 units  
**Retail Product Size:** 7 gram  
**Retail Serving Size:** 7 gram  
**Servings:** 1  
**Ordered:** 09/18/24  
**Sampled:** 09/23/24  
**Completed:** 09/26/24  
**Sampling Method:** SOP.T.20.010

Sep 26, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

  
**Pesticides**  
**PASSED**

  
**Heavy Metals**  
**PASSED**

  
**Microbials**  
**PASSED**

  
**Mycotoxins**  
**PASSED**

  
**Residuals Solvents**  
**NOT TESTED**

  
**Filtration**  
**PASSED**

  
**Water Activity**  
**PASSED**

  
**Moisture**  
**PASSED**

### MISC.

  
**Terpenes**  
**TESTED**

 **Cannabinoid** **PASSED**



**Total THC**  
**19.085%**  
Total THC/Container : 1335.950 mg



**Total CBD**  
**0.026%**  
Total CBD/Container : 1.820 mg



**Total Cannabinoids**  
**21.964%**  
Total Cannabinoids/Container : 1537.480 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.113	20.493	ND	0.030	0.028	0.065	0.135	ND	ND	ND	0.100
mg/unit	77.91	1434.51	ND	2.10	1.96	4.55	9.45	ND	ND	ND	7.00
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 585, 1440

Weight:  
0.2038g

Extraction date:  
09/24/24 10:37:22

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078364POT

Instrument Used : DA-LC-002

Analyzed Date : 09/24/24 10:38:30

Reviewed On : 09/25/24 09:51:33

Batch Date : 09/24/24 08:44:54

Dilution : 400

Reagent : 092324.R01; 071624.04; 090324.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
09/26/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-003  
Harvest/Lot ID: 0000 0026 6431 1710

Batch# : 0000 0026 6431 1710  
Sample Size Received : 5 units  
Total Amount : 590 units  
Completed : 09/26/24 Expires: 09/26/25  
Ordered : 09/23/24  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	82.39	1.177	ALPHA-BISABOLOL	0.007	ND	ND
LINALOOL	0.007	26.11	0.373	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	15.68	0.224	ALPHA-PHELLANDRENE	0.007	ND	ND
LIMONENE	0.007	7.56	0.108	ALPHA-PINENE	0.007	ND	ND
FARNESENE	0.007	5.60	0.080	ALPHA-TERPINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	5.39	0.077	ALPHA-TERPINOLENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	5.11	0.073	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-TERPINEOL	0.007	5.11	0.073	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	5.04	0.072				
BETA-MYRCENE	0.007	4.69	0.067	Analyzed by:	Weight:	Extraction date:	Extracted by:
BETA-PINENE	0.007	2.10	0.030	4451, 3605, 585, 1440	1.0056g	09/24/24 10:54:37	4451
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
CAMPHENE	0.007	ND	ND	Analytical Batch : DA078378TER		Reviewed On : 09/25/24 09:51:36	Batch Date : 09/24/24 09:43:58
CAMPHOR	0.007	ND	ND	Instrument Used : DA-GCMS-008			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Analyzed Date : 09/24/24 10:54:53			
CEDROL	0.007	ND	ND	Dilution : 10			
EUCALYPTOL	0.007	ND	ND	Reagent : 090924.03			
FENCHONE	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
GERANIOL	0.007	ND	ND	Pipette : DA-065			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.177</b>				

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-003

Harvest/Lot ID: 0000 0026 6431 1710

Batch# : 0000 0026 6431  
1710

Sampled : 09/23/24  
Ordered : 09/23/24

Sample Size Received : 5 units

Total Amount : 590 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 585, 3379, 1440 <b>Weight:</b> 0.8191g <b>Extraction date:</b> 09/24/24 12:48:40 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA078372PES <b>Reviewed On :</b> 09/26/24 10:35:33 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 09/24/24 09:21:39 <b>Analyzed Date :</b> 09/24/24 20:53:50 <b>Dilution :</b> 250 <b>Reagent :</b> 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-003  
Harvest/Lot ID: 0000 0026 6431 1710  
Batch# : 0000 0026 6431 1710  
Sample Size Received : 5 units  
Total Amount : 590 units  
Sampled : 09/23/24  
Completed : 09/26/24 Expires: 09/26/25  
Ordered : 09/23/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	50	PASS	100000
<b>Analyzed by:</b> 4531, 4520, 585, 1440 <b>Weight:</b> 1.119g <b>Extraction date:</b> 09/24/24 10:53:47 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA078355MIC <b>Reviewed On :</b> 09/25/24 10:18:21 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Batch Date :</b> 09/24/24 <b>Analyzed Date :</b> 09/24/24 12:23:49 <b>Dilution :</b> 10 <b>Reagent :</b> 082224.20; 090424.29; 091124.R15; 030724.29 <b>Consumables :</b> 7575002077 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 585, 3379, 1440 <b>Weight:</b> 0.8191g <b>Extraction date:</b> 09/24/24 12:48:40 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA078373MYC <b>Reviewed On :</b> 09/25/24 11:45:41 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 09/24/24 09:23:47 <b>Analyzed Date :</b> 09/24/24 20:53:48 <b>Dilution :</b> 250 <b>Reagent :</b> 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	<0.100	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2215g <b>Extraction date:</b> 09/24/24 09:41:43 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA078361HEA <b>Reviewed On :</b> 09/25/24 10:17:04 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 09/24/24 08:42:08 <b>Analyzed Date :</b> 09/24/24 13:43:37 <b>Dilution :</b> 50 <b>Reagent :</b> 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12 <b>Consumables :</b> 179436; 20240202; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	50	PASS	100000
<b>Analyzed by:</b> 4531, 4044, 585, 1440 <b>Weight:</b> 1.119g <b>Extraction date:</b> 09/24/24 10:53:47 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA078356TYM <b>Reviewed On :</b> 09/26/24 15:16:45 <b>Instrument Used :</b> Incubator (25°C) DA- 328 [calibrated with DA-382] <b>Batch Date :</b> 09/24/24 08:19:51 <b>Analyzed Date :</b> 09/24/24 12:28:43 <b>Dilution :</b> 10 <b>Reagent :</b> 082224.20; 090424.29; 082024.R18 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	50	PASS	100000
<b>Analyzed by:</b> 4531, 4044, 585, 1440 <b>Weight:</b> 1.119g <b>Extraction date:</b> 09/24/24 10:53:47 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA078356TYM <b>Reviewed On :</b> 09/26/24 15:16:45 <b>Instrument Used :</b> Incubator (25°C) DA- 328 [calibrated with DA-382] <b>Batch Date :</b> 09/24/24 08:19:51 <b>Analyzed Date :</b> 09/24/24 12:28:43 <b>Dilution :</b> 10 <b>Reagent :</b> 082224.20; 090424.29; 082024.R18 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-003  
Harvest/Lot ID: 0000 0026 6431 1710  
Batch#: 0000 0026 6431 1710  
Sample Size Received : 5 units  
Total Amount : 590 units  
Sampled : 09/23/24  
Completed : 09/26/24 Expires: 09/26/25  
Ordered : 09/23/24  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440  
Weight: 1g  
Extraction date: 09/25/24 18:26:46  
Extracted by: 1879  
Analysis Method : SOP.T.40.090  
Analytical Batch : DA078427FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 09/25/24 18:18:08  
Reviewed On : 09/25/24 18:30:21  
Batch Date : 09/25/24 18:00:02

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	PASS	0.65

Analyzed by: 4571, 585, 1440  
Weight: 0.2g  
Extraction date: 09/24/24 13:06:36  
Extracted by: 4571  
Analysis Method : SOP.T.40.019  
Analytical Batch : DA078382WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 09/24/24 13:02:47  
Reviewed On : 09/25/24 09:05:51  
Batch Date : 09/24/24 10:01:16

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.43	PASS	15

Analyzed by: 4571, 585, 1440  
Weight: 0.502g  
Extraction date: 09/24/24 12:42:11  
Extracted by: 4571  
Analysis Method : SOP.T.40.021  
Analytical Batch : DA078381MOI  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer  
Analyzed Date : 09/24/24 12:35:01  
Reviewed On : 09/25/24 09:05:10  
Batch Date : 09/24/24 09:55:47

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : PS-14  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

