



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40923007-005



**Production Method:** Cured  
**Harvest/Lot ID:** 0000 0028 6430 9332  
**Batch#:** 0000 0028 6430 9332  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0000 0028 6430 9332  
**Harvest Date:** 09/12/24  
**Sample Size Received:** 3 units  
**Total Amount:** 566 units  
**Retail Product Size:** 14 gram  
**Retail Serving Size:** 14 gram  
**Servings:** 1  
**Ordered:** 09/13/24  
**Sampled:** 09/23/24  
**Completed:** 09/26/24  
**Sampling Method:** SOP.T.20.010

Sep 26, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**

**22.678%**

Total THC/Container : 3174.920 mg



**Total CBD**

**0.031%**

Total CBD/Container : 4.340 mg



**Total Cannabinoids**

**27.279%**

Total Cannabinoids/Container : 3819.060 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.410	25.392	ND	0.036	0.030	0.125	1.229	ND	ND	ND	0.057
mg/unit	57.40	3554.88	ND	5.04	4.20	17.50	172.06	ND	ND	ND	7.98
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 585, 1440

Weight:  
0.225g

Extraction date:  
09/24/24 10:37:23

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078364POT

Instrument Used : DA-LC-002

Analyzed Date : 09/24/24 10:38:30

Reviewed On : 09/25/24 09:51:46

Batch Date : 09/24/24 08:44:54

Dilution : 400

Reagent : 092324.R01; 071624.04; 090324.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Metaverse (S)  
Metaverse  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40923007-005

Harvest/Lot ID: 0000 0028 6430 9332

Batch# : 0000 0028 6430  
9332

Sampled : 09/23/24  
Ordered : 09/23/24

Sample Size Received : 3 units

Total Amount : 566 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	211.12	1.508		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	62.16	0.444		ALPHA-BISABOLOL	0.007	ND	ND	
LINALOOL	0.007	35.28	0.252		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	34.86	0.249		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	19.74	0.141		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.007	16.80	0.120		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	12.46	0.089		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	6.86	0.049		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	5.60	0.040						
FENCHYL ALCOHOL	0.007	5.32	0.038		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	4.62	0.033		4451, 3605, 585, 1440	1.0159g	09/24/24 10:54:37	4451	
TRANS-NEROLIDOL	0.005	4.06	0.029		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	3.36	0.024		Analytical Batch : DA078378TER			Reviewed On : 09/25/24 09:51:50	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 09/24/24 09:43:58	
BORNEOL	0.013	ND	ND		Analysis Date : 09/24/24 10:54:53				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 090924.03				
CEDROL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.508						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Metaverse (S)  
Metaverse  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA40923007-005

Harvest/Lot ID: 0000 0028 6430 9332

Batch# : 0000 0028 6430  
9332

Sampled : 09/23/24  
Ordered : 09/23/24

Sample Size Received : 3 units

Total Amount : 566 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 585, 3379, 1440	Weight: 0.9832g	Extraction date: 09/24/24 12:48:41	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078372PES		Reviewed On : 09/26/24 10:35:37			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/24/24 09:21:39			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/24/24 20:53:50					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analized by: 585, 450, 1440	Weight: 0.9832g	Extraction date: 09/24/24 12:48:41	Extracted by: 3621		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078374VOL		Reviewed On : 09/26/24 10:14:29			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/24/24 09:23:48			
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/24/24 20:53:47					
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution : 250					
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent : 091824.R03; 081023.01; 091324.R18; 091324.R19					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Metaverse (S)  
Metaverse  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-005

Harvest/Lot ID: 0000 0028 6430 9332

Batch# : 0000 0028 6430  
9332

Sample Size Received : 3 units  
Total Amount : 566 units  
Completed : 09/26/24 Expires: 09/26/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
--	-----------	--------	--	------------	--------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	20	PASS	100000	Analyzed by:	585, 3379, 1440	Weight:	0.9832g	Extraction date:	09/24/24 12:48:41
Analyzed by:	4531, 4520, 585, 1440	Weight:	1.037g	Extraction date:	09/24/24 10:53:47	Extracted by:	4044	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On :	09/25/24 11:45:43
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Analytical Batch :	DA078355MIC	Reviewed On :	09/25/24 10:18:22	Instrument Used :	N/A	Analyzed Date :	09/24/24 20:53:48	Batch Date :	09/24/24 09:23:47
Instrument Used :	PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021	Batch Date :	09/24/24 08:17:58	Dilution :	250	Reagent :	091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01	Consumables :	326250IW	Pipette :	DA-093; DA-094; DA-219
Analyzed Date :	09/24/24 12:23:49	Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									
Dilution :	10	Reagent :	082224.20; 090424.29; 091124.R15; 030724.29								
Consumables :	7575002077										
Pipette :	N/A										

Analyzed by: 4531, 4044, 585, 1440		Weight: 1.037g		Extraction date: 09/24/24 10:53:47		Extracted by: 4044		<div><div></div></div>		Heavy Metals		PASSED	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA078356TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 09/24/24 12:28:43								Reviewed On : 09/26/24 15:16:47 Batch Date : 09/24/24 08:19:51					
Dilution : 10 Reagent : 082224.20; 090424.29; 082024.R18 Consumables : N/A Pipette : N/A													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Metaverse (S)  
Metaverse  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-005

Harvest/Lot ID: 0000 0028 6430 9332

Batch# : 0000 0028 6430  
9332

Sampled : 09/23/24

Ordered : 09/23/24

Sample Size Received : 3 units

Total Amount : 566 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level	
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.34	PASS	15	
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/25/24 18:26:46	Extracted by: 1879			Analyzed by: 4571, 585, 1440	Weight: 0.497g	Extraction date: 09/24/24 12:42:43	Extracted by: 4571			
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021						
Analytical Batch : DA078427FIL			Reviewed On : 09/25/24 18:29:38			Analytical Batch : DA078381MOI			Reviewed On : 09/25/24 09:05:13			
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 09/25/24 18:00:02			Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer			Batch Date : 09/24/24 09:55:47			
Analyzed Date : 09/25/24 18:18:08						Analyzed Date : 09/24/24 12:35:01						
Dilution : N/A						Dilution : N/A						
Reagent : N/A						Reagent : 092520.50; 020124.02						
Consumables : N/A						Consumables : PS-14						
Pipette : N/A						Pipette : DA-066						
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.						



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.512	PASS	0.65
Analyzed by: 4571, 585, 1440	Weight: 0.2g	Extraction date: 09/24/24 13:06:40	Extracted by: 4571		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA078382WAT			Reviewed On : 09/25/24 09:05:52		
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 09/24/24 10:01:16		
Analyzed Date : 09/24/24 13:02:47					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/26/24