



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40923007-009



Production Method: Other - Not Listed
Harvest/Lot ID: 0000 0026 6431 0541
Batch#: 0000 0026 6431 0541
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0000 0026 6431 2788
Harvest Date: 09/13/24
Sample Size Received: 31 units
Total Amount: 760 units
Retail Product Size: .5 gram
Retail Serving Size: .5 gram
Servings: 1
Ordered: 09/16/24
Sampled: 09/23/24
Completed: 09/26/24
Sampling Method: SOP.T.20.010

Sep 26, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

92.235%

Total THC/Container : 461.175 mg



Total CBD

0.871%

Total CBD/Container : 4.355 mg



Total Cannabinoids

97.906%

Total Cannabinoids/Container : 489.530 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.083	0.174	0.871	ND	ND	3.576	ND	0.727	0.475	ND	ND
mg/unit	460.42	0.87	4.36	ND	ND	17.88	ND	3.64	2.38	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.116g

Extraction date:
09/24/24 11:00:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078366POT

Instrument Used : DA-LC-003

Analyzed Date : 09/24/24 11:00:36

Reviewed On : 09/26/24 15:19:37

Batch Date : 09/24/24 08:48:14

Dilution : 400

Reagent : 092324.R02; 071624.04; 092124.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40923007-009

Harvest/Lot ID: 0000 0026 6431 0541

Batch# : 0000 0026 6431 0541

Sampled : 09/23/24

Ordered : 09/23/24

Sample Size Received : 31 units

Total Amount : 760 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.20	1.639		OCIMENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.13	0.426		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.98	0.195		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.72	0.143		ALPHA-HUMULENE	0.007	ND	ND	
LIMONENE	0.007	0.58	0.116		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	0.54	0.107		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.51	0.101		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.33	0.066		TRANS-NEROLIDOL	0.005	ND	ND	
PARNESENE	0.001	0.31	0.062		Analyzed by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.26	0.052		4451, 3605, 585, 1440	0.2179g	09/24/24 10:58:58	4451	
GUAIOL	0.007	0.25	0.049		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
PULEGONE	0.007	0.24	0.047		Analytical Batch : DA078379TER			Reviewed On : 09/26/24 15:19:32	
VALENCENE	0.007	0.24	0.047		Instrument Used : DA-GCMS-004			Batch Date : 09/24/24 09:45:47	
ALPHA-TERPINEOL	0.007	0.23	0.045		Analyzed Date : 09/24/24 10:59:15				
FENCHYL ALCOHOL	0.007	0.22	0.043		Dilution : 10				
GAMMA-TERPINENE	0.007	0.20	0.040		Reagent : 090924.03				
ALPHA-TERPINOLENE	0.007	0.18	0.036		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CAMPHENE	0.007	0.18	0.035		Pipette : DA-065				
SABINENE	0.007	0.15	0.029		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			1.639						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40923007-009

Harvest/Lot ID: 0000 0026 6431 0541

Batch# : 0000 0026 6431 0541

Sampled : 09/23/24

Ordered : 09/23/24

Sample Size Received : 31 units

Total Amount : 760 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440 Weight: 0.2295g Extraction date: 09/24/24 12:44:41 Extracted by: 3621 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA078369PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :09/24/24 20:55:52 Dilution : 250 Reagent : 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40923007-009

Harvest/Lot ID: 0000 0026 6431 0541

Batch# : 0000 0026 6431
0541

Sampled : 09/23/24

Ordered : 09/23/24

Sample Size Received : 31 units

Total Amount : 760 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
585, 850, 1440

Weight:
0.0222g

Extraction date:
09/25/24 11:27:08

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA078386SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 09/24/24 20:53:51

Reviewed On : 09/25/24 12:21:58
Batch Date : 09/24/24 10:53:32

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40923007-009

Harvest/Lot ID: 0000 0026 6431 0541

Batch# : 0000 0026 6431
0541

Sampled : 09/23/24
Ordered : 09/23/24




Sample Size Received : 31 units

Total Amount : 760 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																
	Mycotoxins	PASSED																																																																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td>Weight: 1.125g</td><td>Extraction date: 09/24/24 10:53:48</td><td>Extracted by: 4044</td><td colspan="2" rowspan="7">Reviewed On : 09/25/24 10:18:25</td></tr><tr><td>Analytical Batch : DA078355MIC</td><td colspan="5" rowspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td></tr><tr><td colspan="6">Analysis Date : 09/24/24 12:23:49</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 082224.20; 090424.29; 091124.R15; 030724.29</td></tr><tr><td colspan="6">Consumables : 7575002077</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.125g	Extraction date: 09/24/24 10:53:48	Extracted by: 4044	Reviewed On : 09/25/24 10:18:25		Analytical Batch : DA078355MIC	Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021					Analysis Date : 09/24/24 12:23:49						Dilution : 10						Reagent : 082224.20; 090424.29; 091124.R15; 030724.29						Consumables : 7575002077						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																													
ASPERGILLUS TERREUS			Not Present	PASS																																																																																														
ASPERGILLUS NIGER			Not Present	PASS																																																																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																														
ECOLI SHIGELLA			Not Present	PASS																																																																																														
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.125g	Extraction date: 09/24/24 10:53:48	Extracted by: 4044	Reviewed On : 09/25/24 10:18:25																																																																																														
Analytical Batch : DA078355MIC	Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021																																																																																																	
Analysis Date : 09/24/24 12:23:49																																																																																																		
Dilution : 10																																																																																																		
Reagent : 082224.20; 090424.29; 091124.R15; 030724.29																																																																																																		
Consumables : 7575002077																																																																																																		
Pipette : N/A																																																																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																		
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 0.2295g</td><td>Extraction date: 09/24/24 12:44:41</td><td>Extracted by: 3621</td><td colspan="2" rowspan="8">Reviewed On : 09/26/24 10:15:33</td></tr><tr><td>Analytical Batch : DA078370MYC</td><td colspan="5" rowspan="7">Instrument Used : N/A</td></tr><tr><td colspan="6">Analysis Date : 09/24/24 20:55:51</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2295g	Extraction date: 09/24/24 12:44:41	Extracted by: 3621	Reviewed On : 09/26/24 10:15:33		Analytical Batch : DA078370MYC	Instrument Used : N/A					Analysis Date : 09/24/24 20:55:51						Dilution : 250						Reagent : 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																													
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																													
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																													
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																													
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																													
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																													
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2295g	Extraction date: 09/24/24 12:44:41	Extracted by: 3621	Reviewed On : 09/26/24 10:15:33																																																																																														
Analytical Batch : DA078370MYC	Instrument Used : N/A																																																																																																	
Analysis Date : 09/24/24 20:55:51																																																																																																		
Dilution : 250																																																																																																		
Reagent : 091924.R14; 091824.R04; 091824.R03; 092124.R10; 082724.R15; 091824.R01; 081023.01																																																																																																		
Consumables : 326250IW																																																																																																		
Pipette : DA-093; DA-094; DA-219																																																																																																		
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																		
	Heavy Metals	PASSED																																																																																																
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2308g</td><td>Extraction date: 09/24/24 10:08:41</td><td>Extracted by: 4056</td><td colspan="2" rowspan="8">Reviewed On : 09/25/24 11:12:45</td></tr><tr><td>Analytical Batch : DA078363HEA</td><td colspan="5" rowspan="7">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : 09/24/24 20:54:29</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12</td></tr><tr><td colspan="6">Consumables : 179436; 20240202; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2308g	Extraction date: 09/24/24 10:08:41	Extracted by: 4056	Reviewed On : 09/25/24 11:12:45		Analytical Batch : DA078363HEA	Instrument Used : DA-ICPMS-004					Analysis Date : 09/24/24 20:54:29						Dilution : 50						Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12						Consumables : 179436; 20240202; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																													
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																													
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																													
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																													
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																													
LEAD	0.02	ppm	ND	PASS	0.5																																																																																													
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2308g	Extraction date: 09/24/24 10:08:41	Extracted by: 4056	Reviewed On : 09/25/24 11:12:45																																																																																														
Analytical Batch : DA078363HEA	Instrument Used : DA-ICPMS-004																																																																																																	
Analysis Date : 09/24/24 20:54:29																																																																																																		
Dilution : 50																																																																																																		
Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12																																																																																																		
Consumables : 179436; 20240202; 210508058																																																																																																		
Pipette : DA-061; DA-191; DA-216																																																																																																		
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Mng
Mango
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40923007-009

Harvest/Lot ID: 0000 0026 6431 0541

Batch# : 0000 0026 6431
0541

Sampled : 09/23/24

Ordered : 09/23/24

Sample Size Received : 31 units

Total Amount : 760 units

Completed : 09/26/24 Expires: 09/26/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/25/24 18:26:46	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA078427FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 09/25/24 18:18:08

Reviewed On : 09/25/24 18:29:36

Batch Date : 09/25/24 18:00:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.542	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.051g	Extraction date: 09/24/24 13:29:15	Extracted by: 4571
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA078383WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/24/24 13:28:36

Reviewed On : 09/25/24 09:07:40

Batch Date : 09/24/24 10:07:49

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/24