



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40925012-003



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 0000 0026 6431 3202  
**Batch#:** 0000 0026 6431 3202  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0000 0026 6431 3202  
**Harvest Date:** 09/16/24  
**Sample Size Received:** 16 gram  
**Total Amount:** 1440 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 09/20/24  
**Sampled:** 09/25/24  
**Completed:** 09/29/24  
**Sampling Method:** SOP.T.20.010

Sep 29, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**88.467%**

Total THC/Container : 884.670 mg



Total CBD

**0.814%**

Total CBD/Container : 8.140 mg



Total Cannabinoids

**94.072%**

Total Cannabinoids/Container : 940.720 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	88.384	0.095	0.814	ND	ND	3.347	ND	0.681	0.440	ND	0.311
mg/unit	883.84	0.95	8.14	ND	ND	33.47	ND	6.81	4.40	ND	3.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 4351, 1665, 585, 1440

Weight:  
0.1055g

Extraction date:  
09/26/24 12:13:41

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078456POT

Instrument Used : DA-LC-003

Analyzed Date : 09/26/24 12:27:22

Dilution : 400

Reagent : 092624.R01; 071624.04; 092124.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 09/27/24 10:54:34

Batch Date : 09/26/24 09:59:09

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-003

Harvest/Lot ID: 0000 0026 6431 3202

Batch# : 0000 0026 6431  
3202

Sample Size Received : 16 gram

Total Amount : 1440 units

Completed : 09/29/24 Expires: 09/29/25

Ordered : 09/25/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.82	1.682		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.45	0.445		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.00	0.200		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.45	0.145		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	1.20	0.120		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	1.09	0.109		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	1.02	0.102		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.66	0.066		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.65	0.065		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FARNESENE	0.001	0.59	0.059		4451, 585, 1440	0.2284g	09/26/24 11:39:36	4451	
CARYOPHYLLENE OXIDE	0.007	0.51	0.051		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GUAIOL	0.007	0.46	0.046		Analytical Batch : DA078460TER				Reviewed On : 09/27/24 10:54:36
PULEGONE	0.007	0.45	0.045		Instrument Used : DA-GCMS-004				Batch Date : 09/26/24 10:04:10
VALENCENE	0.007	0.45	0.045		Analyzed Date : 09/26/24 11:39:58				
ALPHA-TERPINEOL	0.007	0.42	0.042		Dilution : 10				
FENCHYL ALCOHOL	0.007	0.41	0.041		Reagent : 090924.03				
3-CARENE	0.007	0.36	0.036		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CAMPENE	0.007	0.33	0.033		Pipette : DA-065				
ALPHA-PHELLANDRENE	0.007	0.32	0.032		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CECROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			1.682						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng

Mango

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-003

Harvest/Lot ID: 0000 0026 6431 3202

Batch# : 0000 0026 6431  
3202

Sampled : 09/25/24  
Ordered : 09/25/24

Sample Size Received : 16 gram

Total Amount : 1440 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 3621, 585, 1440	0.2177g	09/26/24 14:16:58	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078472PES		Reviewed On : 09/27/24 11:17:07			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/26/24 10:55:10			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/26/24 14:50:29					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2177g	09/26/24 14:16:58	450,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA078474VOL		Reviewed On : 09/27/24 11:15:58			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/26/24 10:56:46			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/26/24 16:17:06					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 092524.R15; 081023.01; 092324.R03; 092324.R04					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/29/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-003

Harvest/Lot ID: 0000 0026 6431 3202

Batch# : 0000 0026 6431  
3202

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 16 gram

Total Amount : 1440 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
585, 850, 1440

Weight:  
0.0242g

Extraction date:  
09/27/24 12:39:14

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA078487SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 09/27/24 09:10:58

Reviewed On : 09/29/24 10:15:44  
Batch Date : 09/26/24 12:48:06

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/29/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-003

Harvest/Lot ID: 0000 0026 6431 3202

 Batch# : 0000 0026 6431  
 3202

Sample Size Received : 16 gram



Total Amount : 1440 units

Completed : 09/29/24 Expires: 09/29/25

Ordered : 09/25/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>										
<b>Analyte</b>			<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>	<b>Analyte</b>			<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN B2			0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER					Not Present	PASS		AFLATOXIN B1			0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS					Not Present	PASS		OCHRATOXIN A			0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS					Not Present	PASS		AFLATOXIN G1			0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN G2			0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA					Not Present	PASS		Analyzed by: 3379, 3621, 585, 1440			Weight: 0.2177g	Extraction date: 09/26/24 14:16:58		Extracted by: 450,3379	
TOTAL YEAST AND MOLD			10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)			Reviewed On : 09/27/24 09:17:41				
Analyzed by: 4531, 4520, 585, 1440			Weight: 0.82g	Extraction date: 09/26/24 10:36:29		Extracted by: 4044,4520		Analytical Batch : DA078473MYC			Batch Date : 09/26/24 10:56:44				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 09/27/24 10:54:10					Instrument Used : N/A			Analyzed Date : 09/26/24 14:53:53				
Analytical Batch : DA078437MIC			Batch Date : 09/26/24 08:39:30					Dilution : 250			Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems			Batch Date : 09/26/24 08:39:30					Consumables : 326250IW			Pipette : DA-093; DA-094; DA-219				
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021								Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Analyzed Date : 09/26/24 12:16:30								<div>Hg</div>			<b>Heavy Metals</b>		<b>PASSED</b>		
Dilution : 10								Metal			<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
Reagent : 090424.30; 090424.37; 090424.38; 092424.R24; 042924.41								TOTAL CONTAMINANT LOAD METALS			0.08	ppm	ND	PASS	1.1
Consumables : 7576002055								ARSENIC			0.02	ppm	ND	PASS	0.2
Pipette : N/A								CADMIUM			0.02	ppm	ND	PASS	0.2
								MERCURY			0.02	ppm	ND	PASS	0.2
								LEAD			0.02	ppm	ND	PASS	0.5
Analyzed by: 4531, 4044, 4520, 585, 1440			Weight: 0.82g	Extraction date: 09/26/24 10:36:29		Extracted by: 4044,4520		Analyzed by: 1022, 4056, 585, 1440			Weight: 0.2672g	Extraction date: 09/26/24 11:36:51		Extracted by: 4056	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 09/29/24 10:22:49					Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 09/27/24 09:16:31				
Analytical Batch : DA078438TYM			Batch Date : 09/26/24 08:40:23					Analytical Batch : DA078452HEA			Batch Date : 09/26/24 09:52:03				
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]								Instrument Used : DA-ICPMS-004							
Analyzed Date : 09/26/24 12:11:26								Analyzed Date : 09/26/24 15:20:06							
Dilution : 10								Dilution : 50							
Reagent : 090424.30; 090424.37; 090424.38; 082024.R18								Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12							
Consumables : N/A								Consumables : 179436; 20240202; 210508058							
Pipette : N/A								Pipette : DA-061; DA-191; DA-216							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.															
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-003

Harvest/Lot ID: 0000 0026 6431 3202

Batch# : 0000 0026 6431  
3202

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 16 gram

Total Amount : 1440 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/27/24 20:06:50	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA078517FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/27/24 20:03:41

Reviewed On : 09/29/24 10:06:26

Batch Date : 09/27/24 14:12:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.551	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.8961g	Extraction date: 09/26/24 15:42:47	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA078464WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 09/26/24 15:43:04

Reviewed On : 09/27/24 09:19:03

Batch Date : 09/26/24 10:13:56

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/29/24