

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**Kaycha Labs** 

Good News Pride Cartridge 500mg Pride



Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed

**Certificate of Analysis** Harvest/Lot ID: 0000 0028 6430 9659 Batch#: 0000 0028 6430 9659 Cultivation Facility: FL - Indiantown (3734) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (3734) Laboratory Sample ID: DA40925012-004 Source Facility: FL - Indiantown (3734) Seed to Sale#: 0000 0028 6430 9659 Harvest Date: 09/12/24 Sample Size Received: 31 units Total Amount: 760 units IEWS Retail Product Size: .5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 09/13/24 Sampled: 09/25/24 Completed: 09/29/24 Sampling Method: SOP.T.20.010 Sep 29, 2024 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Ο Hg 0 Microbials **Mycotoxins** Filth Moisture Pesticides Heavy Metals Residuals Water Activity Terpenes PASSED PASSED PASSED PASSED Solvents PASSED PASSED **NOT TESTED** TESTED PASSED PASSED Cannabinoid Total THC **Total CBD Total Cannabinoids** 83.547% 0.204% 88.365% Total THC/Container : 417.735 mg Total CBD/Container : 1.020 mg Total Cannabinoids/Container : 441.825 mg THCA тнсу CBC D9-THC CBD D8-THC CBG CRGA CBN CBDV 83.249 0.340 0.204 ND ND 2.808 ND 1.182 0.259 ND 0.323 416.25 1.70 1.02 ND ND 14.04 ND 5.91 1.30 ND 1.62 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 4351, 1665, 585, 1440 Weight Extraction date Extracted by: 0.0970 09/26/24 12:13:41 3335 4351 Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 09/27/24 10:54:40 Analytical Batch : DA078456POT Instrument Used : DA-LC-003 Analyzed Date : 09/26/24 12:27:22 Batch Date: 09/26/24 09:59:09 Dilution: 400 Reagent : 092624.R01; 071624.04; 092124.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

LOD

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 09/29/24



Matrix : Derivative

Type: Distillate

. . . . . . . . . . . . . . . Good News Pride Cartridge 500mg Pride



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40925012-004 Harvest/Lot ID: 0000 0028 6430 9659 Batch#:0000.0028.6430

9659 Sampled : 09/25/24 Ordered : 09/25/24

Sample Size Received : 31 units Total Amount : 760 units Completed : 09/29/24 Expires: 09/29/25 Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

erpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	17.26	3.452			SABINENE		0.007	ND	ND		
ALENCENE	0.007	4.64	0.928			SABINENE HYDRATE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	3.59	0.717			ALPHA-CEDRENE		0.005	ND	ND		
IMONENE	0.007	2.39	0.478			ALPHA-PHELLANDRENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	1.15	0.230			ALPHA-TERPINENE		0.007	ND	ND		
ETA-MYRCENE	0.007	0.92	0.184			ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	0.69	0.137			CIS-NEROLIDOL		0.003	ND	ND		
INALOOL	0.007	0.61	0.122		1	TRANS-NEROLIDOL		0.005	ND	ND		
ETA-PINENE	0.007	0.60	0.120		1	Analyzed by:	Weight:		Extraction da	ite:		extracted by:
ENCHYL ALCOHOL	0.007	0.42	0.083		1	4451, 585, 1440	0.2246g		09/26/24 11:			451
ARYOPHYLLENE OXIDE	0.007	0.41	0.082			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
LPHA-PINENE	0.007	0.41	0.082			Analytical Batch : DA078460TER					09/27/24 10:54:41	
ERANYL ACETATE	0.007	0.35	0.070			Instrument Used : DA-GCMS-004 Analyzed Date : 09/26/24 11:39:58			Batch	Date : 09,	/26/24 10:04:10	
LPHA-TERPINEOL	0.007	0.29	0.058			Dilution: 10						
ARNESENE	0.001	0.24	0.047			Reagent : 090924.03						
JAIOL	0.007	0.21	0.041			Consumables : 947.109; 240321-634-A;	280670723; CE	0123				
AMMA-TERPINENE	0.007	0.21	0.041			Pipette : DA-065						
AMPHENE	0.007	0.16	0.032			Terpenoid testing is performed utilizing Gas (	Chromatography M	ass Specti	ometry. For all F	lower sam	ples, the Total Terpenes % is dry-	weight corrected.
CARENE	0.007	ND	ND									
DRNEOL	0.013	ND	ND									
AMPHOR	0.007	ND	ND									
EDROL	0.007	ND	ND									
UCALYPTOL	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
ERANIOL	0.007	ND	ND									
EXAHYDROTHYMOL	0.007	ND	ND									
OBORNEOL	0.007	ND	ND									
OPULEGOL	0.007	ND	ND									
EROL	0.007	ND	ND									
	0.007	ND	ND									
CIMENE	0.007											
ULEGONE	0.007	ND	ND									

Total (%)

3.452

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/29/24



Good News Pride Cartridge 500mg Pride



Matrix : Derivative Type: Distillate

### PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40925012-004 Harvest/Lot ID: 0000 0028 6430 9659

Batch#:0000 0028 6430 9659 Sampled:09/25/24 Ordered:09/25/24 Sample Size Received : 31 units Total Amount : 760 units Completed : 09/29/24 Expires: 09/29/25 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND					PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1		
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	T. P.	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	nnaa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	nnm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIELOXYSTROBIN	0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	I. I.	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	. Evi	traction date:		Extracted	hv
DIMETHOATE	0.010		0.1	PASS	ND	<b>3379, 3621, 585, 1440</b> 0.24640		26/24 14:16:5		450.3379	. wy.
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),					
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078472PES		Reviewed Or			
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	09/26/24 10:	55:10	
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :09/26/24 14:50:29					
ENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 092524.R17; 092524.R16; 092524.R15	5. 002124 P1	0.082724 015	5. 002524 PO	0.081023.01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	), 052124.111	0,002/24.111	J, UJZJZ4.110.	1, 001025.01	
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL		ppm	0.1	PASS	ND		Linuted Channer	natography Trin	ole-Ouadrupole	Mass Spectron	netry in
						Testing for agricultural agents is performed utilizing	Liquia Chron	lacography http			
IEXYTHIAZOX	0.010		0.1	PASS	ND	lesting for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Liquia Chron	iacography inp			
IEXYTHIAZOX MAZALIL	0.010 0.010	ppm ppm	0.1 0.1	PASS PASS	ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight:	Extractio	n date:		Extracted b	y:
	0.010 0.010 0.010	ppm ppm ppm	0.1 0.1 0.4	PASS PASS PASS	ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 585, 1440 0.2464g	<b>Extractio</b> 09/26/24	n date: 14:16:58		450,3379	y:
MAZALIL	0.010 0.010	ppm ppm ppm	0.1 0.1 0.4 0.1	PASS PASS PASS PASS	ND ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 555, 1440 0.2464g Analysis Method :SOP.T.30.151.FL (Gainesville),	Extractio 09/26/24 SOP.T.30.15	n date: 14:16:58 1A.FL (Davie),	SOP.T.40.151	450,3379 L.FL	y:
MAZALIL MIDACLOPRID	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2	PASS PASS PASS PASS PASS	ND ND ND ND	accordance with F.S. Rule 64ER20-39.           Analyzed by:         Weight:           450, 585, 1440         0.2464g           Analysis Method :SOP.T.30.151.FL (Gainesville),           Analytical Batch :DA078474VOL	Extractio 09/26/24 SOP.T.30.15 Re	n date: 14:16:58 1A.FL (Davie), eviewed On :0	SOP.T.40.151 )9/27/24 11:1	450,3379 L.FL 6:14	y:
MAZALIL MIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 585, 1440 0.2464g Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch :DA078474VOL Instrument Used :DA-GCMS-010	Extractio 09/26/24 SOP.T.30.15 Re	n date: 14:16:58 1A.FL (Davie),	SOP.T.40.151 )9/27/24 11:1	450,3379 L.FL 6:14	y:
MAZALIL MIDACLOPRID KRESOXIM-METHYL MALATHION	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.4 0.1 0.2 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 585, 1440 0.2464g Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch :DA078474VOL Instrument Used :DA-GCMS-010 Analyzed Date :09/26/24 16:17:06	Extractio 09/26/24 SOP.T.30.15 Re	n date: 14:16:58 1A.FL (Davie), eviewed On :0	SOP.T.40.151 )9/27/24 11:1	450,3379 L.FL 6:14	y:
MAZALIL MIDACLOPRID KRESOXIM-METHYL AALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 585, 1440 0.2464g Analysis Method :SOP.T.30.151.FL (Gainesville), Analytical Batch :DA078474VOL Instrument Used :DA-GCMS-010	Extractio 09/26/24 SOP.T.30.15 Re Ba	n date: 14:16:58 1A.FL (Davie), eviewed On : ( atch Date : 09)	SOP.T.40.151 )9/27/24 11:1	450,3379 L.FL 6:14	y:
MAZALIL MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.4 0.1 0.2 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND	accordance with F.S. Rule 64ER20-39.           Analyzed by:         Weight:           450, 585, 1440         0.2464g           Analysis Method :SOP.T.30.151.FL (Gainesville),         Analytical Batch :DA078474V0L           Instrument Used :DA-6CMS-010         Analyzed Date :09/26/24 16:17:06           Dilution : 250         Reagent : 092524.R15; 081023.01; 092324.R03; Consumables : 326250IW; 14725401	Extractio 09/26/24 SOP.T.30.15 Re Ba	n date: 14:16:58 1A.FL (Davie), eviewed On : ( atch Date : 09)	SOP.T.40.151 )9/27/24 11:1	450,3379 L.FL 6:14	y:
MAZALIL MIDACLOPRID KESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.4 0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 450, 585, 1440 0.2464g Analysis Method :SOP.T. 30.151.FL (Gainesville), Analytical Batch :DA078474V0L Instrument Used :DA-GCMS-010 Analyzed Date :09/26/24 16:17:06 Dilution : 250 Reagent : 092524.R15; 081023.01; 092324.R03;	Extractio 09/26/24 SOP.T.30.15 Re Ba	n date: 14:16:58 1A.FL (Davie), eviewed On :( atch Date :09/	SOP.T.40.153 )9/27/24 11:1 /26/24 10:56:-	450,3379 L.FL 6:14 46	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/29/24



Matrix : Derivative

Type: Distillate

Good News Pride Cartridge 500mg Pride



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com 
 Sample : DA40925012-004

 Harvest/Lot ID: 0000 0028 6430 9659

 Batch# : 0000 0028 6430

 9659

 Total Ar

Sampled : 09/25/24 Ordered : 09/25/24

30 9659 Sample Size Received : 31 units Total Amount : 760 units Completed : 09/29/24 Expires: 09/29/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0267g	Extraction date: 09/28/24 11:02:36	5	<b>E</b> > 85	tracted by: 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA078488SOL Instrument Used : DA-GCMS-003 Analyzed Date : 09/27/24 09:15:37			<b>d On :</b> 09/29/24 10:24:30 <b>te :</b> 09/26/24 12:50:25		
Dilution : 1 Reagent : N/A					

Reagent : N/A Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/29/24



Good News Pride Cartridge 500mg Pride



Matrix : Derivative Type: Distillate

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40925012-004 Harvest/Lot ID: 0000 0028 6430 9659 Batch# : 0000 0028 6430 Sample

9659 Sampled : 09/25/24 Ordered : 09/25/24 Sample Size Received : 31 units Total Amount : 760 units Completed : 09/29/24 Expires: 09/29/25 Sample Method : SOP.T.20.010

Pac	le	5	of	6
- 5				

Œ.	Microbi	al			PAS	SED	သို့	Мусо	toxin	S			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS PASS		AFLATOXIN			0.00	ppm	ND	PASS PASS	0.02
ECOLI SHIGE	A SPECIFIC GENE			Not Present Not Present	PASS		AFLATOXIN	62		0.00	ppm	ND		0.02
	T AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3379, 3621, 58	5, 1440	Weight: 0.2464g	Extractio 09/26/24			Extracted 450,3379	
Analyzed by: 4531, 4520, 58		eight: 099q	Extraction da 09/26/24 10		Extracted 4044,452			od : SOP.T.30.103 FL (Davie). SOP.7			40.101.FL	. (Gainesv	ille),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA078437MIC Reviewed On : 09/27/24 10:54:11						Analytical Bate Instrument Us	:h:DA078473M)	C	Review		9/27/24 0 26/24 10:			
(55*C) DA-020 DA-049,Fisher	cycler DA-010,Fisher S Fisher Scientific Isot Scientific Isotemp He : 09/26/24 12:16:30	emp Heat	Block (95*C)		:30		081023.01 Consumables :	524.R17; 092524 326250IW 93; DA-094; DA-2		.R15; 0921	24.R10; 0	82724.R1	5; 09252	4.R01;
	424.30; 090424.37; 0 7576002055	90424.38;	092424.R24	; 042924.41			Mycotoxins tesi accordance wit	ing utilizing Liquid h F.S. Rule 64ER20	Chromatograph 39.	y with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 4531, 4044, 45	20, 585, 1440	Weight: 1.099g		<b>n date:</b> 10:36:29	<b>Extracte</b> 4044,45		Hg	Heavy	/ Met	als			PAS	SED
Analytical Bate	od : SOP.T.40.208 (Ga ch : DA078438TYM ed : Incubator (25*C)			Reviewed O			Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-382]		DA- 320 [0	anniarea wi	Batch Date	: 09/20/24	00.40.25	TOTAL CONT	AMINANT LOA	O METALS	0.08	ppm	ND	PASS	1.1
analyzed Date	:09/26/24 12:11:26						ARSENIC			0.02	ppm	ND	PASS	0.2
ilution: 10							CADMIUM			0.02	ppm	ND	PASS PASS	0.2
leagent : 0904 Consumables :	424.30; 090424.37; 0 N/A	90424.38;	082024.R18				MERCURY LEAD			0.02 0.02	ppm ppm	ND ND	PASS	0.2 0.5
Pipette : N/A	mold testing is performe	ed utilizing I	IPN and tradit	onal culture base	d techniques	in	Analyzed by: 1022, 4056, 58	25 1440	Weight:	Extractio	n date:		Extracto	
	n F.S. Rule 64ER20-39.	ea acinzing i	n ni anu udulu		a techniques	2 111		od : SOP.T.30.082			11:31:29			
							Instrument Us	ed : DA078452HE ed : DA-ICPMS-00 : 09/26/24 15:20	4			6/24 09:53		

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/29/24



4131 SW 47th AVENUE SUITE 1408

### **Kaycha Labs**

..... . . . . . . . . . . . . . . . Good News Pride Cartridge 500mg Pride



Matrix : Derivative Type: Distillate

### PASSED

**DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40925012-004 Harvest/Lot ID: 0000 0028 6430 9659 Batch#:0000.0028.6430 9659 Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 31 units Total Amount : 760 units Completed : 09/29/24 Expires: 09/29/25 Sample Method : SOP.T.20.010

	Filth/For Materia	-	n		ΡΑ	SSED
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 27/24 20:			tracted by: 379
		rial Micro	oscope			9/24 10:06:26 24 14:12:59
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A naterial inspection is pe	<u> </u>				
	Water A	64ER20-3	39.			SSED
Analyte Water Activity	,	<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.537	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.1295g		traction ( /26/24 1!			ctracted by: 512
Analytical Batch	: SOP.T.40.019 : DA078464WAT : DA257 Rotronic Hy 09/26/24 15:43:04			Reviewed On Batch Date :		

Reagent : 080624.18 Consumables : PS-14 Pipette : N/A

Dilution : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/29/24

Page 6 of 6