




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40925012-007



Production Method: Cured
Harvest/Lot ID: 0000 0028 6430 7174
Batch#: 0000 0028 6430 7174
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0000 0028 6430 7174
Harvest Date: 09/09/24
Sample Size Received: 5 units
Total Amount: 745 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 09/10/24
Sampled: 09/25/24
Completed: 09/29/24
Revision Date: 09/30/24
Sampling Method: SOP.T.20.010

Sep 30, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
20.627%

Total THC/Container : 1443.890 mg



Total CBD
0.037%

Total CBD/Container : 2.590 mg



Total Cannabinoids
23.994%

Total Cannabinoids/Container : 1679.580 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.888	21.368	ND	0.043	0.087	0.078	0.405	ND	ND	ND	0.095
mg/unit	132.16	1495.76	ND	3.01	6.09	5.46	28.35	ND	ND	ND	6.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
4351, 3335, 1665, 585, 1440

Weight:
0.2044g

Extraction date:
09/26/24 12:26:52

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078454POT

Instrument Used : DA-LC-002

Analyzed Date : 09/26/24 12:28:01

Reviewed On : 09/29/24 03:58:28

Batch Date : 09/26/24 09:54:36

Dilution : 400

Reagent : 090324.R05; 090624.08; 090324.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Mt. Ripsmore (H)
Mt. Ripsmore
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-007

Harvest/Lot ID: 0000 0028 6430 7174

Batch# : 0000 0028 6430
7174

Sample Size Received : 5 units

Total Amount : 745 units

Completed : 09/29/24 Expires: 09/30/25

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 5 units

Total Amount : 745 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	27.30	0.390		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	7.07	0.101		ALPHA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.09	0.087		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.31	0.033		ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.007	2.17	0.031		BETA-PINENE	0.007	ND	ND	
LIMONENE	0.007	1.96	0.028		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	1.96	0.028		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.96	0.028		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	1.89	0.027						
BETA-MYRCENE	0.007	1.89	0.027		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA078461TER				
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009				
CAMPHENE	0.007	ND	ND		Analyzed Date : 09/26/24 11:45:27				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 090924.03				
CEDROL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.005	ND	ND						
Total (%)			0.390						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Mt. Ripsmore (H)
Mt. Ripsmore
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-007

Harvest/Lot ID: 0000 0028 6430 7174

Batch# : 0000 0028 6430
7174

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 5 units

Total Amount : 745 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 1.0112g	Extraction date: 09/26/24 14:26:21	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA078478PES		Reviewed On : 09/27/24 10:57:26			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/26/24 11:03:26			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/26/24 14:50:40					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 1.0112g	Extraction date: 09/26/24 14:26:21	Extracted by: 450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA078480VOL		Reviewed On : 09/27/24 10:56:09			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 09/26/24 11:05:15			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/26/24 16:16:34					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 092524.R15; 081023.01; 092324.R03; 092324.R04					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Mt. Ripsmore (H)
Mt. Ripsmore
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA40925012-007

Harvest/Lot ID: 0000 0028 6430 7174

Batch# : 0000 0028 6430
7174

Sampled : 09/25/24
Ordered : 09/25/24



Sample Size Received : 5 units


Total Amount : 745 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.00	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.00	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS		Analyzed by: 3379, 3621, 585, 1440						Weight: 1.0112g	Extraction date: 09/26/24 14:26:21		Extracted by: 450,3379						
TOTAL YEAST AND MOLD						10.00	CFU/g	5000	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA078479MYC					Reviewed On : 09/27/24 09:51:18				
Analyzed by: 4531, 4520, 585, 1440						Weight: 1.115g	Extraction date: 09/26/24 10:36:29		Extracted by: 4044,4520		Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Instrument Used : N/A					Batch Date : 09/26/24 11:05:14				
Analytical Batch : DA078437MIC						Reviewed On : 09/27/24 10:54:13					Analytical Batch : DA078479MYC						Instrument Used : N/A					Batch Date : 09/26/24 11:05:14				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						Batch Date : 09/26/24 08:39:30					Analyzed Date : 09/26/24 14:53:49						Dilution : 250					Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01				
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021											Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219									
Analyzed Date : 09/26/24 12:16:30											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Dilution : 10																										
Reagent : 090424.30; 090424.37; 090424.38; 092424.R24; 042924.41																										
Consumables : 7576002055																										
Pipette : N/A																										
Analyzed by: 4531, 4044, 4520, 585, 1440						Weight: 1.115g	Extraction date: 09/26/24 10:36:29		Extracted by: 4044,4520																	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																										
Analytical Batch : DA078438TYM											Reviewed On : 09/29/24 10:22:51															
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 09/26/24 08:40:23																				
Analyzed Date : 09/26/24 12:11:26																										
Dilution : 10																										
Reagent : 090424.30; 090424.37; 090424.38; 082024.R18																										
Consumables : N/A																										
Pipette : N/A																										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																										

	Heavy Metals					PASSED				
Metal						LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS						0.08	ppm	ND	PASS	1.1
ARSENIC						0.02	ppm	ND	PASS	0.2
CADMIUM						0.02	ppm	ND	PASS	0.2
MERCURY						0.02	ppm	ND	PASS	0.2
LEAD						0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440						Weight: 0.2223g	Extraction date: 09/26/24 10:42:49		Extracted by: 4056	



Heavy Metals

PASSED

Metal	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440		Weight: 0.2223g	Extraction date: 09/26/24 10:42:49		Extracted by: 4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA078451HEA			Reviewed On : 09/27/24 09:48:21			
Instrument Used : DA-ICPMS-004			Batch Date : 09/26/24 09:51:34			
Analyzed Date : 09/26/24 15:14:06						
Dilution : 50						
Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12						
Consumables : 179436; 20240202; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Mt. Ripsmore (H)
Mt. Ripsmore
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-007

Harvest/Lot ID: 0000 0028 6430 7174

Batch# : 0000 0028 6430
7174

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 5 units

Total Amount : 745 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.60	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/27/24 20:06:50			Extracted by: 1879	Analyzed by: 4512, 585, 1440	Weight: 0.501g	Extraction date: 09/26/24 16:59:00			Extracted by: 4512
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA078517FIL			Reviewed On : 09/29/24 10:06:30			Analytical Batch : DA078462MOI			Reviewed On : 09/27/24 09:22:01		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 09/27/24 14:12:59			Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer					
Analyzed Date : 09/27/24 20:03:41											
Dilution : N/A											
Reagent : N/A						Batch Date : 09/26/24 10:07:19					
Consumables : N/A						Analyzed Date : 09/26/24 17:05:49					
Pipette : N/A						Dilution : N/A					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Reagent : 092520.50; 020124.02					
						Consumables : N/A					



Water Activity

PASSED

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.793g	Extraction date: 09/26/24 16:18:22	Extracted by: 4512		
Analysis Method : SOP.T.40.019			Reviewed On : 09/27/24 09:24:26		
Analytical Batch : DA078463WAT			Batch Date : 09/26/24 10:10:48		
Instrument Used : DA257 Rotronic HygroPalm					
Analyzed Date : 09/26/24 16:18:43					
Dilution : N/A					
Reagent : 080624.18					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.