




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40925012-008



Production Method: Cured
Harvest/Lot ID: 0000 0028 6431 0474
Batch#: 0000 0028 6431 0474
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0000 0028 6431 0474
Harvest Date: 09/13/24
Sample Size Received: 5 units
Total Amount: 897 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 09/18/24
Sampled: 09/25/24
Completed: 09/29/24
Revision Date: 09/30/24
Sampling Method: SOP.T.20.010

Sep 30, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
22.497%

Total THC/Container : 3149.580 mg



Total CBD
0.032%

Total CBD/Container : 4.480 mg



Total Cannabinoids
26.339%

Total Cannabinoids/Container : 3687.460 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.807	24.733	ND	0.037	0.023	0.070	0.579	ND	ND	ND	0.090
mg/unit	112.98	3462.62	ND	5.18	3.22	9.80	81.06	ND	ND	ND	12.60
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
4351, 3335, 585, 1440

Weight:
0.2017g

Extraction date:
09/26/24 12:26:52

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078454POT

Instrument Used : DA-LC-002

Analyzed Date : 09/26/24 12:28:01

Reviewed On : 09/27/24 10:57:59

Batch Date : 09/26/24 09:54:36

Dilution : 400

Reagent : 090324.R05; 090624.08; 090324.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Runtz X Jealousy
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-008

Harvest/Lot ID: 0000 0028 6431 0474

Batch# : 0000 0028 6431 0474

Sample Size Received : 5 units

Total Amount : 897 units

Completed : 09/29/24 Expires: 09/30/25

Sampled : 09/25/24

Ordered : 09/25/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	133.84	0.956		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	44.94	0.321		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	21.28	0.152		ALPHA-PINENE	0.007	ND	ND	
LINALOOL	0.007	16.24	0.116		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	15.12	0.108		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	14.00	0.100		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	5.74	0.041		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.76	0.034		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	4.34	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-PINENE	0.007	3.78	0.027		Analytical Batch : DA078461TER				
ALPHA-TERPINEOL	0.007	3.64	0.026		Instrument Used : DA-GCMS-009				
3-CARENE	0.007	ND	ND		Analyzed Date : 09/26/24 11:45:27				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 090924.03				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			0.956						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Runtz X Jealousy
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA40925012-008

Harvest/Lot ID: 0000 0028 6431 0474

Batch# : 0000 0028 6431
0474

Sampled : 09/25/24
Ordered : 09/25/24

Sample Size Received : 5 units

Total Amount : 897 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 3621, 585, 1440	1.0143g	09/26/24 14:26:22	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078478PES		Reviewed On : 09/27/24 10:57:26			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/26/24 11:03:26			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/26/24 14:50:40					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0143g	09/26/24 14:26:22	450,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA078480VOL		Reviewed On : 09/27/24 10:56:10			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 09/26/24 11:05:15			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/26/24 16:16:34					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 092524.R15; 081023.01; 092324.R03; 092324.R04					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Runtz X Jealousy
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-008

Harvest/Lot ID: 0000 0028 6431 0474

Batch# : 0000 0028 6431
0474

Sample Size Received : 5 units
Total Amount : 897 units
Completed : 09/29/24 Expires: 09/30/25
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	67000	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 3621, 585, 1440		1.0143g		09/26/24 14:26:22	Extracted by:
											450,3379
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :					
4531, 4520, 585, 1440	1.165g	09/26/24 10:36:29	4044,4520			SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method :						Analytical Batch :					
SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						DA078479MYC					
Analytical Batch :						Instrument Used :					
DA078437MIC						N/A					
						Analyzed Date :					
Instrument Used :						09/26/24 14:53:49					
PathogenDx Scanner DA-111,Applied Biosystems											
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block						Dilution :					
(55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C)						250					
DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Reagent :					
Analyzed Date :						092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01;					
09/26/24 12:16:30						081023.01					
						Consumables :					
Dilution : 10						326250IW					
Reagent : 090424.30; 090424.37; 090424.38; 092424.R24; 042924.41						Pipette : DA-093; DA-094; DA-219					
Consumables : 7576002055											
Pipette : N/A											
Analyzed by:	Weight:	Extraction date:	Extracted by:								
4531, 4044, 4520, 585, 1440	1.165g	09/26/24 10:36:29	4044,4520								
Analysis Method :											
SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch :											
DA078438TYM											
Instrument Used :											
Incubator (25°C) DA- 328 [calibrated with											
DA-382]											
Analyzed Date :											
09/26/24 12:11:26											
Dilution : 10											
Reagent : 090424.30; 090424.37; 090424.38; 082024.R18											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals	PASSED
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 4056, 585, 1440	0.2486g	09/26/24 10:44:10	4056		
Analysis Method :					
SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch :					
DA078451HEA					
Instrument Used :					
DA-ICPMS-004					
Analyzed Date :					
09/26/24 15:14:06					
Dilution : 50					
Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01;					
092024.R12					
Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Runtz X Jealousy
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-008

Harvest/Lot ID: 0000 0028 6431 0474

Batch# : 0000 0028 6431
0474

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 5 units

Total Amount : 897 units

Completed : 09/29/24 Expires: 09/30/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.15	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 09/27/24 20:06:50		Extracted by: 1879		Analyzed by: 4512, 585, 1440	Weight: 0.504g	Extraction date: 09/26/24 16:59:00		Extracted by: 4512	
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA078517FIL			Reviewed On : 09/29/24 10:06:28			Analytical Batch : DA078462MOI			Reviewed On : 09/27/24 09:22:02		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 09/27/24 14:12:59			Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer					
Analyzed Date : 09/27/24 20:03:41											
Dilution : N/A											
Reagent : N/A						Analyzed Date : 09/26/24 17:05:49					
Consumables : N/A						Dilution : N/A					
Pipette : N/A						Reagent : 092520.50; 020124.02					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Consumables : N/A					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.496	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.616g	Extraction date: 09/26/24 16:18:22	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA078463WAT			Reviewed On : 09/27/24 09:24:27		
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 09/26/24 10:10:48		
Analyzed Date : 09/26/24 16:18:43					
Dilution : N/A					
Reagent : 080624.18					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/29/24

Revision: #2

This revision supersedes any and all previous versions of this document.