



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40925012-009



**Production Method:** Cured  
**Harvest/Lot ID:** 1101 3428 6433 2977  
**Batch#:** 1101 3428 6433 2977  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#:** 0000 0026 6431 2166  
**Harvest Date:** 09/18/24  
**Sample Size Received:** 17 units  
**Total Amount:** 4559 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Ordered:** 09/19/24  
**Sampled:** 09/25/24  
**Completed:** 09/29/24  
**Sampling Method:** SOP.T.20.010

Sep 29, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

  
**Pesticides**  
**PASSED**

  
**Heavy Metals**  
**PASSED**

  
**Microbials**  
**PASSED**

  
**Mycotoxins**  
**PASSED**

  
**Residuals Solvents**  
**NOT TESTED**

  
**Filtration**  
**PASSED**

  
**Water Activity**  
**PASSED**

  
**Moisture**  
**PASSED**

### MISC.

  
**Terpenes**  
**TESTED**

 **Cannabinoid** **PASSED**



**Total THC**  
**20.669%**  
Total THC/Container : 723.415 mg



**Total CBD**  
**0.041%**  
Total CBD/Container : 1.435 mg



**Total Cannabinoids**  
**24.349%**  
Total Cannabinoids/Container : 852.215 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.284	23.245	ND	0.047	ND	0.077	0.548	ND	ND	ND	0.148
mg/unit	9.94	813.58	ND	1.65	ND	2.70	19.18	ND	ND	ND	5.18
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.2044g

Extraction date:  
09/26/24 12:24:44

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078455POT

Instrument Used : DA-LC-001

Analyzed Date : 09/26/24 12:27:59

Reviewed On : 09/27/24 10:58:44

Batch Date : 09/26/24 09:55:48

Dilution : 400  
Reagent : 090324.R05; 071624.04; 090324.R04  
Consumables : 947.109; 20240202; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

  
Signature  
09/29/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-009

Harvest/Lot ID: 1101 3428 6433 2977

Batch# : 1101 3428 6433  
2977

Sampled : 09/25/24  
Ordered : 09/25/24

Sample Size Received : 17 units

Total Amount : 4559 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	32.62	0.932	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	10.33	0.295	ALPHA-PINENE	0.007	ND	ND
LIMONENE	0.007	7.04	0.201	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	5.39	0.154	ALPHA-TERPINOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	3.85	0.110	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	2.21	0.063	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	1.89	0.054	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.12	0.032	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	0.81	0.023				
3-CARENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0897g	Extraction date: 09/26/24 11:45:12	Extracted by: 4451
BORNEOL	0.013	ND	ND	Analysis Batch : DA078461ITER			Reviewed On : 09/27/24 10:58:47
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-009			Batch Date : 09/26/24 10:05:29
CAMPHOR	0.007	ND	ND	Analysis Date : 09/26/24 11:45:27			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 090924.03			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
FARNESENE	0.007	ND	ND	Pipette : DA-065			
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
<b>Total (%)</b>			<b>0.932</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
09/29/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-009

Harvest/Lot ID: 1101 3428 6433 2977

 Batch# : 1101 3428 6433  
 2977

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 17 units

Total Amount : 4559 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 3621, 585, 1440	<b>Weight:</b> 0.845g	<b>Extraction date:</b> 09/26/24 14:22:03	<b>Extracted by:</b> 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA078484PES			<b>Reviewed On :</b> 09/29/24 10:28:26		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)			<b>Batch Date :</b> 09/26/24 11:12:01		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 09/26/24 14:50:43					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.845g	<b>Extraction date:</b> 09/26/24 14:22:03	<b>Extracted by:</b> 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA078486VOL			<b>Reviewed On :</b> 09/29/24 10:26:45		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-010			<b>Batch Date :</b> 09/26/24 11:13:45		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 09/26/24 16:15:38					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 092524.R15; 081023.01; 092324.R03; 092324.R04					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164



 Signature  
 09/29/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA40925012-009  
 Harvest/Lot ID: 1101 3428 6433 2977  
 Batch# : 1101 3428 6433 2977  
 Sample Size Received : 17 units  
 Total Amount : 4559 units  
 Completed : 09/29/24 Expires: 09/29/25  
 Ordered : 09/25/24  
 Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	960	PASS	100000

Analyzed by: 4531, 4520, 585, 1440  
 Weight: 1.098g  
 Extraction date: 09/26/24 10:36:29  
 Extracted by: 4044,4520  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA078437MIC  
 Reviewed On : 09/27/24 10:54:15  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
 Batch Date : 09/26/24 08:39:30  
 Analyzed Date : 09/26/24 12:16:30  
 Dilution : 10  
 Reagent : 090424.30; 090424.37; 090424.38; 092424.R24; 042924.41  
 Consumables : 7576002055  
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 3621, 585, 1440  
 Weight: 0.845g  
 Extraction date: 09/26/24 14:22:03  
 Extracted by: 450,3379  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA078485MYC  
 Instrument Used : N/A  
 Analyzed Date : 09/26/24 14:53:39  
 Reviewed On : 09/29/24 10:27:33  
 Batch Date : 09/26/24 11:13:43  
 Dilution : 250  
 Reagent : 092524.R17; 092524.R16; 092524.R15; 092124.R10; 082724.R15; 092524.R01; 081023.01  
 Consumables : 326250IW  
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440  
 Weight: 0.2783g  
 Extraction date: 09/26/24 10:43:29  
 Extracted by: 4056  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA078451HEA  
 Instrument Used : DA-ICPMS-004  
 Analyzed Date : 09/26/24 15:14:06  
 Reviewed On : 09/27/24 09:48:23  
 Batch Date : 09/26/24 09:51:34  
 Dilution : 50  
 Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12  
 Consumables : 179436; 20240202; 210508058  
 Pipette : DA-061; DA-191; DA-216

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal  
 LOD Units Result Pass / Fail Action Level  
 TOTAL CONTAMINANT LOAD METALS 0.08 ppm ND PASS 1.1  
 ARSENIC 0.02 ppm ND PASS 0.2  
 CADMIUM 0.02 ppm ND PASS 0.2  
 MERCURY 0.02 ppm ND PASS 0.2  
 LEAD 0.02 ppm ND PASS 0.5

Analyzed by: 1022, 4056, 585, 1440  
 Weight: 0.2783g  
 Extraction date: 09/26/24 10:43:29  
 Extracted by: 4056  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA078451HEA  
 Instrument Used : DA-ICPMS-004  
 Analyzed Date : 09/26/24 15:14:06  
 Reviewed On : 09/27/24 09:48:23  
 Batch Date : 09/26/24 09:51:34  
 Dilution : 50  
 Reagent : 091324.R16; 092424.R03; 092024.R03; 092424.R01; 092424.R02; 061724.01; 092024.R12  
 Consumables : 179436; 20240202; 210508058  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA40925012-009

Harvest/Lot ID: 1101 3428 6433 2977

Batch# : 1101 3428 6433 2977

Sampled : 09/25/24

Ordered : 09/25/24

Sample Size Received : 17 units

Total Amount : 4559 units

Completed : 09/29/24 Expires: 09/29/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440    Weight: 1g    Extraction date: 09/27/24 20:06:50    Extracted by: 1879

Analysis Method : SOP.T.40.090  
Analytical Batch : DA078517FIL    Reviewed On : 09/29/24 10:06:30  
Instrument Used : Filth/Foreign Material Microscope    Batch Date : 09/27/24 14:12:59  
Analyzed Date : 09/27/24 20:03:41

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.525	PASS	0.65

Analyzed by: 4512, 585, 1440    Weight: 0.662g    Extraction date: 09/26/24 16:18:22    Extracted by: 4512

Analysis Method : SOP.T.40.019  
Analytical Batch : DA078463WAT    Reviewed On : 09/27/24 09:24:27  
Instrument Used : DA257 Rotronic HygroPalm    Batch Date : 09/26/24 10:10:48  
Analyzed Date : 09/26/24 16:18:43

Dilution : N/A  
Reagent : 080624.18  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.72	PASS	15

Analyzed by: 4512, 585, 1440    Weight: 0.501g    Extraction date: 09/26/24 16:59:00    Extracted by: 4512

Analysis Method : SOP.T.40.021  
Analytical Batch : DA078462MOI    Reviewed On : 09/27/24 09:22:03  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer    Batch Date : 09/26/24 10:07:19  
Analyzed Date : 09/26/24 17:05:49

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

