

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA40927003-005


**Certificate of Analysis** 

**Kaycha Labs** 

Good News Vape Cartridge 1g Pnppl Pineapple Matrix: Derivative Classification: High THC



Matrix: Derivative Classification: High THC Type: Distillate Production Method: Other - Not Listed Harvest/Lot ID: 0000 0026 6431 4084 Batch#: 0000 0026 6431 4084 Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734) Seed to Sale#: 0000 0026 6431 4084 Harvest Date: 09/16/24 Sample Size Received: 16 units Total Amount: 1440 units



Reagent: 1995624.R01; 071624.04; 091624.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

0.85

0.001

%

879.47

0.001

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA078570POT

Instrument Used : DA-LC-003 Analyzed Date : 09/30/24 10:51:43

%

ma/unit

Dilution: 400

Analyzed by: 3335, 1665, 585, 1440

LOD

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

7.98

0.001

%

ND

%

0.001

Weight

0 1030

ND

%

0.001

33.07

0.001

Extraction date

09/30/24 10:23:39

%

ND

%

Reviewed On : 10/01/24 09:49:18

Batch Date : 09/29/24 10:17:58

0.001

6.84

0.001

%

4.42

0.001

%

ND

%

Extracted by:

3335

0.001

3.04

0.001

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40927003-005 Harvest/Lot ID: 0000 0026 6431 4084 Batch#:0000.0026.6431 4084

Sampled : 09/27/24 Ordered : 09/27/24

Sample Size Received : 16 units Total Amount : 1440 units Completed : 10/02/24 Expires: 10/02/25 Sample Method : SOP.T.20.010

Page 2 of 6



#### Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	22.56	2.256			SABINENE		0.007	ND	ND	
ETA-MYRCENE	0.007	7.13	0.713			SABINENE HYDRATE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	4.47	0.447			ALPHA-PHELLANDRENE		0.007	ND	ND	
LPHA-PINENE	0.007	4.41	0.441			ALPHA-TERPINENE		0.007	ND	ND	
ETA-PINENE	0.007	1.79	0.179			ALPHA-TERPINOLENE		0.007	ND	ND	
MONENE	0.007	1.32	0.132			CIS-NEROLIDOL		0.003	ND	ND	
ARNESENE	0.007	0.76	0.076			GAMMA-TERPINENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.71	0.071			TRANS-NEROLIDOL		0.005	ND	ND	
LPHA-BISABOLOL	0.007	0.60	0.060		1	Analyzed by:	Weight:		Extraction	late:	Extracted by:
INALOOL	0.007	0.40	0.040		1	3605, 585, 1440	0.22116g		09/30/24 0		3605
ALENCENE	0.007	0.31	0.031			Analysis Method : SOP.T.30.061A.FL, SO	OP.T.40.061A.FL				
LPHA-TERPINEOL	0.007	0.26	0.026			Analytical Batch : DA078527TER Instrument Used : DA-GCMS-009					0/01/24 09:49:19 28/24 10:01:03
ENCHYL ALCOHOL	0.007	0.23	0.023			Analyzed Date : 09/30/24 08:07:48			Batch	Date: 09/	28/24 10:01:03
PHA-CEDRENE	0.005	0.17	0.017		i i i	Dilution : 10					
CARENE	0.007	ND	ND			Reagent : 032524.11					
DRNEOL	0.013	ND	ND			Consumables : 947.109; 240321-634-A;	; 280670723; CEC	123			
AMPHENE	0.007	ND	ND			Pipette : DA-065					
AMPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	Chromatography Ma	ass Spectro	metry. For all I	lower samp	les, the Total Terpenes % is dry-weight corrected.
ARYOPHYLLENE OXIDE	0.007	ND	ND								
DROL	0.007	ND	ND								
JCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
JAIOL	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
	0.007	ND	ND								
EROL		ND	ND								
IEROL OCIMENE	0.007	ND									
	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA40927003-005 Harvest/Lot ID: 0000 0026 6431 4084 Batch#:0000.0026.6431

4084 Sampled : 09/27/24 Ordered : 09/27/24

Sample Size Received : 16 units Total Amount : 1440 units Completed : 10/02/24 Expires: 10/02/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	maa	5	PASS	ND	OXAMYL	0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL					
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	T. F.	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			ppm maa	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		1.1.		PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1		ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted by	<i>r</i>
DIMETHOATE	0.010		0.1	PASS	ND	585, 3379, 1440 0.2541g		11:46:03		4640.3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	, SOP.T.30.10	2.FL (Davie),	SOP.T.40.101.	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA078544PES			n:10/01/24 1		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :09/30/24 15:06:24		Batch Date	09/28/24 12:4	44:10	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 092524.R17: 092524.R16: 092524.R1	5: 092124.R1	0: 082724.R1	5: 092524.R01	1: 081023.01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	-,		-,	-,	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	g Liquid Chron	natography Tri	ple-Quadrupole	e Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND ND	Analyzed by: Weight: 585, 450, 1440 0.2541g	Extractio 09/29/24			Extracted by 4640.3379	
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville)			COD T 40 151		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA078546VOL			, 30F.1.40.133 10/01/24 10:1		
MALATHION	0.010 0.010		0.2 0.1	PASS	ND	Instrument Used :DA-GCMS-010			/28/24 12:45:		
METALAXYL					ND	Analyzed Date :09/30/24 15:06:14					
METHIOCARB	0.010		0.1	PASS PASS		Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 092524.R15; 081023.01; 092324.R03	; 092324.R04				
MEVINPHOS	0.010		0.1	PASS	ND ND	Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010			PASS		Testing for agricultural agents is performed utilizing	Cos Chrome	to graphy Trials	Quadrupal-	lace Coostrona	a la
NALED	0.010	hbw	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	y das chroma	cography rriple	quadrupole №	ass spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/02/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40927003-005 Harvest/Lot ID:0000 0026 6431 4084 Batch# :0000 0026 6431 4084 Sampled : 09/27/24 Complet

Ordered : 09/27/24

6431 4084 Sample Size Received :16 units Total Amount :1440 units Completed :10/02/24 Expires:10/02/25 Sample Method :SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 85, 850, 1440	Weight: 0.0223g	Extraction date: 09/30/24 16:28:18		<b>E</b> x 85	tracted by:
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA078559SOL nstrument Used : DA-GCMS-002 nalyzed Date : 09/30/24 15:04:30			<b>On :</b> 10/01/24 08:55:28 <b>te :</b> 09/28/24 13:03:34		

Dilution : 1 Reagent : 030420.09 Consumables : 430274; 306143 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/24

PASSED

PASSED



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA40927003-005 Harvest/Lot ID: 0000 0026 6431 4084 Batch# : 0000 0026 6431 Sample

4084 Sampled : 09/27/24 Ordered : 09/27/24 Sample Size Received : 16 units Total Amount : 1440 units Completed : 10/02/24 Expires: 10/02/25 Sample Method : SOP.T.20.010

Pag	Δ	5	٥f	6
ı ay	C	5		υ

Ċ,	Micro	bial			PAS	SED	သို့	Му	/cotox	ins			PAS	SED
Analyte		LOD	) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
ASPERGILLU	5 FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGE	LLA F AND MOLD	10.0	0 CFU/a	Not Present <10	PASS PASS	100000	Analyzed by:		Weight:	Extraction dat			xtracted I	
	I AND MOLD								0.2541g	09/29/24 11:4			640,3379	
nalyzed by: 044, 4520, 58	5, 1440	Weight: 1.0043g	Extraction 0 09/28/24 09		Extracted 4044,453				.30.101.FL (Ga , SOP.T.40.102	inesville), SOP.T. 2.FL (Davie)	40.101.Fl	_ (Gainesv	ille),	
	d:SOP.T.40.056 h:DA078519MI		)58.FL, SOP.T		e <b>d On :</b> 10/0	2/24	Analytical Bat Instrument Us Analyzed Date	ed:N/A				.0/01/24 0 /28/24 12:		
Dilution : 10	: 09/28/24 14:34 24.30; 090424.3 7576002077		; 092424.R2	4; 042924.41			accordance wit	93; DA-094 ting utilizing h F.S. Rule	4; DA-219 9 Liquid Chromat 64ER20-39.	ography with Triple	-Quadrupo			
nalyzed by: 044, 4612, 58	5, 1440	Weight: 1.0043g	Extraction 0 09/28/24 09		Extracted 4044,453		Hg	не	avy M	etais			PAS	SED
Analytical Batc	d : SOP.T.40.208 h : DA078520TY d : Incubator (25	M		Reviewed C			Metal	1		LOD	Units	Result	Pass / Fail	Action Level
A-382]	a: incubator (2.	5°C) DA- 520	campiateu w	Batch Date	: 09/20/24	00.13.37	TOTAL CONT	AMINAN	T LOAD META	<b>LS</b> 0.08	ppm	ND	PASS	1.1
nalyzed Date	:09/28/24 14:33	8:51					ARSENIC			0.02	ppm	ND	PASS	0.2
ilution:10							CADMIUM			0.02	ppm	ND	PASS	0.2
	24.30; 090424.3	33; 090424.36	; 082024.R1	8			MERCURY			0.02	ppm	ND	PASS	0.2 0.5
onsumables : ipette : N/A	N/A						LEAD			0.02	ppm	ND	PASS	0.5
otal yeast and i	nold testing is per F.S. Rule 64ER20-:		MPN and tradi	tional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	10	Weight: 0.2065g	Extraction dat 09/28/24 16:4			xtracted I 571,4056	
accordance with	r.s. kule 64EK2U	22.					Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA078 ed : DA-ICI	PMS-004	Reviewe		/01/24 10: 8/24 11:23		
							092024.R12		092424.R03; 0 20240202; 210	92024.R03; 0924 0508058	24.R01;(	)92424.R0	2; 06172	4.01;

**Consumables :** 179436; 20240202; 210508058 **Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com 
 Sample : DA40927003-005

 Harvest/Lot ID: 0000 0026 6431 4084

 Batch# : 0000 0026 6431 4084

 Gample : 0000 0026 6431 4084

 4084
 Tot

 Sampled : 09/27/24
 Cor

 Ordered : 09/27/24
 Sar

Sample Size Received : 16 units Total Amount : 1440 units Completed : 10/02/24 Expires: 10/02/25 Sample Method : SOP.T.20.010

	Filth/Foi Material		PASSED					
Analyte Filth and Forei	gn Material	<b>LOD U</b> 0.100 %	Inits	<b>Result</b> ND	P/F PASS	Action Level		
Analyzed by:         Weight:         Extraction date:         Extracted by:           1879, 585, 1440         1q         09/30/24 19:20:18         1879								
/licroscope,Filth/						09/30/24 19:37:53 /30/24 18:48:49		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	'A aterial inspection is per	rformed by v	visual insr	ection utilizir	ng naked ev	e and microscope		
	Water A		y		ΡΑ	SSED		
Analyte Water Activity		<b>LOD U</b> 0.010 av	nits N	Result 0.552	P/F PASS	Action Level 0.85		
Analyzed by: 1571, 585, 1440	Weight: 0.0828g		ction da 0/24 15:3			tracted by: 71		
nstrument Used	: SOP.T.40.019 DA078563WAT DA257 Rotronic Hy 09/30/24 14:54:15	vgroPalm		eviewed On atch Date :				

Dilution : N/A Reagent : 051624.02 Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/02/24

#### PASSED

Page 6 of 6