

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

..... Good News Disposable Vape 500mg - Mln Melon



Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed

Harvest/Lot ID: 0000 0026 6431 5073 Batch#: 0000 0026 6431 5073

Source Facility: FL - Indiantown (3734) Seed to Sale#: 0000 0026 6431 5073

Sample Size Received: 15.5 gram

Sampling Method: SOP.T.20.010

Pages 1 of 6

Harvest Date: 09/20/24

Total Amount: 415 units

Servings: 1 Ordered: 09/25/24 Sampled: 10/04/24 Completed: 10/08/24

PASSED

Retail Product Size: .5 gram Retail Serving Size: 0.5 gram

Cultivation Facility: FL - Indiantown (3734)

Processing Facility : FL - Indiantown (3734)

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41004012-007



Oct 08, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.
R O		Hg	Ċ5	Ş)	Ä		(\bigcirc		Ô
Pesticio PASSI		avy Metals ASSED	Microbials PASSED	Mycotox PASSE		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannak	oinoid								F	PASSED
		THC 3.389 THC/Container) 0	al CBD	-		<u>)</u> 9:	al Cannabinoids L.285% Cannabinoids/Conta	
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
% mg/unit	86.340 431.70	0.056 0.28	0.208 1.04	ND ND	ND ND	2.892 14.46	ND ND	1.252 6.26	0.270 1.35	0.059 0.30	0.208 1.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	, 1440			Weight: 0.1067g		Extraction date: 10/07/24 09:44:4	1			Extracted by: 3335	
Analytical Batch Instrument Used	I: SOP.T.40.031, S : DA078805POT I: DA-LC-007 10/07/24 09:47:45					Reviewed On : 10 Batch Date : 10/0					
Consumables : 9	24.R01; 071624.04 047.109; 20240202 9; DA-108; DA-078	; CE0123; R1KB142	70								
Full Spectrum can	nabinoid analysis utili	izing High Performance	Liquid Chromatography	with UV detection in acc	ordance with F	.S. Rule 64ER20-39.					

Sunnyside^{*}

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Signature 10/08/24



Good News Disposable Vape 500mg - MIn Melon Matrix - Derivativo



Meion Matrix : Derivative Type: Distillate

PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41004012-007 Harvest/Lot ID: 0000 0026 6431 5073 Batch# : 0000 0026 6431 Sample

5073 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 15.5 gram Total Amount : 415 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 2 of 6

}

Te	rn	en	es
	• •		

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
FOTAL TERPENES	0.007	22.56	4.512		SABINENE		0.007	ND	ND		
IMONENE	0.007	5.22	1.044		SABINENE HYDRATE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	4.87	0.974		ALPHA-CEDRENE		0.005	ND	ND		
BETA-MYRCENE	0.007	3.42	0.683		ALPHA-PHELLANDRENE		0.007	ND	ND		
ALENCENE	0.007	2.50	0.499		ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	1.36	0.272		CIS-NEROLIDOL		0.003	ND	ND		
ERANIOL	0.007	1.12	0.224		GAMMA-TERPINENE		0.007	ND	ND		
ETA-PINENE	0.007	1.00	0.199		TRANS-NEROLIDOL		0.005	ND	ND		
LPHA-BISABOLOL	0.007	0.71	0.141		Analyzed by:	Weight:		Extraction date	e:		Extracted by:
ENCHYL ALCOHOL	0.007	0.56	0.111		3605, 585, 1440	0.2167g		10/07/24 12:22			4451,3605
LPHA-PINENE	0.007	0.55	0.109		Analysis Method : SOP.T.30.061						
LPHA-HUMULENE	0.007	0.53	0.105		Analytical Batch : DA078764TE Instrument Used : DA-GCMS-00					10/08/24 09:17:41)/05/24 12:00:52	
LPHA-TERPINEOL	0.007	0.52	0.104		Analyzed Date : 10/07/24 12:22			Datth	Date: 10	J/UJ/24 12.00.J2	
LPHA-TERPINOLENE	0.007	0.12	0.024		Dilution : 10						
AMPHENE	0.007	0.12	0.023		Reagent : 032524.11						
-CARENE	0.007		ND		Consumables : 947.109; 24032 Pipette : DA-065	1-634-A; 280670723; CI	0123				
ORNEOL	0.013	ND	ND		Terpenoid testing is performed utili						with the second state
AMPHOR	0.007	ND	ND		rerpendid testing is performed util	ang das chromatography i	nass speci	rometry, ror air i	riuwer sam	ipies, the total terpenes	% is dry-weight corrected.
ARYOPHYLLENE OXIDE	0.007	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.007	ND	ND								
ENCHONE	0.007		ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
DCIMENE	0.007	ND	ND								
NUL FCONF	0.007	ND	ND								
PULEGONE	0.007										

Total (%)

4.512

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Signature 10/08/24



Good News Disposable Vape 500mg - Mln Melon



Matrix : Derivative Type: Distillate

PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-007 Harvest/Lot ID: 0000 0026 6431 5073

Batch#:0000.0026.6431 Sampled : 10/04/24 Ordered : 10/04/24

Sample Size Received : 15.5 gram Total Amount : 415 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 3 of 6

R
0

Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	maa	Level 5	PASS	ND	OXAMYL	0.010) ppm	Level 0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	1.1.	0.2	PASS	ND	PACLOBUTRAZOL) ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND			1.1.	0.1		ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET) ppm		PASS	
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE) ppm	3	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.010) ppm	0.1	PASS	ND
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010) ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010) ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010) ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010) ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE) ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND) ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE				PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID) ppm	0.1		
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM) ppm	0.5	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010) PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010) PPM	0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070) PPM	0.7	PASS	ND
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010) PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010) PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *) PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *) PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.252q		i on date: 4 14:21:43		Extracted b 4640,3379	iy:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesv			SOP T 40 101)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	ne), 501.1.50.1	02.1 L (Davie),	501.1.40.101	L (Gamesville	
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078765PES		Reviewed C	Dn : 10/08/24 1	12:16:05	
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:10/05/24 12	:05:08	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/07/24 14:29:52					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250	DOD 100104 D	10 000704 01	F 100004 D0	1 001022.01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 100224.R32; 100224.R03; 100424 Consumables : 326250IW	.RU3; 100124.R	10; 082724.RJ	L5; 100224.RU	1; 081023.01	
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed util	zina Liquid Chro	matography Tr	iple-Ouadrupo	le Mass Spectror	metry in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted b	y:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	585, 450, 1440 0.252g	10/06/24	14:21:43		4640,3379	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesv					
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA078767VOL		eviewed On : atch Date : 10			
IETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :10/06/24 11:25:16	В	atte : 10	0/03/24 12:00	.30	
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 100424.R03; 081023.01; 100224.I	R56: 100224.R5	7			
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 20240202; 14725		-			
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.010		0.25	PASS	ND					Mass Spectrome	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/08/24



Good News Disposable Vape 500mg - Mln Melon Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41004012-007

 Harvest/Lot ID: 0000 0026 6431 5073

 Batch#: 0000 0026 6431
 Sample 5073

Sampled : 10/04/24 Ordered : 10/04/24 31 5073 Sample Size Received : 15.5 gram Total Amount : 415 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0212g	Extraction date: 10/07/24 13:45:07	,		xtracted by: 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA078787SOL nstrument Used : DA-GCMS-002 Analyzed Date : 10/07/24 14:02:26			d On : 10/08/24 08:25:48 te : 10/05/24 16:12:44		
Dilution : 1 Reagent : N/A					

Reagent : N/A Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Signature 10/08/24



Good News Disposable Vape 500mg - Mln Melon



Matrix : Derivative Type: Distillate

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-007 Harvest/Lot ID: 0000 0026 6431 5073

Batch# : 0000 0026 6431 5073 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 15.5 gram Total Amount : 415 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Pag	е	5	of	6

Ċ,	Microl	bial			PAS	SED	သို့	Мусо	toxins)			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	N A		0.00	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENI			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:	Weig	ht: Extra	ction dat	e:	F	xtracted b	w:
TOTAL YEAS	T AND MOLD	10.00	CFU/g	<10	PASS	100000				5/24 14:2			640,3379	. j.
	Weig 0 1.12 od:SOP.T.40.0560 1.12 ih:DA078749MIC 1.12	06g 10/	raction date 05/24 09:55 58.FL, SOP.T	:50 .40.209.FL	Extracted 4520 wed On : 1		SOP.T.30.102. Analytical Bate Instrument Us	od : SOP.T.30.101 FL (Davie), SOP.T. ch : DA078766MY(ed : N/A : 10/07/24 14:33:	40.102.FL (Da	vie) Review	wed On : 1	L (Gainesv L0/08/24 1 /05/24 12:	2:07:32	
Dilution : 10	: 10/05/24 15:38: 424.26; 090424.42 7574004048		4; 042924.42	2			Mycotoxins test	93; DA-094; DA-2 ting utilizing Liquid (h F.S. Rule 64ER20-:	Chromatography 39.		e-Quadrupo			
Analyzed by: 1531, 3390, 58	5, 1440	Weight: 1.1206g	Extraction 10/05/24 0		Extracto 4520	ed by:	Hg	Heavy	Meta	ls			PAS	SED
Analytical Batc	od : SOP.T.40.208 :h : DA078750TYM ed : Incubator (25*			Reviewed C			Metal			LOD	Units	Result	Pass / Fail	Action Level
A-3821		C) DA- 526 [C	anniateu wi	Batch Date	: 10/03/24	00.07.49	TOTAL CONT	AMINANT LOAD	METALS	0.08	ppm	ND	PASS	1.1
	: 10/05/24 15:21:	07					ARSENIC			0.02	ppm	ND	PASS	0.2
ilution:10							CADMIUM			0.02	ppm	ND	PASS	0.2
	124.26; 090424.42	2;082024.R18	3				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.02	ppm	ND	PASS	0.5
otal yeast and i	mold testing is perfo		1PN and tradit	ional culture base	d technique	s in	Analyzed by: 1022, 585, 144	Weight: 0.225g	Extraction 10/06/24			xtracted l 1571,1879		22
accordance with	F.S. Rule 64ER20-39	2.					Analytical Bate	od: SOP.T.30.082 ch: DA078798HEA ed: DA-ICPMS-004 : 10/07/24 16:11:	4 1	Reviewe		/08/24 12 6/24 08:4		
							092024.R12	324.R16; 093024. 179436; 202402)24.R04; ()93024.RC	5; 06172	4.01;

Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Signature 10/08/24



Good News Disposable Vape 500mg - Mln Melon Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664


Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41004012-007 Harvest/Lot ID: 0000 0026 6431 5073 Batch# : 0000 0026 6431 5073 Sample : 10/04/24 Complex

Ordered : 10/04/24

6431 5073 Sample Size Received : 15.5 gram Total Amount : 415 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010



Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 10/06/24 09:07:39 1879 Analysis Method : SOP.T.40.090 Analytical Batch : DA078796FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 10/06/24 21:42:30 Batch Date : 10/06/24 08:37:00 Analyzed Date : 10/06/24 08:46:31 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED (Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.589	P/F PASS	Action Level 0.85
Analyzed by: 4571, 585, 1440	Weight: 0.05g		traction da /07/24 11:			tracted by: 571
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- (Probe) Analyzed Date : 10/07/	78776WAT 327 Rotronic H	ygropalı	m HC2-AW			10/08/24 08:28:53 D/05/24 12:42:25
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

PASSED

Page 6 of 6

Type: Distillate