

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

..... Good News Disposable Vape 500mg - Ornge Brunch



Harvest Date: 09/20/24

Total Amount: 375 units

Servings: 1 Ordered: 09/25/24 Sampled: 10/04/24 Completed: 10/08/24

PASSED

Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 0000 0026 6431 5074 Batch#: 0000 0026 6431 5074 Cultivation Facility: FL - Indiantown (3734) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (3734) Laboratory Sample ID: DA41004012-008 Source Facility: FL - Indiantown (3734) Seed to Sale#: 0000 0026 6431 5074 a Sample Size Received: 15.5 gram Retail Product Size: .5 gram Retail Serving Size: 0.5 gram Sampling Method: SOP.T.20.010 Sunnyside* Oct 08, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6

SAFETY R	ESULTS										MISC.
R Ø	Ę	Hg	Ċ.	ç	0 10	Ä		(\bigcirc		Ô
Pestici PASS		avy Metals ASSED	Microbials PASSED	Mycoto: PASSI		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannak	pinoid								I	PASSED
	-) 86	THC 5.454 THC/Container) (al CBD 208%		E .	<u>)</u> 9:	l Cannabinoids) iiner : 456.770
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
%	86.411 432.06	0.050 0.25	0.208 1.04	ND ND	ND ND	2.900 14.50	ND ND	1.254 6.27	0.270 1.35	0.046 0.23	0.215 1.08
mg/unit LOD	0.001	0.25	0.001	0.001	0.001	0.001	0.001	0.27	0.001	0.23	0.001
200	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1051g		Extraction date: 10/07/24 09:44:4	1			Extracted by: 3335	
Analytical Batch Instrument Used	d: SOP.T.40.031, S 1: DA078805POT d: DA-LC-007 10/07/24 09:47:45					Reviewed On : 10 Batch Date : 10/0					
Consumables : 9	24.R01; 071624.04 947.109; 20240202 9; DA-108; DA-078	; CE0123; R1KB142	70								
Full Spectrum car	nnabinoid analysis utili	izing High Performance	Liquid Chromatography	with UV detection in ac	cordance with F.S	5. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Good News Disposable Vape 500mg - Ornge Brunch Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41004012-008 Harvest/Lot ID: 0000 0026 6431 5074 Batch# : 0000 0026 6431 Sample

5074 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 15.5 gram Total Amount : 375 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

Ô

Такиаанаа
lerbenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	22.42	4.484		SABINENE HYDRATE	0.007	ND	ND		
IMONENE	0.007	6.76	1.352		VALENCENE	0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	4.78	0.955		ALPHA-CEDRENE	0.005	ND	ND		
ETA-MYRCENE	0.007	3.92	0.783		ALPHA-PHELLANDRENE	0.007	ND	ND		
INALOOL	0.007	1.99	0.398		ALPHA-TERPINENE	0.007	ND	ND		
ETA-PINENE	0.007	1.22	0.243		CIS-NEROLIDOL	0.003	ND	ND		
LPHA-BISABOLOL	0.007	0.85	0.170		GAMMA-TERPINENE	0.007	ND	ND		
ENCHYL ALCOHOL	0.007	0.82	0.164		TRANS-NEROLIDOL	0.005	ND	ND		
LPHA-TERPINEOL	0.007	0.70	0.140		Analyzed by: W	eight: I	Extraction date			Extracted by:
LPHA-PINENE	0.007	0.70	0.139		3605, 585, 1440 0.	2131g	LO/07/24 12:22		-	4451,3605
LPHA-HUMULENE	0.007	0.21	0.041		Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL				
ARYOPHYLLENE OXIDE	0.007	0.20	0.040		Analytical Batch : DA078764TER Instrument Used : DA-GCMS-008				08/24 09:17:46 /24 12:00:52	
AMPHENE	0.007	0.16	0.032		Analyzed Date : 10/07/24 12:22:20		Batch	Date : 10/05/	/24 12:00:52	
LPHA-TERPINOLENE	0.007	0.14	0.027		Dilution : 10					
-CARENE	0.007	ND	ND		Reagent : 032524.11					
ORNEOL	0.013	ND	ND		Consumables : 947.109; 240321-634-A; 280	670723; CE0123				
AMPHOR	0.007	ND	ND		Pipette : DA-065					
EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chron	matography Mass Spect	rometry. For all F	lower samples	s, the Total Terpenes % is	dry-weight corrected.
UCALYPTOL	0.007	ND	ND							
ARNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
JENANTE ACETATE	0.007	ND	ND							
	0.007									
GUAIOL	0.007	ND	ND							
GUAIOL IEXAHYDROTHYMOL			ND ND							
UAIOL EXAHYDROTHYMOL GOBORNEOL	0.007	ND								
UAIOL IEXAHYDROTHYMOL SOBORNEOL SOPULEGOL	0.007	ND ND	ND							
IUAIOL IEXAHYDROTHYMOL SOBORNEOL SOPULEGOL IEROL	0.007 0.007 0.007	ND ND ND	ND ND							
IUAIOL IEXAHYDROTHYMOL SOBORNEOL SOPULEGOL IEROL ICIMENE	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND							
USUADE VECTALE VECALYDROTHYMOL SOBORNEOL SOBULEGOL VEROL CLIMENE VULEGONE SABINENE	0.007 0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



..... Good News Disposable Vape 500mg - Ornge Brunch Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-008 Harvest/Lot ID: 0000 0026 6431 5074

Batch#:0000.0026.6431 5074 Sampled : 10/04/24 Ordered : 10/04/24

Sample Size Received : 15.5 gram Total Amount : 375 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 3 of 6

Type: Distillate

R
0

Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	T. F.	0.1	PASS	ND				0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm			
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND			PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	ND
CHLORMEQUAT CHLORIDE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *		PPM	0.1		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by: Weight:	Extracti	ion date:		Extracted b	v!
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 0.2538q		4 14:21:43		4640,3379	
ETHOPROPHOS	0.010	1 P	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvi	lle), SOP.T.30.10	02.FL (Davie),	SOP.T.40.101	.FL (Gainesville	.),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA078765PES			n:10/08/24 1		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :10/07/24 14:29:52		Batch Date	:10/05/24 12:	05:08	
FENOXYCARB		ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 100224.R32; 100224.R03; 100424	.R03: 100124.R1	10: 082724.R1	5: 100224.R0	1:081023.01	
FIPRONIL		ppm	0.1	PASS	ND	Consumables : 326250IW		,		-,	
FLONICAMID		ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is performed utili	zing Liquid Chror	matography Tri	iple-Quadrupol	e Mass Spectror	metry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight: 585, 450, 1440 0.2538g	Extractio			Extracted b 4640.3379	y:
IMIDACLOPRID		ppm	0.4	PASS	ND			14:21:43	COD T 40.15		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch :DA078767VOL			10/08/24 09:3		
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			0/05/24 12:06:		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :10/06/24 11:25:16					
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 100424.R03; 081023.01; 100224.F		7			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 3262501W; 20240202; 14725	401				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218			0 1 1		
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utili accordance with F.S. Rule 64ER20-39.	zing Gas Chroma	itography fripl	e-Quadrupole l	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

PASSED



Type: Distillate

Good News Disposable Vape 500mg - Ornge Brunch Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com
 Sample : DA41004012-008

 Harvest/Lot ID: 0000 0026 6431 5074

 Batch#: 0000 0026 6431
 Sample 5074

Sampled : 10/04/24 Ordered : 10/04/24 31 5074 Sample Size Received : 15.5 gram Total Amount : 375 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010 Page 4 of 6

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0214g	Extraction date: 10/07/24 13:45:07		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA078787SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/07/24 14:02:26					
Dilution : 1 Reagent : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



..... Good News Disposable Vape 500mg - Ornge Brunch Matrix : Derivative



Type: Distillate

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-008 Harvest/Lot ID: 0000 0026 6431 5074 Batch#:0000.0026.6431

5074 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 15.5 gram Total Amount : 375 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Pag	е	5	of	6

Ċ,	Microb	ial			PAS	SED	သို့	Мус	otox	kins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LC	D	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1			0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2			0.00	ppm	ND	PASS	0.02
COLI SHIGE		10.00	0511/	Not Present	PASS	100000	Analyzed by:		Veight:	Extractio				xtracted b	y:
	T AND MOLD	10.00	, 5	<10	PASS	100000).2538g	10/06/24				640,3379	
nalyzed by: 531, 585, 144	0 Weight		raction date: 05/24 09:55		Extracted 4520	l by:	Analysis Meth SOP.T.30.102.				OP.T.	40.101.FL	. (Gainesv	ille),	
	d : SOP.T.40.056C, h : DA078749MIC	SOP.T.40.05	8.FL, SOP.T		wed On : 10	0/08/24	Analytical Bate Instrument Us Analyzed Date	ch : DA078760 ed : N/A	5MYC	R			0/08/24 1 05/24 12:		
Dilution : 10	: 10/05/24 15:38:43 424.26; 090424.42; 7574004048		l; 042924.42	2			Pipette : DA-0 Mycotoxins tes accordance wit	ing utilizing Lic h F.S. Rule 64E	uid Chroma R20-39.			-Quadrupo			
analyzed by: 531, 3390, 58		/eight: .8925g	Extraction (Extracte 4520	ed by:	Hg	Hear	уу М	letals				PAS	SED
Analytical Bate	od : SOP.T.40.208 (G :h : DA078750TYM ed : Incubator (25*C			Reviewed C			Metal			LC	D	Units	Result	Pass / Fail	Action Level
A-3821) DA- 320 [C	alibiateu wi	Batch Date	: 10/03/24	00.07.49	TOTAL CONT	AMINANT L	DAD MET	ALS	80.0	ppm	ND	PASS	1.1
	: 10/05/24 15:21:07						ARSENIC				0.02	ppm	ND	PASS	0.2
ilution:10							CADMIUM				0.02	ppm	ND	PASS	0.2
	124.26; 090424.42;	082024.R18	3				MERCURY				0.02	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD				0.02	ppm	ND	PASS	0.5
otal yeast and	mold testing is perform	ned utilizing M	IPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	Wei 0 0.22		xtraction dat 0/06/24 12:0			xtracted 571,1879		22
iccordance with	r.ə. kule 64EK20-39.						Analysis Meth Analytical Bate Instrument Us Analyzed Date	:h : DA078798 ed : DA-ICPMS	3HEA 5-004	Re	viewe		/08/24 12: 6/24 08:4(
							Dilution : 50 Reagent : 091 092024.R12 Consumables :				0930	24.R04; 0	93024.R0	5; 061724	4.01;

Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Good News Disposable Vape 500mg - Ornge Brunch Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41004012-008

 Harvest/Lot ID: 0000 0026 6431 5074

 Batch# : 0000 0026 6431 5074

 Songe

 5074

Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 15.5 gram Total Amount : 375 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010



Analyte Filth and Foreig	ın Material	LOD Un 0.100 %	its Result ND		Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction 10/06/24	on date: 1 09:07:39		tracted by: 379
Analysis Method : Analytical Batch : Instrument Used : Analyzed Date : 10	DA078796FIL Filth/Foreign Mater	ial Microscoj		ed On : 10/00 Date : 10/06/2	6/24 21:42:29 24 08:37:00
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	4				
	terial inspection is per ordance with F.S. Rule		ual inspection uti	lizing naked ey	ye and microscope
\bigcirc	Water A	ctivity	/	ΡΑ	SSED
Analyte		LOD Uni		- / -	Action Level

Analyte Water Activity					ult 668	P/F PASS	Action Level 0.85	
Analyzed by: 4571, 585, 1440	Weight: 0.148g	ate: :03:51	Extracted by:					
Analysis Method : SOF Analytical Batch : DA0 Instrument Used : DA- (Probe) Analyzed Date : 10/07	78776WAT 327 Rotronic Hy	gropal	m HC2-AV	V			10/08/24 08:28:54)/05/24 12:42:25	
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

PASSED

Page 6 of 6

Type: Distillate