

**DAVIE, FL, 33314, US** 

**Kaycha Labs** 

Production Method: Other - Not Listed

Harvest/Lot ID: 0001 3428 6438 3251 Batch#: 0001 3428 6438 3251

Source Facility: FL - Indiantown (3734) Seed to Sale#: 0000 0026 6431 5177

Sampling Method: SOP.T.20.010

Harvest Date: 09/23/24 Sample Size Received: 16 units Total Amount: 522 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 09/25/24 Sampled: 10/04/24 Completed: 10/08/24

Cultivation Facility: FL - Indiantown (3734)

Processing Facility : FL - Indiantown (3734)

Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix: Derivative Classification: High THC Type: Distillate



(954) 368-7664 **Certificate of Analysis** 

### **COMPLIANCE FOR RETAIL**

Laboratory Sample ID: DA41004012-009



22205 Sw M		Sunnysio	de		S	JNN	ysic	le <sup>*</sup>	® Pag	pes 1 of 6	ASSE
SAFETY R	ESULTS						-				MISC.
R 0		Hg	Ċ5	ؠٛ	ۍ کو	Ä			$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$		Ô
Pesticio PASSI		avy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents <b>PASSED</b>	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannak	oinoid								1	PASSED
E	1	5.311 IHC/Container		E	1	330%	-	E ·	Total	<b>B.010%</b> Cannabinoids/Contr	
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	86.264	0.054	0.330	ND	ND	4.123	0.072	0.594	0.534	ND	1.039
, ,	862.64	0.54	3.30	ND	ND	41.23	0.72	5.94	5.34	ND	
mg/unit				0.001	0.001	0.001	0.001	0.001	0.001	0.001	10.39
	0.001	0.001	0.001			0/	04	<b>A</b> (	01		0.001
mg/unit LOD Analyzed by:	<b>0.001</b> %	<b>0.001</b> %	%	% Weight:	%	% Extraction date: 10/07/24 09:44:4	%	%	%	Extracted by: 3335	
mg/unit LOD Analyzed by: 3335, 1665, 585, Analysis Method Analytical Batch Instrument Used	0.001 % ,1440 1: SOP.T.40.031, S :: DA078805POT	% 0P.T.30.031		%	%	Extraction date:	0/08/24 09:17:50	%	%	% Extracted by:	0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com 
 Sample : DA41004012-009

 Harvest/Lot ID: 0001 3428 6438 3251

 Batch# : 0001 3428 6438
 Sample

 3251
 Total Ar

Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received :16 units Total Amount :522 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 2 of 6

# **(**

### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	21.28	2.128		SABINENE HYDRATE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	5.93	0.593		VALENCENE		0.007	ND	ND		
LIMONENE	0.007	4.49	0.449		ALPHA-CEDRENE		0.005	ND	ND		
BETA-MYRCENE	0.007	2.40	0.240		ALPHA-PHELLANDRENE		0.007	ND	ND		
LINALOOL	0.007	2.07	0.207		ALPHA-TERPINENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	1.88	0.188		ALPHA-TERPINOLENE		0.007	ND	ND		
ALPHA-TERPINEOL	0.007	0.77	0.077		CIS-NEROLIDOL		0.003	ND	ND		
FENCHYL ALCOHOL	0.007	0.76	0.076		GAMMA-TERPINENE		0.007	ND	ND		
ALPHA-BISABOLOL	0.007	0.66	0.066		Analyzed by:	Weight:	E	xtraction date			Extracted by:
OCIMENE	0.007	0.60	0.060		3605, 585, 1440	0.2111g		0/07/24 12:22			4451,3605
ALPHA-PINENE	0.007	0.58	0.058		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
BETA-PINENE	0.007	0.49	0.049		Analytical Batch : DA078764TER					0/08/24 09:17:52	
FRANS-NEROLIDOL	0.005	0.43	0.043		Instrument Used : DA-GCMS-008 Analyzed Date : 10/07/24 12:22:20			Batch	<b>Date :</b> 10/0	05/24 12:00:52	
GUAIOL	0.007	0.22	0.022		Dilution : 10						
3-CARENE	0.007	ND	ND		Reagent : 032524.11						
BORNEOL	0.013	ND	ND		Consumables : 947.109; 240321-634	-A; 280670723; CE0	123				
CAMPHENE	0.007	ND	ND		Pipette : DA-065						
AMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing G	as Chromatography Ma	ss Spectr	ometry. For all F	lower sampl	les, the Total Terpenes	% is dry-weight corrected.
CARYOPHYLLENE OXIDE	0.007	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
	0.007	ND	ND								
SABINENE	0.007	ND	ND								

Total (%)

2.128

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-009 Harvest/Lot ID: 0001 3428 6438 3251 Batch# : 0001 3428 6438 Sample

3251 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 16 units Total Amount : 522 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

## Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	maa	Level 5	PASS	ND	OXAMYL	0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND		0.010	1.1.	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PACLOBUTRAZOL			0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET	0.010				
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	maa	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010		0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID					
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.0		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.2574g		on date: 14:21:43		Extracted b 4640.3379	y:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville).			SOP T 40 101		1
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	5011150120	211 2 (Durie))	5011111012021	r e (ourrestric)	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078765PES		Reviewed O	n:10/08/24 1	2:16:05	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:10/05/24 12:0	05:08	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/07/24 14:29:52					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 100224.R32: 100224.R03: 100424.R03	0. 100124 01	0. 000704 01	E. 100224 DO	1. 001022 01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	5, IUUI24.NI	.U, UOZ/24.RI	.5, 100224.R0.	1, 001025.01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Tri	iple-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL		ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	/:
IMIDACLOPRID		ppm	0.4	PASS	ND	<b>585, 450, 1440</b> 0.2574g	10/06/24			4640,3379	
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),					
MALATHION		ppm	0.2	PASS	ND	Analytical Batch : DA078767VOL Instrument Used : DA-GCMS-010			10/08/24 09:3 )/05/24 12:06:		
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date :10/06/24 11:25:16			,,,		
METHIOCARB		ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL		ppm	0.1	PASS	ND	Reagent: 100424.R03; 081023.01; 100224.R56;	100224.R57				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 20240202; 14725401					
MYCLOBUTANIL		ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chroma	tography Tripl	e-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

### PASSED

PASSED



Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com 
 Sample : DA41004012-009

 Harvest/Lot ID: 0001 3428 6438
 Sastel

 Batch#: 0001 3428 6438
 Sample

 3251
 Total Ar

 Sampled: 10/04/24
 Complet

 Ordered: 10/04/24
 Sample

438 3251 Sample Size Received : 16 units Total Amount : 522 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 585, 1440	Weight: 0.0233g	Extraction date: 10/07/24 13:45:07	,	<b>E</b> > 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA078787SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/07/24 14:02:26			<b>I On :</b> 10/08/24 08:25:50 <b>te :</b> 10/05/24 16:12:44		
Dilution : 1 Reagent : N/A					

Reagent : N/A Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

## PASSED



Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41004012-009 Harvest/Lot ID: 0001 3428 6438 3251 Batch#: 0001 3428 6438 Sample 3251 Total Ar

3251 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received :16 units Total Amount :522 units Completed :10/08/24 Expires:10/08/25 Sample Method : SOP.T.20.010

Page 5 of 6

(J.	Micro	bial			PAS	SED	လ္နီ	Mycot	oxins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN I	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN I	31		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	AI		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	52		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		Analyzed by:	Weight	:: Extract	ion dat	e:	E	xtracted k	y:
TOTAL YEAS	T AND MOLD	10.00	) CFU/g	<10	PASS	100000	3379, 585, 144	0 0.2574	g 10/06/	24 14:2	1:43	4	640,3379	
Analyzed by: 4531, 585, 144	Wei		traction date: /05/24 09:55:5	50	Extracted 4520	l by:		d : SOP.T.30.101.Fl L (Davie). SOP.T.4			40.101.FL	. (Gainesv	ille),	
Analysis Metho	od : SOP.T.40.056 h : DA078749MIC	C, SOP.T.40.0		0.209.FL	wed On : 10	0/08/24	Analytical Bato Instrument Use	h:DA078766MYC ed:N/A	x -	Review		.0/08/24 1 /05/24 12:		
-	ed : PathogenDx S			12:37			Analyzed Date	: 10/07/24 14:33:20	5					
(55*C) DA-020 DA-049,Fisher	ycler DA-010,Fisł ,Fisher Scientific Scientific Isotem : 10/05/24 15:38	lsotemp Heat p Heat Block (	Block (95*C)	3lock 08:07	:04		081023.01 Consumables : Pipette : DA-09	224.R32; 100224.R( 326250IW 93; DA-094; DA-219 ing utilizing Liquid Chi						
Reagent : 0904 Consumables : Pipette : N/A	424.26; 090424.4 7574004048	2; 092424.R2	4; 042924.42				accordance with	n F.S. Rule 64ER20-39			-Quadrupo			
Analyzed by: 4531, 3390, 58	5, 1440	Weight: 1.0963g	Extraction da 10/05/24 09		Extracte 4520	ed by:	[ Hg	Heavy	Metal	S			PAS	SED
Analytical Bate	d:SOP.T.40.208	4		Reviewed 0			Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-3821	ed : Incubator (25	*C) DA- 328 [	calibrated with	Batch Date	: 10/05/24	08:07:49	TOTAL CONT	AMINANT LOAD	1ETALS	0.08	ppm	ND	PASS	1.1
	: 10/05/24 15:21	:07					ARSENIC			0.02	ppm	ND	PASS	0.2
Dilution: 10							CADMIUM			0.02	ppm	ND	PASS	0.2
Reagent: 0904	424.26; 090424.4	2; 082024.R1	8				MERCURY			0.02	ppm	ND	PASS	0.2
Consumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perf F.S. Rule 64ER20-3		MPN and traditio	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 144	Weight: 0 0.2017g	Extraction d 10/06/24 12			<b>xtracted I</b> 571,1879		22
accordance with	11.5. KUIE 04EKZU-3						Analytical Bato Instrument Use	d:SOP.T.30.082.Fl h:DA078798HEA d:DA-ICPMS-004 :10/07/2416:11:1	F	Reviewe		/08/24 12: 6/24 08:40		
							092024.R12	324.R16; 093024.R(		4; 0930	24.R04; (	93024.R0	5; 06172	4.01;

Consumables : 1/9436; 20240202; 21050805 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Page 6 of 6

. . . . . . . . . . . Supply Syringe 1g - Lmn Ersr (H) x Slurricrasher (H) Lemon Eraser X Slurricrasher Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41004012-009 Harvest/Lot ID: 0001 3428 6438 3251 Batch#:0001 3428 6438 3251 Sampled : 10/04/24 Ordered : 10/04/24

Sample Size Received : 16 units Total Amount : 522 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

	Filth/For Materia	-	n		ΡΑ	SSED
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		action dat 06/24 09:0		<b>Ex</b> 1	<b>tracted by:</b> 79
		rial Micro	oscope			5/24 21:42:28 24 08:37:00
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A Filth and foreign ma				spection utilizi	ng naked ey	e and microscope
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A Filth and foreign ma	A aterial inspection is pe	64ER20-3	39.	spection utilizi		re and microscope
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A Filth and foreign m. technologies in acc	A aterial inspection is pe ordance with F.S. Rule	ctiv	ity Units	Result	PA P/F	SSED Action Level
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A Filth and foreign m. technologies in acc	A aterial inspection is pe ordance with F.S. Rule	ctiv	ity Units		PA	SSED

Analytical Batch : DA078776WAT Reviewed On: 10/08/24 08:28:56 Instrument Used : DA-327 Rotronic Hygropalm HC2-AW Batch Date : 10/05/24 12:42:25 (Probe) Analyzed Date : 10/07/24 10:56:10 Dilution : N/A Reagent: 051624.02 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/08/24