



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41004012-010



Production Method: Cured
Harvest/Lot ID: 0000 0026 6431 6459
Batch#: 0000 0026 6431 6459
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0000 0026 6431 6459
Harvest Date: 09/26/24
Sample Size Received: 26 gram
Total Amount: 1399 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 10/01/24
Sampled: 10/04/24
Completed: 10/08/24
Sampling Method: SOP.T.20.010

Oct 08, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*[®]

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
26.347%

Total THC/Container : 263.470 mg



Total CBD
0.016%

Total CBD/Container : 0.160 mg



Total Cannabinoids
31.232%

Total Cannabinoids/Container : 312.320 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.067	28.826	ND	0.019	ND	0.107	1.126	ND	ND	ND	0.087
mg/unit	10.67	288.26	ND	0.19	ND	1.07	11.26	ND	ND	ND	0.87
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2031g

Extraction date:
10/07/24 09:54:40

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078809POT

Instrument Used : DA-LC-001

Analyzed Date : 10/07/24 09:54:46

Reviewed On : 10/08/24 09:34:39

Batch Date : 10/07/24 07:41:52

Dilution : 400

Reagent : 100224.R55; 071624.04; 100524.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
10/08/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Jkrz Cndy (S)
 Jokerz Candy
 Matrix : Flower
 Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA41004012-010
 Harvest/Lot ID: 0000 0026 6431 6459
 Batch# : 0000 0026 6431 6459
 Sample Size Received : 26 gram
 Total Amount : 1399 units
 Completed : 10/08/24 Expires: 10/08/25
 Ordered : 10/04/24
 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	6.14	0.614	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.55	0.155	ALPHA-PINENE	0.007	ND	ND
BETA-MYRCENE	0.007	0.86	0.086	ALPHA-TERPINENE	0.007	ND	ND
LINALOL	0.007	0.85	0.085	ALPHA-TERPINOLENE	0.007	ND	ND
GUAIOL	0.007	0.70	0.070	BETA-PINENE	0.007	ND	ND
LIMONENE	0.007	0.63	0.063	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-HUMULENE	0.007	0.51	0.051	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	0.41	0.041	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	0.37	0.037				
OCIMENE	0.007	0.26	0.026	Analysis by:	Weight:	Extraction date:	Extracted by:
3-CARENE	0.007	ND	ND	3605, 585, 1440	1.0244g	10/05/24 15:52:10	4451
BORNEOL	0.013	ND	ND	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL		
CAMPHENE	0.007	ND	ND	Analytical Batch :	DA078779TER	Reviewed On :	10/08/24 12:08:41
CAMPHOR	0.007	ND	ND	Instrument Used :	DA-GCMS-004	Batch Date :	10/05/24 12:49:46
CARYOPHYLLENE OXIDE	0.007	ND	ND	Analyzed Date :	10/07/24 12:22:39		
CEDROL	0.007	ND	ND	Dilution :	10		
EUCALYPTOL	0.007	ND	ND	Reagent :	032524.11		
FARNESENE	0.001	ND	ND	Consumables :	947.109; 240321-634-A; 280670723; CE0123		
FENCHONE	0.007	ND	ND	Pipette :	DA-065		
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
Total (%)			0.614				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 10/08/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA41004012-010

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 0000 0026 6431 6459

Batch#: 0000 0026 6431 6459
Sample Size Received : 26 gram
Total Amount : 1399 units
Sampled : 10/04/24
Completed : 10/08/24 Expires: 10/08/25
Ordered : 10/04/24
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA078775PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 10/08/24 12:04:08 Analyzed Date : 10/07/24 14:30:06 Batch Date : 10/05/24 12:40:09 Dilution : 250 Reagent : 100424.R03; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA078777VOL Instrument Used : DA-GCMS-010 Reviewed On : 10/08/24 09:52:20 Analyzed Date : 10/06/24 11:23:07 Batch Date : 10/05/24 12:42:42 Dilution : 250 Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57 Consumables : 20240202; 326250IW; 1					



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41004012-010
Harvest/Lot ID: 0000 0026 6431 6459
Batch# : 0000 0026 6431 6459
Sample Size Received : 26 gram
Total Amount : 1399 units
Sampled : 10/04/24
Completed : 10/08/24 Expires: 10/08/25
Ordered : 10/04/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	160	PASS	100000
Analyzed by: 4531, 585, 1440 Weight: 0.992g Extraction date: 10/05/24 09:55:50 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA078749MIC Reviewed On : 10/08/24 12:37:56 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Batch Date : 10/05/24 08:07:04 Analyzed Date : 10/05/24 15:38:43 Dilution : 10 Reagent : 090424.26; 090424.42; 092424.R24; 042924.42 Consumables : 7574004048 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.9949g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA078778MYC Reviewed On : 10/08/24 10:13:47 Instrument Used : N/A Batch Date : 10/05/24 12:44:12 Analyzed Date : 10/07/24 14:33:38 Dilution : 250 Reagent : 100424.R03; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2682g Extraction date: 10/06/24 11:45:50 Extracted by: 1879,4056,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA078797HEA Reviewed On : 10/08/24 10:11:40 Instrument Used : DA-ICPMS-004 Batch Date : 10/06/24 08:39:09 Analyzed Date : 10/07/24 16:11:44 Dilution : 50 Reagent : 091324.R16; 093024.R06; 100324.R04; 093024.R04; 093024.R05; 061724.01; 092024.R12 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2682g Extraction date: 10/06/24 11:45:50 Extracted by: 1879,4056,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA078797HEA Reviewed On : 10/08/24 10:11:40 Instrument Used : DA-ICPMS-004 Batch Date : 10/06/24 08:39:09 Analyzed Date : 10/07/24 16:11:44 Dilution : 50 Reagent : 091324.R16; 093024.R06; 100324.R04; 093024.R04; 093024.R05; 061724.01; 092024.R12 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216					
---	--	--	--	--	--

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41004012-010
Harvest/Lot ID: 0000 0026 6431 6459
Batch# : 0000 0026 6431 6459
Sample Size Received : 26 gram
Total Amount : 1399 units
Completed : 10/08/24 Expires: 10/08/25
Sample Method : SOP.T.20.010
Sampled : 10/04/24
Ordered : 10/04/24

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440
Weight: 1g
Extraction date: 10/06/24 09:07:39
Extracted by: 1879
Analysis Method : SOP.T.40.090
Analytical Batch : DA078796FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 10/06/24 08:46:31
Reviewed On : 10/06/24 21:42:28
Batch Date : 10/06/24 08:37:00

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.578	PASS	0.65

Analyzed by: 4571, 585, 1440
Weight: 0.651g
Extraction date: 10/07/24 10:03:34
Extracted by: 4571
Analysis Method : SOP.T.40.019
Analytical Batch : DA078772WAT
Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe)
Analyzed Date : 10/07/24 10:01:25
Reviewed On : 10/08/24 08:39:25
Batch Date : 10/05/24 12:35:55

Dilution : N/A
Reagent : 051624.02
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.09	PASS	15

Analyzed by: 4571, 585, 1440
Weight: 0.507g
Extraction date: 10/07/24 09:34:13
Extracted by: 4571
Analysis Method : SOP.T.40.021
Analytical Batch : DA078769MOI
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer
Analyzed Date : 10/07/24 09:32:49
Reviewed On : 10/08/24 08:38:04
Batch Date : 10/05/24 12:08:51

Dilution : N/A
Reagent : 092520.50; 020124.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

