



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41004012-012



Oct 08, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

26.363%

Total THC/Container : 659.075 mg



Total CBD

0.019%

Total CBD/Container : 0.475 mg



Total Cannabinoids

31.382%

Total Cannabinoids/Container : 784.550 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.902	29.032	ND	0.022	ND	0.137	1.053	0.126	ND	ND	0.110
mg/unit	22.55	725.80	ND	0.55	ND	3.43	26.33	3.15	ND	ND	2.75
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.194g

Extraction date:
10/07/24 09:54:40

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA078809POT

Instrument Used : DA-LC-001

Analyzed Date : 10/07/24 09:54:46

Reviewed On : 10/08/24 09:34:50

Batch Date : 10/07/24 07:41:52

Dilution : 400

Reagent : 100224.R55; 071624.04; 100524.R04

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
10/08/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41004012-012

Harvest/Lot ID: 0000 0026 6431 3507

Batch# : 0000 0026 6431
3507

Sampled : 10/04/24

Ordered : 10/04/24

Sample Size Received : 11 units

Total Amount : 1700 units

Completed : 10/08/24 Expires: 10/08/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.80	0.832		ALPHA-BISABOLOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.98	0.279		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	3.55	0.142		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	2.73	0.109		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.13	0.085		ALPHA-TERPINOLENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.23	0.049		BETA-MYRCENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.23	0.049		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	0.88	0.035		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.80	0.032						
TRANS-NEROLIDOL	0.005	0.70	0.028		Analyzed by:	Weight:	Extraction date:	Extracted by:	
OCIMENE	0.007	0.60	0.024		3605, 585, 1440	1.0069g	10/05/24 15:52:10	4451	
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Analytical Batch : DA078779TER				Reviewed On : 10/08/24 12:08:45
CAMPHENE	0.007	ND	ND		Instrument Used : DA-GCMS-004				Batch Date : 10/05/24 12:49:46
CAMPOR	0.007	ND	ND		Analyzed Date : 10/07/24 12:22:39				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 032524.11				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
FARNESENE	0.001	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENENE	0.007	ND	ND						
Total (%)			0.832						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/08/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41004012-012

Harvest/Lot ID: 0000 0026 6431 3507

Batch# : 0000 0026 6431
3507

Sampled : 10/04/24
Ordered : 10/04/24

Sample Size Received : 11 units

Total Amount : 1700 units

Completed : 10/08/24 Expires: 10/08/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.9954g	10/06/24 14:17:29	4640,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA078775PES		Reviewed On : 10/08/24 12:04:10			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/05/24 12:40:09			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/07/24 14:30:06					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 100424.R03; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	585, 450, 1440	0.9954g	10/06/24 14:17:29	4640,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA078777VOL		Reviewed On : 10/08/24 09:52:21			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/05/24 12:42:42			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/06/24 11:23:07					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 100424.R03; 081023.01; 100224.R56; 100224.R57					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/08/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41004012-012

Harvest/Lot ID: 0000 0026 6431 3507

Batch# : 0000 0026 6431
3507

Sampled : 10/04/24

Ordered : 10/04/24

Sample Size Received : 11 units

Total Amount : 1700 units

Completed : 10/08/24 Expires: 10/08/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	5000	PASS	100000						

Analyzed by: 4531, 585, 1440 Weight: 0.923g Extraction date: 10/05/24 09:55:51 Extracted by: 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA078749MIC Reviewed On : 10/08/24 12:37:56 Batch Date : 10/05/24 08:07:04

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021
Analyzed Date : 10/05/24 15:38:43

Dilution : 10
Reagent : 090424.26; 090424.42; 092424.R24; 042924.42
Consumables : 7574004048
Pipette : N/A

Analyzed by: 4531, 3390, 585, 1440 Weight: 0.923g Extraction date: 10/05/24 09:55:51 Extracted by: 4520

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA078750TYM Reviewed On : 10/08/24 08:27:09
Instrument Used : Incubator (25°C) DA- 328 [calibrated with Batch Date : 10/05/24 08:07:49 DA-382]
Analyzed Date : 10/05/24 15:21:07

Dilution : 10
Reagent : 090424.26; 090424.42; 082024.R18
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.9954g Extraction date: 10/06/24 14:17:29 Extracted by: 4640,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA078778MYC Reviewed On : 10/08/24 10:13:48
Instrument Used : N/A Batch Date : 10/05/24 12:44:12
Analyzed Date : 10/07/24 14:33:38

Dilution : 250
Reagent : 100424.R03; 081023.01
Consumables : 20240202; 326250IW
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	<0.100	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2693g Extraction date: 10/06/24 11:49:42 Extracted by: 1879,4056,1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA078797HEA Reviewed On : 10/08/24 10:11:41
Instrument Used : DA-ICPMS-004 Batch Date : 10/06/24 08:39:09
Analyzed Date : 10/07/24 16:11:44

Dilution : 50
Reagent : 091324.R16; 093024.R06; 100324.R04; 093024.R04; 093024.R05; 061724.01; 092024.R12
Consumables : 179436; 20240202; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/08/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)
Slurricrasher
Matrix : Flower
Type: Preroll



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41004012-012

Harvest/Lot ID: 0000 0026 6431 3507

Batch# : 0000 0026 6431
3507

Sampled : 10/04/24

Ordered : 10/04/24

Sample Size Received : 11 units

Total Amount : 1700 units

Completed : 10/08/24 Expires: 10/08/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.00	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/06/24 09:07:39		Extracted by: 1879		Analyzed by: 4571, 585, 1440	Weight: 0.5g	Extraction date: 10/07/24 09:34:25		Extracted by: 4571	
Analysis Method : SOP.T.40.090 Analytical Batch : DA078796FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/06/24 08:46:31						Analysis Method : SOP.T.40.021 Analytical Batch : DA078769MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer Analyzed Date : 10/07/24 09:32:49					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Reviewed On : 10/08/24 08:38:06 Batch Date : 10/05/24 12:08:51					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.458	PASS	0.65
Analyzed by: 4571, 585, 1440	Weight: 0.649g	Extraction date: 10/07/24 10:03:46	Extracted by: 4571		
Analysis Method : SOP.T.40.019 Analytical Batch : DA078772WAT Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe) Analyzed Date : 10/07/24 10:01:25					
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/08/24