

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE

い影

Laboratory Sample ID: DA41004012-013

Certificate of Analysis

Kaycha Labs

Supply Pre-Roll 1g - Dark Rnbw (S) Dark Rainbow Matrix: Flower Classification: High THC



Type: Preroll Production Method: Cured Harvest/Lot ID: 1101 3428 6431 9497 Batch#: 1101 3428 6431 9497 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility: FL - Indiantown (3734) Seed to Sale#: 2200 0026 6431 2027 Harvest Date: 09/25/24 Sample Size Received: 26 gram Total Amount: 2000 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 10/01/24 Sampled: 10/04/24 Completed: 10/08/24 Sampling Method: SOP.T.20.010 Sunnyside* PASSED

Pages 1 of 5

Oct 08, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

| SAFETY R | ESULTS | | | | | | | | | | MISC. |
|-------------------------------------|--|---------------------------|-----------------------|------------------------|----------------------|---------------------------------------|-----------------|---------------|--------------------|-----------------------|--------------------|
| R Ø | Ę | Нд | Ċ | ؠٛ | ۍ | Ä | | | \bigcirc | | Ô |
| Pestici PASS | | avy Metals PASSED | Microbials PASSED | Mycoto PASS | ED | Residuals Solvents OT TESTED | Filth PASSED | | r Activity SSED | Moisture PASSED | Terpenes TESTED |
| Ä | Cannal | binoid | | | | | | | | | PASSED |
| E | 3 26 | I THC 5.458 THC/Container | | | 30. | al CBD 030% CBD/Container | | E | 331 | Cannabinoid 143% | 0 |
| | | | | | | | | | | | |
| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | тнсу | CBDV | СВС |
| % | 0.753 7.53 | 29.311 293.11 | ND ND | 0.035 0.35 | ND ND | 0.103 1.03 | 0.677 6.77 | 0.064 0.64 | ND ND | ND ND | 0.200 2.00 |
| mg/unit LOD | 0.001 | 0.001 | ND | 0.001 | 0.001 | 0.001 | 0.001 | 0.04 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |
| Analyzed by: 3335, 1665, 585 | 5, 1440 | | | Weight: 0.202g | | Extraction date: 10/07/24 09:54:40 |) | | | Extracted by: 3335 | |
| Analytical Batch Instrument Used | d: SOP.T.40.031, S : DA078809POT d: DA-LC-001 10/07/24 09:54:40 | | | | | Reviewed On : 10 Batch Date : 10/0 | | | | | |
| Consumables : 9 | 24.R55; 071624.04 947.109; 2024020 9; DA-108; DA-078 | 2; CE0123; R1KB142 | 70 | | | | | | | | |
| Full Spectrum car | nnabinoid analysis uti | lizing High Performance | Liquid Chromatography | with UV detection in a | accordance with F.S. | . Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Supply Pre-Roll 1g - Dark Rnbw (S) Dark Rainbow Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41004012-013

 Harvest/Lot ID: 1101 3428 6431
 9497

 Batch#: 1101 3428 6431
 Sample

 9497
 Total Ar

Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 26 gram Total Amount : 2000 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 2 of 5

Ô

Terpenes

| Terpenes | LOD (%) | mg/unit | t % | Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) | |
|--------------------|------------|---------|-------|------------|---|-----------------------------------|------------|--------------------|-------------|--------------------------------------|-----------------------|
| OTAL TERPENES | 0.007 | 12.14 | 1.214 | | SABINENE HYDRATE | | 0.007 | ND | ND | | |
| ETA-CARYOPHYLLENE | 0.007 | 3.39 | 0.339 | | VALENCENE | | 0.007 | ND | ND | | |
| IMONENE | 0.007 | 2.16 | 0.216 | | ALPHA-CEDRENE | | 0.005 | ND | ND | | |
| LPHA-HUMULENE | 0.007 | 1.33 | 0.133 | | ALPHA-PHELLANDREN | | 0.007 | ND | ND | | |
| INALOOL | 0.007 | 0.90 | 0.090 | | ALPHA-TERPINENE | | 0.007 | ND | ND | | |
| TA-MYRCENE | 0.007 | 0.84 | 0.084 | | ALPHA-TERPINOLENE | | 0.007 | ND | ND | | |
| UAIOL | 0.007 | 0.83 | 0.083 | | CIS-NEROLIDOL | | 0.003 | ND | ND | | |
| LPHA-BISABOLOL | 0.007 | 0.67 | 0.067 | | GAMMA-TERPINENE | | 0.007 | ND | ND | | |
| INCHYL ALCOHOL | 0.007 | 0.47 | 0.047 | | Analyzed by: | Weight: | | Extraction da | | | Extracted by: |
| LPHA-TERPINEOL | 0.007 | 0.47 | 0.047 | | 3605, 585, 1440 | 1.1944g | | 10/05/24 15: | 52:10 | | 4451 |
| TA-PINENE | 0.007 | 0.47 | 0.047 | | | 80.061A.FL, SOP.T.40.061A.FL | | | | | |
| PHA-PINENE | 0.007 | 0.31 | 0.031 | | Analytical Batch : DA078 Instrument Used : DA-GC | | | | | L0/08/24 12:08:46 /05/24 12:49:46 | |
| ANS-NEROLIDOL | 0.005 | 0.30 | 0.030 | | Analyzed Date : 10/07/24 | | | Daten | Date: 10/ | /03/24 12.49.40 | |
| CARENE | 0.007 | ND | ND | | Dilution : 10 | | | | | | |
| DRNEOL | 0.013 | ND | ND | | Reagent : 032524.11 | | | | | | |
| MPHENE | 0.007 | ND | ND | | Consumables : 947.109; 2 Pipette : DA-065 | 40321-634-A; 280670723; CE | 0123 | | | | |
| MPHOR | 0.007 | ND | ND | | | ed utilizing Gas Chromatography M | | | | | |
| RYOPHYLLENE OXIDE | 0.007 | ND | ND | | l'erpenoid testing is perform | ed utilizing Gas Chromatography M | ass spect | rometry. For all r | -lower samp | pies, the Total Terpenes % is | ary-weight corrected. |
| DROL | 0.007 | ND | ND | | | | | | | | |
| CALYPTOL | 0.007 | ND | ND | | | | | | | | |
| RNESENE | 0.001 | ND | ND | | | | | | | | |
| ENCHONE | 0.007 | ND | ND | | | | | | | | |
| ERANIOL | 0.007 | ND | ND | | | | | | | | |
| RANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| EXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | | |
| OBORNEOL | 0.007 | ND | ND | | | | | | | | |
| OPULEGOL | 0.007 | ND | ND | | | | | | | | |
| ROL | 0.007 | ND | ND | | | | | | | | |
| CIMENE | 0.007 | ND | ND | | | | | | | | |
| | 0.007 | ND | ND | | | | | | | | |
| ULEGONE | | | | | | | | | | | |
| ULEGONE ABINENE | 0.007 | ND | ND | | | | | | | | |

Total (%)

1.214

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

PASSED

TESTED



. Supply Pre-Roll 1g - Dark Rnbw (S) Dark Rainbow Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41004012-013 Harvest/Lot ID: 1101 3428 6431 9497 Batch#:1101 3428 6431

9497 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 26 gram Total Amount : 2000 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|--|-------------|------------|-----------------|-----------|----------|--|---------------------------|--------------|-----------------|-----------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | 1.1. | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | | ppm | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.010 | | 0.1 | PASS | ND | PROPICONAZOLE | | ppm | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.1 | PASS | ND | | | | | | |
| CEPHATE | 0.010 | | 0.1 | PASS | ND | PROPOXUR | | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | | ppm | 0.1 | PASS | ND |
| LDICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| IFENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.010 | | 0.1 | PASS | ND | THIAMETHOXAM | | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | | | PPM | 0.15 | PASS | ND |
| HLORANTRANILIPROLE | 0.010 | | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNI | , | | | | |
| ILORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | | PPM | 0.1 | PASS | ND |
| ILORPYRIFOS | 0.010 | | 0.1 | PASS | ND | CAPTAN * | 0.070 | | 0.7 | PASS | ND |
| OFENTEZINE | 0.010 | | 0.2 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.010 | | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.010 | | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| AZINON | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.010 | | 0.1 | PASS | ND | Analyzed by: Wei | uht: Extracti | ion date: | | Extracted k | hu |
| METHOATE | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 1.03 | | 4 14:17:29 | | 4640,3379 | by. |
| THOPROPHOS | 0.010 | | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Ga | | | . SOP.T.40.101 | | e). |
| TOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| TOXAZOLE | 0.010 | | 0.1 | PASS | ND | Analytical Batch : DA078775PES | | | On:10/08/24 | | |
| NHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date | e:10/05/24 12 | :40:09 | |
| NOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date :10/07/24 14:30:06 | | | | | |
| ENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 Reagent : 100424.R03; 081023.01 | | | | | |
| PRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 20240202: 3262501W | | | | | |
| LONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Pipette : N/A | | | | | |
| LUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is perform | ed utilizina Liauid Chror | matography T | riple-Ouadrupo | le Mass Spectro | metrv in |
| EXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | 5 1 | | 1 | | |
| /AZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weigl | | | | Extracted b | oy: |
| IIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | 585, 450, 1440 1.038 | 9g 10/06/24 | 14:17:29 | | 4640,3379 | |
| RESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Ga | | | | | |
| ALATHION | 0.010 | ppm | 0.2 | PASS | ND | Analytical Batch : DA078777VOL | | | :10/08/24 09: | | |
| | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used :DA-GCMS-010 Analyzed Date :10/06/24 11:23:07 | В | atch Date : | 10/05/24 12:42 | :42 | |
| | | | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETALAXYL | 0.010 | ppm | 0.1 | | | | | | | | |
| ETALAXYL ETHIOCARB | 0.010 0.010 | | 0.1 | PASS | ND | | 1224 R56 100224 R5 | 7 | | | |
| ETALAXYL ETHIOCARB ETHOMYL | | ppm | | | ND ND | Reagent : 100424.R03; 081023.01; 10 Consumables : 20240202; 326250IW; | | 7 | | | |
| IETALAXYL IETHIOCARB IETHOMYL IEVINPHOS IYCLOBUTANIL | 0.010 | ppm ppm | 0.1 | PASS | | Reagent: 100424.R03; 081023.01; 10 | | 7 | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24

PASSED

PASSED



Supply Pre-Roll 1g - Dark Rnbw (S) Dark Rainbow Matrix : Flower Type: Preroll



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41004012-013 Harvest/Lot ID: 1101 3428 6431 9497 Batch# : 1101 3428 6431 Sample

9497 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received :26 gram Total Amount : 2000 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010

Page 4 of 5

| Ę. | Microbia | I | | | PAS | SED | သို့ | Му | coto | xins | | | | PAS | SED |
|---------------------------------|--|-------------|-------------------------------|----------------------------|------------------|------------|--|-----------------------|--------------------|---------------------|-----------------------------|------------|--------------------------|------------------------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / | Action | Analyte | | | | LOD | Units | Result | | Action |
| ACDEDCULU | | | | Net Deserve | Fail PASS | Level | | | | | 0.00 | | ND | Fail | Level |
| ASPERGILLU | | | | Not Present Not Present | PASS | | AFLATOXIN I | | | | 0.00 | ppm | ND ND | PASS PASS | 0.02 0.02 |
| | S FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN | | | | 0.00 | ppm ppm | ND | PASS | 0.02 |
| ASPERGILLU | | | | Not Present | PASS | | AFLATOXIN | | | | 0.00 | ppm | ND | PASS | 0.02 |
| | A SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN | | | | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGE | | | | Not Present | PASS | | | 02 | | | | | | | |
| TOTAL YEAS | | 10.00 | CFU/g | 7000 | PASS | 100000 | Analyzed by: 3379, 585, 144 | 0 | Weight: 1.0389g | | tion dat /24 14:1 | | | xtracted b 640,3379 | y: |
| Analyzed by: | Weight: | | action date: | _ | Extracted | by: | Analysis Metho | | | | | 40.101.FL | . (Gainesv | ille), | |
| 4531, 585, 144 | 5 | | 5/24 09:55:5 | | 4520 | | SOP.T.30.102. | | |)2.FL (Dav | | rod On 1 | 0/08/24 1 | 0.13.40 | |
| | od : SOP.T.40.056C, SOP. :h : DA078749MIC | T.40.05 | 8.FL, SOP.T.4 | | wed On : 10 |)/08/24 | Instrument Use Analyzed Date | ed:N/A | | | | | 05/24 12: | | |
| Dilution : 10 | : 10/05/24 15:38:43 424.26; 090424.42; 0924 7574004048 | 124.R24; | ; 042924.42 | | | | Mycotoxins test accordance with | n F.S. Rule (| | | | -Quadrupo | | ectrometry PAS | |
| Analyzed by: 4531, 3390, 58 | Weig 5, 1440 0.870 | | Extraction da 10/05/24 09: | | Extracte 4520 | d by: | [Hg] | пе | avy Iv | ieta | 13 | | | FAJ | JED |
| Analysis Metho | od : SOP.T.40.208 (Gaine | | | .FL | | 4.00.27.00 | Metal | | | | LOD | Units | Result | Pass / Fail | Action Level |
| | : h : DA078750TYM ed : Incubator (25*C) DA | - 328 [ca | alibrated wit | Reviewed 0 Batch Date | | | TOTAL CONT | AMINAN | T LOAD MET | ALS | 0.08 | ppm | ND | PASS | 1.1 |
| DA-382] | | | | | | | ARSENIC | | | | 0.02 | ppm | ND | PASS | 0.2 |
| Analyzed Date | : 10/05/24 15:21:07 | | | | | | CADMIUM | | | | 0.02 | ppm | ND | PASS | 0.2 |
| Dilution: 10 | | 04.010 | | | | | MERCURY | | | | 0.02 | ppm | ND | PASS | 0.2 |
| Reagent : 0904 Consumables : | 124.26; 090424.42; 0820 N/A |)24.R18 | | | | | LEAD | | | | 0.02 | ppm | ND | PASS | 0.5 |
| Pipette : N/A | · | | | | | | Analyzed by: 1022, 585, 144 | 0 | Weight: 0.2388g | Extraction 10/06/24 | | 07 | | cted by: ,4056,102 | 2 |
| | mold testing is performed u F.S. Rule 64ER20-39. | tilizing MI | PN and traditio | nal culture base | d techniques | s in | Analysis Metho Analytical Bato Instrument Uso Analyzed Date | :h:DA078 ed:DA-ICI | 797HEA PMS-004 | | Reviewe | | /08/24 10: 6/24 08:39 | | |
| | | | | | | | Dilution : 50 Reagent : 0913 092024.R12 | | | | 04; 0930 | 24.R04; 0 | 93024.R0 | 5; 061724 | 4.01; |

Consumables : 179436; 20240202; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24



Supply Pre-Roll 1g - Dark Rnbw (S) Dark Rainbow Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41004012-013 Harvest/Lot ID: 1101 3428 6431 9497 Batch# : 1101 3428 6431 Sample

9497 Sampled : 10/04/24 Ordered : 10/04/24 Sample Size Received : 26 gram Total Amount : 2000 units Completed : 10/08/24 Expires: 10/08/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





PASSED

PASSED

Page 5 of 5

| Analyte Filth and Forei | gn Material | LOD 0.100 | Units % | Result ND | P/F PASS | Action Level | An Mo |
|--|--|---------------------|--------------------|------------------------|-----------------|------------------------------|---------------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | | raction da | | Ex 18 | tracted by: 79 | Ana 457 |
| | | rial Micro | oscope | | | 5/24 21:42:26 24 08:37:00 | Ana Ana Ins |
| Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A | Ά | | | | | | Ana Ana Ana Dilu |
| Filth and foreign m | aterial inspection is pe ordance with F.S. Rule | | | spection utilizi | ng naked ey | /e and microscope | Rea Cor Pip |
| () | Water A | ctiv | ity | | ΡΑ | SSED | Moi |
| Analyte Water Activity | | LOD 0.010 | Units aw | Result 0.525 | P/F PASS | Action Level 0.65 | |

| Analyte | | LOD | Units | Result | P/F | Action Level |
|--|--|------|----------------------------------|-----------------------|---|-------------------|
| loisture Content | | 1.00 | % | 14.03 | PASS | 15 |
| nalyzed by: 571, 585, 1440 | Weight: 0.507g | | traction da /07/24 09: | | | tracted by: 71 |
| nalysis Method : SOP.T.40 nalytical Batch : DA07876 nstrument Used : DA-003 / nalyzer,DA-263 Moisture / nalyser,DA-385 Moisture / nalyzed Date : 10/07/24 0 | 9MOI Moisture A Analyser,E Analyzer | | | 0 pisture B | eviewed On 8:38:07 atch Date : 2:08:51 | |
| ilution:N/A eagent:092520.50;0201 ionsumables:N/A ipette:DA-066 | .24.02 | | | | | |

loisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

| Water Activity | | 0.010 aw | 0.525 | PASS | 0.65 | |
|---------------------------------|-------------------|-----------------------------------|-------|-----------------------|-------------------|--|
| Analyzed by: 4571, 585, 1440 | Weight: 0.704g | Extraction date: 10/07/24 10:04:4 | 45 | Extracted by: 4571 | | |
| Analysis Method : SOF | .T.40.019 | | | | | |
| Analytical Batch : DA0 | 78772WAT | | Revi | ewed On : | 10/08/24 08:39:28 | |
| Instrument Used : DA- | 327 Rotronic Hy | gropalm HC2-AW | Batc | h Date : 10 | 0/05/24 12:35:55 | |
| (Probe) | | | | | | |
| Analyzed Date: 10/07 | /24 10:01:25 | | | | | |
| Dilution : N/A | | | | | | |
| Reagent: 051624.02 | | | | | | |
| Consumables : PS-14 | | | | | | |
| Consumables : PS-14 | | | | | | |

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/08/24