

### **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix: Derivative Classification: High THC Type: Distillate



**Certificate of Analysis** 

Laboratory Sample ID: DA41015005-003



Production Method: Other - Not Listed Harvest/Lot ID: 0000 0026 6431 6245

Batch#: 0000 0026 6431 6245

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5696934766123347

Harvest Date: 09/20/24

Sample Size Received: 31 units Total Amount: 375 units

Retail Product Size: .5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 09/27/24 Sampled: 10/15/24

Completed: 10/18/24 Revision Date: 10/21/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

indiantown, FL, 34956, US SAFETY RESULTS

22205 Sw Martin Hwy







**Heavy Metals PASSED** 



Microbials **PASSED** 



Mycotoxins Residuals **PASSED** Solvents



**PASSED** 

Sunnyside<sup>\*</sup>



Filth PASSED

Ratch Date: 10/16/24 08:36:07



Water Activity **PASSED** 



**NOT TESTED** 





Terpenes **TESTED** 

**PASSED** 

### Cannabinoid

Oct 21, 2024 | Sunnyside

**Total THC** 

83.520% Total THC/Container : 417.600 mg



**Total CBD** 0.695%



**Total Cannabinoids** 

Total Cannabinoids/Container: 442.285

THCA CBD CBDA D8-THC CBGA THCV CBDV СВС D9-THC 83.467 0.061 0.695 ND 3.021 ND 0.662 0.357 ND 0.194 ND 417.34 0.31 3,48 ND ND 15.11 ND 3.31 1.79 ND 0.97 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 Analyzed by: 3335, 1665, 585, 1440 Extraction date: 10/16/24 11:48:43 Extracted by: Weight: 0.1043a

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA079036POT

Instrument Used : DA-LC-003

Analyzed Date: 10/17/24 09:19:41

Dilution: 400

Reagent: 091624.R01; 071624.04; 100924.R16 Consumables: 947.109; 20240202; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/18/24



#### **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix : Derivative Type: Distillate



## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41015005-003 Harvest/Lot ID: 0000 0026 6431 6245

Batch#: 0000 0026 6431

6245 Sampled: 10/15/24 Ordered: 10/15/24

Sample Size Received: 31 units Total Amount: 375 units

Completed: 10/18/24 Expires: 10/21/25 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.67	3.134		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.57	0.914		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.15	0.629		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.00	0.600		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.26	0.252		ALPHA-TERPINOLENE	0.007	ND	ND	
IMONENE	0.007	1.01	0.202	,	CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	0.52	0.103		GAMMA-TERPINENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	0.42	0.083		TRANS-NEROLIDOL	0.005	ND	ND	
ARNESENE	0.007	0.41	0.081		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
INALOOL	0.007	0.34	0.067		4451, 3605, 585, 1440	0.2401g	10/16/	24 12:18:39	4451
CARYOPHYLLENE OXIDE	0.007	0.23	0.045		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	0.061A.FL			
ALENCENE	0.007	0.21	0.042		Analytical Batch : DA079056TER Instrument Used : DA-GCMS-009			Ratch D-	te: 10/16/24 09:54:59
AMPHENE	0.007	0.16	0.032		Analyzed Date: 10/17/24 09:19:43			patth Da	te: 10/10/24 03.34.33
LPHA-TERPINEOL	0.007	0.16	0.032		Dilution: 10				
ENCHYL ALCOHOL	0.007	0.13	0.026		Reagent: 090924.04				
ERANIOL	0.007	0.13	0.026		Consumables : 947.109; 240321-634-A; 2806	70723; CE0123			
-CARENE	0.007	ND	ND		Pipette : DA-065				
ORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	atograpny Mass Spectro	metry. For all I	riower sampii	es, the Total Terpenes % is dry-weight corrected.
CAMPHOR	0.007	ND	ND						
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
DCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						

Total (%) 3.13

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 10/18/24



#### **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41015005-003 Harvest/Lot ID: 0000 0026 6431 6245

Batch#:0000 0026 6431

6245 Sampled: 10/15/24 Ordered: 10/15/24 Sample Size Received: 31 units
Total Amount: 375 units

Completed: 10/18/24 Expires: 10/21/25 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

**PASSED** 

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	P.P.	0.2	PASS	ND	PACLOBUTRAZOL		0.010	1.1.	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND					0.1		ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET		0.010			PASS	
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
СЕРНАТЕ	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
IFENTHRIN	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010				
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.010	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	<b>Weight:</b> 0.2163a		ion date: 4 16:20:01		Extracted 3379	a by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30				SOP T 40 101		)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.101.1 L (Guillesville), c	301.11.30.10.	Z.I L (DUVIC)	, 501.11.40.10.	Lii E (Guillesville	//
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch: DA07904						
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS			Batch	Date: 10/16/	/24 09:21:37	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date: 10/17/24 0	9:35:17					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 101124.R22; 081	022.01					
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 20240202:						
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: N/A	3202301VV					
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents	s is performed utilizing I	Liauid Chrom	natography T	riple-Ouadrupo	le Mass Spectror	netry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64I						,
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
/IDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.2163g		16:20:01		3379	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30		SOP.T.30.15	1A.FL (Davie	e), SOP.T.40.15	51.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA07904 Instrument Used : DA-GCM			Ratch Date	:10/16/24 09	1-24-52	
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date: 10/17/24 0			Duttii Date	10/10/24 09		
ETHIOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 101124.R22; 081	023.01; 101024.R05: 1	101024.R08				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 20240202;	326250IW; 14725401					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; [						
IALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents	s is performed utilizing (	Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 10/18/24



#### Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41015005-003 Harvest/Lot ID: 0000 0026 6431 6245

Batch#:0000 0026 6431

6245 Sampled: 10/15/24 Ordered: 10/15/24

Sample Size Received: 31 units Total Amount: 375 units

**Completed:** 10/18/24 **Expires:** 10/21/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0228g	Extraction date: 10/17/24 13:37:31		<b>E</b> x 85	tracted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA079083SOL Instrument Used: DA-GCMS-002

**Analyzed Date:** 10/17/24 16:47:45

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 306143 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

Batch Date: 10/16/24 15:04:45

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/18/24



#### Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix: Derivative Type: Distillate



## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41015005-003 Harvest/Lot ID: 0000 0026 6431 6245

Batch#: 0000 0026 6431

Sampled: 10/15/24 Ordered: 10/15/24 Sample Size Received: 31 units Total Amount: 375 units

Completed: 10/18/24 Expires: 10/21/25 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**



## **Mycotoxins**

### **PASSED**

Analyzed by	Woights	Evtraction	an datai	Evtracto	ad byu	Analysis Mathad . CO	D T 20 101 EL (Cai	inocvillo) CORT	10 101 EI	(Cainos)
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		0.2163g	10/16/24 16:2		
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	te:	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result

4531, 4044, 4520, 585, 1440 10/21/24 08:19:27 973.4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA079082MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-171,Fisher Scientific Isotemp Heat Block (55\*C)
DA-020,Fisher Scientific Isotemp Heat Block (95\*C) DA-049,Fisher Batch Date: 10/16/24

Scientific Isotemp Heat Block (55\*C) DA-021

Analyzed Date: 10/17/24 12:50:15

Reagent: 090424.50; 090424.53; 100124.R21; 042924.42 Consumables: 7574004047

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4531, 585, 1440	0.8a	N/A	973.4531.4044

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA079022TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with Batch Date: 10/16/24 07:26:37

**Analyzed Date :** 10/18/24 14:19:45

Dilution: 10

Reagent: 090424.50; 090424.53; 082024.R18

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte			LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN I	B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN I	B1		0.00	ppm	ND	PASS	0.02
OCHRATOXII	N A		0.00	ppm	ND	PASS	0.02
AFLATOXIN (	G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN (	G2		0.00	ppm	ND	PASS	0.02
		Weight:	Extraction dat			Extracted	by:
3379, 585, 144	0	0.2163g	10/16/24 16:2	0:01		3379	

.T.40.101.FL (Gainesville), Analysis Method: SOP.T.30.101.FL (Gainesville), S SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA079047MYC

Instrument Used : N/A

**Analyzed Date:** 10/17/24 09:16:30

Dilution: 250

Reagent: 101124.R22; 081023.01 Consumables: 20240202; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

### **PASSED**

Batch Date: 10/16/24 09:24:29

-								
7	Metal		LOD	Units	Result	Pass / Fail	Action Level	
/	TOTAL CONT	AMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
	ARSENIC		0.02	ppm	ND	PASS	0.2	
	CADMIUM		0.02	ppm	ND	PASS	0.2	
	MERCURY		0.02	ppm	ND	PASS	0.2	
	LEAD		0.02	ppm	ND	PASS	0.5	
	Analyzed by:		Extraction date:			Extracted by:		
	1022, 585, 144	10/16/24 12:19:21			4056			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA079044HEA Instrument Used : DA-ICPMS-004

Batch Date: 10/16/24 09:22:34

**Analyzed Date :** 10/17/24 16:42:03

Dilution: 50 Reagent: 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01;

Consumables: 179436: 20240202: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/18/24



#### Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix: Derivative Type: Distillate



## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41015005-003 Harvest/Lot ID: 0000 0026 6431 6245

Batch#:0000 0026 6431

Sampled: 10/15/24 Ordered: 10/15/24 Sample Size Received: 31 units Total Amount: 375 units Completed: 10/18/24 Expires: 10/21/25 Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 10/16/24 14:53:59 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA079081FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 10/16/24 14:13:52

Analyzed Date: 10/16/24 14:58:40

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte Water Activity		LOD Unit		P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.1641a		Extraction date: 10/16/24 17:36:05		ctracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA079061WAT

Instrument Used: DA-325 Rotronic Hygropalm HC2-AW (Probe) Batch Date: 10/16/24 10:21:47

Analyzed Date: 10/17/24 09:19:13

Dilution: N/A Reagent: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/18/24