

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Blue Pave (I)



Blue Pave Matrix: Flower Classification: High THC Type: Preroll

Certificate of Analysis

Laboratory Sample ID: DA41015005-005




Production Method: Cured Harvest/Lot ID: 5550 0026 6431 6781 Batch#: 5550 0026 6431 6781 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 1123313826905831 Harvest Date: 09/30/24 Sample Size Received: 11 units Total Amount: 940 units Retail Product Size: 2.5 gram Retail Serving Size: 2.5 gram Servings: 1 Ordered: 10/03/24 Sampled: 10/15/24 Completed: 10/18/24 Sampling Method: SOP.T.20.010 PASSED

Pages 1 of 5

Oct 18, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/18/24



Supply Pre-Roll Multipack 2.5g - Blue Pave (I) Blue Pave Matrix : Flower



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41015005-005

 Harvest/Lot ID: 5550 0026 6431 6781

 Batch# : 5550 0026 6431
 Sample

 6781
 Total Andread

Sampled : 10/15/24 Ordered : 10/15/24 Sample Size Received : 11 units Total Amount : 940 units Completed : 10/18/24 Expires: 10/18/25 Sample Method : SOP.T.20.010

Page 2 of 5

Type: Preroll

Ô

Tor	00	n	
ler	pe	ne	25

l'erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LC (%		ng/unit	%	Result (%)	
OTAL TERPENES	0.007	27.80	1.112		ALPHA-PHELLANDRENE	0.0		D	ND		
ETA-CARYOPHYLLENE	0.007	10.33	0.413		ALPHA-PINENE	0.0	07 N	D	ND		
LPHA-HUMULENE	0.007	3.70	0.148		ALPHA-TERPINENE	0.0	07 N	D	ND		
INALOOL	0.007	3.55	0.142		ALPHA-TERPINOLENE	0.0	07 N	D	ND		
LPHA-BISABOLOL	0.007	3.35	0.134		BETA-MYRCENE	0.0	07 N	D	ND		
IMONENE	0.007	2.18	0.087		BETA-PINENE	0.0	07 N	D	ND		
RANS-NEROLIDOL	0.005	1.85	0.074		CIS-NEROLIDOL	0.0	03 N	D	ND		
LPHA-TERPINEOL	0.007	1.45	0.058		GAMMA-TERPINENE	0.0	07 N	D	ND		
ENCHYL ALCOHOL	0.007	1.40	0.056		Analyzed by:	Weight:	Ext	raction da	te:		Extracted by:
-CARENE	0.007	ND	ND		4451, 585, 1440	1.0368g		16/24 12:			4451
ORNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.0						
CAMPHENE	0.007	ND	ND		Analytical Batch : DA0790551 Instrument Used : DA-GCMS-				Batah D	ate: 10/16/24 09:53:54	
AMPHOR	0.007	ND	ND		Analyzed Date : 10/17/24 14:				Batch D	ate: 10/10/24 09:53:54	
ARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10						
EDROL	0.007	ND	ND		Reagent : 090924.04						
UCALYPTOL	0.007	ND	ND		Consumables : 947.109; 2403 Pipette : DA-065	21-634-A; 280670723; CE012	3				
ARNESENE	0.007	ND	ND			ilizing Gas Chromatography Mass					
ENCHONE	0.007	ND	ND		l'erpenoia testing is performed u	ilizing Gas Chromatography Mass	spectromet	ry. For all F	lower samp	ies, the Total Terpenes % is dr	y-weight corrected.
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
ALENCENE	0.007	ND	ND								
LPHA-CEDRENE	0.005	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/18/24



Type: Preroll

. Supply Pre-Roll Multipack 2.5g - Blue Pave (I) Blue Pave Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41015005-005 Harvest/Lot ID: 5550 0026 6431 6781 Batch# : 5550 0026 6431

6781 Sampled : 10/15/24 Ordered : 10/15/24

Sample Size Received : 11 units Total Amount : 940 units Completed : 10/18/24 Expires: 10/18/25 Sample Method : SOP.T.20.010

Page 3 of 5

Ц С
Pesticide

Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
FOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND					0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010				
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND					0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE ((PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND		Mainha.			0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379. 585. 1440	Weight: 0.9148g		tion date: 4 16:23:39		Extracted 3379	a by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.	5			SOP T 40 101)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	re (ounicovinc), oc	51.11.50.10	ZITE (DUVIC),	501.11.40.101	I E (Odifiesville)	
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079049PES						
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch	Date:10/16/	24 09:40:18	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/17/24 10:39:4	45					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 101124.R22; 081023.0 Consumables : 20240202: 32625						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A						
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is pe	erformed utilizing Lie	auid Chron	atography Tri	inle-Quadruno	le Mass Spectror	metry in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3		quiù cinon	lacography in	pie guudrupo.	e mass speed of	neary in
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	l by:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.9148g	10/16/24	16:23:39		3379	
CRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.	FL (Gainesville), SC	DP.T.30.15	1A.FL (Davie)	, SOP.T.40.15	1.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079051VOL						
IETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001	- 2		Batch Date	:10/16/24 09	:42:35	
IETHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :10/17/24 10:38:5	0.5					
IETHOMYL	0.010		0.1	PASS	ND	Dilution: 250	1. 101024 DOF: 10	1024 000				
IEVINPHOS	0.010		0.1	PASS	ND	Reagent : 101124.R22; 081023.0 Consumables : 20240202; 32625		J1024.KU8				
AYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-210						
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is pe		as Chromat	tography Tripl	e-Ouadrupole	Mass Spectrome	etrv in
	0.010		0.20			accordance with F.S. Rule 64ER20-3			. J = J			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/18/24

PASSED

PASSED



Supply Pre-Roll Multipack 2.5g - Blue Pave (I) Blue Pave Matrix : Flower



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41015005-005 Harvest/Lot ID: 5550 0026 6431 6781 Batch# : 5550 0026 6431 Sample

6781 Sampled : 10/15/24 Ordered : 10/15/24 Sample Size Received :11 units Total Amount : 940 units Completed : 10/18/24 Expires: 10/18/25 Sample Method : SOP.T.20.010

Pa	qe	e 4	4 (of	5

Type: Preroll

Ę	Microbia	al			PAS	SED	٠¢٠	I	Mycoto xi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	to:		Extracted	hv
TOTAL YEAS	FAND MOLD	10.00	CFU/g	100	PASS	100000		40	0.9148g	10/16/24 16:2			3379	by.
Analyzed by: 1531, 4520, 58	5, 1440 0.93	ight: 356g	Extraction 0	9:12:15	Extracte 4531	d by:	SOP.T.30.102	.FL (D	OP.T.30.101.FL (Gain avie), SOP.T.40.102.F		40.101.FL	. (Gainesvi	lle),	
nalytical Batc	d : SOP.T.40.056C, SO h : DA079021MIC d : PathogenDx Scann				Batch Dat	te :	Analytical Bat Instrument Us Analyzed Date	ed : N		В	atch Date	:10/16/24	4 09:41:4	4
Analyzed Date Dilution : 10	A-366,Fisher Scientific : 10/17/24 11:03:17 :24.50; 090424.53; 10 7574004047							th F.S.	illzing Liquid Chromatog Rule 64ER20-39.		-Quadrupo			ⁱⁿ
Analyzed by: 4531, 585, 144	Weight: 0 0.9356g		raction date 16/24 09:12		Extracted 4531	by:	ц <u>.,</u> ар		,					
Analytical Batc	d : SOP.T.40.208 (Gair h : DA079022TYM :d : Incubator (25*C) D				e: 10/16/2	4 07:26:3	Metal TOTAL CON ARSENIC	TAMI	NANT LOAD METAL	LOD 5 0.08 0.02	Units ppm ppm	Result ND ND	Pass / Fail PASS PASS	Action Level 1.1 0.2
	: 10/18/24 14:19:49						CADMIUM			0.02	ppm	ND	PASS	0.2
vilution : 10							MERCURY			0.02	ppm	ND	PASS	0.2
leagent: 0904	24.50; 090424.53; 08	2024.R18					LEAD			0.02	ppm	ND	PASS	0.5
Consumables : Pipette : N/A							Analyzed by: 1022, 585, 14	40	Weight: 0.2451g	Extraction da 10/16/24 11:2			Extracted 4056	by:
	nold testing is performed F.S. Rule 64ER20-39.	d utilizing M	IPN and tradit	ional culture base	d techniques	in	Analytical Bat Instrument Us	ch:D sed:D			h Date :]	10/15/24 1	2:54:06	
							100824.R29 Consumables	:1794	801; 101424.R08; 100 436; 20240202; 2105 A-191; DA-219		24.R06; 1	.01424.R0	7; 061724	4.01;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/18/24



Supply Pre-Roll Multipack 2.5g - Blue Pave (I) Blue Pave Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41015005-005 Harvest/Lot ID: 5550 0026 6431 6781 Batch# : 5550 0026 6431

6781 Sampled : 10/15/24 Ordered : 10/15/24

Sample Size Received : 11 units Total Amount : 940 units Completed : 10/18/24 Expires: 10/18/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





PASSED

Batch Date : 10/16/24

Action Level

PASSED

Page 5 of 5

Type: Preroll

Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 13.17	P/F PASS	Action Le
Analyzed by: 1879, 585, 1440	Weight: 1g		raction date		Ext 187	racted by: '9	Analyzed by: 4512, 585, 1440	Weight: 0.503g		xtraction d D/16/24 17		Ext 451	tracted by: 12
		ial Micro	oscope	Batch I	Date: 10/16	/24 14:13:52	Analysis Method : SOP.T.40 Analytical Batch : DA07905 Instrument Used : DA-003 I Analyzer,DA-263 Moisture : Moisture Analyzer Analyzed Date : 10/17/24 0	59MOI Moisture A Analyser,[Date : 10/16/2 16
Consumables : N/ Pipette : N/A	A						Dilution : N/A Reagent : 092520.50; 0201	124.02					
	aterial inspection is per ordance with F.S. Rule			pection utilizi	ng naked eye	e and microscope	Consumables : N/A Pipette : DA-066						
(\bigcirc)	Water A	ctiv	ity		PAS	SSED	Moisture Content analysis utili	izing loss-or	n-drying	technology	in accordance	with F.S. Rule	2 64ER20-39.

Analyte Water Activity	_	OD Units .010 aw	Result 0.523	P/F PASS	Action Level 0.65
Analyzed by: 4512, 585, 1440	Weight: 0.7039g	Extraction 10/16/24			tracted by: 512
Analysis Method : SOF Analytical Batch : DAC Instrument Used : DA- Analyzed Date : 10/17	79060WAT 325 Rotronic Hyg	ropalm HC2-	AW (Probe) Ba	tch Date :	10/16/24 10:18:25
Dilution : N/A Reagent : 051624.02					

Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/18/24