



Certificate of Analysis

Laboratory Sample ID: DA41017003-016



Production Method: Other - Not Listed
Harvest/Lot ID: 0000 0026 6431 6419
Batch#: 0000 0026 6431 6419
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 9061525254614850
Harvest Date: 10/11/24
Sample Size Received: 16 units
Total Amount: 664 units
Retail Product Size: 1 gram
Servings: 1
Ordered: 10/16/24
Sampled: 10/17/24
Completed: 10/20/24
Revision Date: 10/22/24
Sampling Method: SOP.T.20.010

Oct 22, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US



PASSED

Pages 1 of 6

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED
---	---	---	---	---	--	---	---	---

MISC.

 **Cannabinoid** **PASSED**



Total THC
77.942%
 Total THC/Container : 779.420 mg



Total CBD
0.209%
 Total CBD/Container : 2.090 mg



Total Cannabinoids
92.108%
 Total Cannabinoids/Container : 921.080 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.859	87.895	ND	0.239	ND	0.233	2.566	ND	ND	0.117	0.199
mg/unit	8.59	878.95	ND	2.39	ND	2.33	25.66	ND	ND	1.17	1.99
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 1665, 585, 4451 Weight: 0.0909g Extraction date: 10/17/24 15:03:11 Extracted by: 3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA079128POT
 Instrument Used : DA-LC-007
 Analyzed Date : 10/18/24 10:56:00 Batch Date : 10/17/24 12:32:21
 Dilution : 400
 Reagent : 101424.R04; 071624.04; 101424.R05
 Consumables : 947.109; 20240202; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 10/20/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41017003-016

Harvest/Lot ID: 0000 0026 6431 6419

Batch# : 0000 0026 6431
6419

Sampled : 10/17/24
Ordered : 10/17/24

Sample Size Received : 16 units

Total Amount : 664 units

Completed : 10/20/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	54.71	5.471	SABINENE	0.007	ND	ND
LIMONENE	0.007	15.56	1.556	SABINENE HYDRATE	0.007	ND	ND
BETA-MYRCENE	0.007	9.77	0.977	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	7.23	0.723	ALPHA-CEDRENE	0.005	ND	ND
LINALOOL	0.007	7.14	0.714	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	2.51	0.251	ALPHA-TERPINENE	0.007	ND	ND
FARNESENE	0.007	2.18	0.218	CIS-NEROLIDOL	0.003	ND	ND
BETA-PINENE	0.007	2.17	0.217	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.46	0.146				
ALPHA-TERPINEOL	0.007	1.39	0.139	Analysis by:	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	1.33	0.133	4451, 3605, 585	0.2247g	10/17/24 13:16:05	4451
ALPHA-BISABOLOL	0.007	1.14	0.114	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	0.61	0.061	Analytical Batch : DA079122TER			
TRANS-NEROLIDOL	0.005	0.53	0.053	Instrument Used : DA-GCMS-009			Batch Date : 10/17/24 12:22:20
CAMPHENE	0.007	0.50	0.050	Analyzed Date : 10/18/24 10:56:01			
ALPHA-TERPINOLENE	0.007	0.36	0.036	Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	0.31	0.031	Reagent : 090924.04			
GERANIOL	0.007	0.29	0.029	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
FENCHONE	0.007	0.23	0.023	Pipette : DA-065			
3-CARENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
Total (%)			5.471				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
10/20/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41017003-016

Harvest/Lot ID: 0000 0026 6431 6419

Batch# : 0000 0026 6431

6419

Sampled : 10/17/24

Ordered : 10/17/24

Sample Size Received : 16 units

Total Amount : 664 units

Completed : 10/20/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 4451 Weight: 0.2638g Extraction date: 10/17/24 14:32:41 Extracted by: 450,3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA079129PES Batch Date : 10/17/24 12:33:31 Instrument Used : DA-LCMS-005 (PES) Analyzed Date : 10/20/24 10:11:00 Dilution : 250 Reagent : 101624.R33; 101624.R03; 101624.R35; 101624.R34; 082724.R15; 101624.R02; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 4451 Weight: 0.2638g Extraction date: 10/17/24 14:32:41 Extracted by: 450,3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA079132VOL Batch Date : 10/17/24 12:35:17 Instrument Used : DA-GCMS-010 Analyzed Date : 10/20/24 10:09:51 Dilution : 250 Reagent : 101624.R35; 081023.01; 101024.R05; 101024.R08 Consumables : 326250IW; 20240202; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/20/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA41017003-016
Harvest/Lot ID: 0000 0026 6431 6419
Batch# : 0000 0026 6431 6419
Sampled : 10/17/24
Ordered : 10/17/24
Sample Size Received : 16 units
Total Amount : 664 units
Completed : 10/20/24 Expires: 10/22/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 4451	Weight: 0.0266g	Extraction date: 10/20/24 05:32:44	Extracted by: 850
---------------------------------------	---------------------------	--	-----------------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07917650L
Instrument Used : DA-GCMS-002
Analyzed Date : 10/20/24 10:12:20

Batch Date : 10/18/24 14:02:02

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164



Signature
10/20/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA41017003-016
Harvest/Lot ID: 0000 0026 6431 6419
Batch# : 0000 0026 6431 **Sample Size Received : 16 units**
 6419 **Total Amount : 664 units**
Sampled : 10/17/24 **Completed : 10/20/24 Expires: 10/22/25**
Ordered : 10/17/24 **Sample Method : SOP.T.20.010**

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
COLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 4451 **Weight:** 1.0271g **Extraction date:** 10/17/24 13:05:55 **Extracted by:** 4044,4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA079121MIC
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021
Batch Date : 10/17/24 12:21:58
Analyzed Date : 10/18/24 10:40:51
Dilution : 10
Reagent : 092424.31; 090424.52; 100124.R21; 042924.39
Consumables : 7574004046
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 4451 **Weight:** 0.2638g **Extraction date:** 10/17/24 14:32:41 **Extracted by:** 450,3621
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA079131MYC
Instrument Used : N/A **Batch Date :** 10/17/24 12:35:15
Analyzed Date : 10/18/24 09:09:26
Dilution : 250
Reagent : 101624.R33; 101624.R03; 101624.R35; 101624.R34; 082724.R15; 101624.R02; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 4520, 4531, 585, 4451 **Weight:** 1.0271g **Extraction date:** 10/17/24 13:05:55 **Extracted by:** 4044,4520
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA079123TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] **Batch Date :** 10/17/24 12:23:48
Analyzed Date : 10/19/24 19:07:08
Dilution : 10
Reagent : 092424.31; 090424.52; 082024.R18
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 585, 4451 **Weight:** 0.269g **Extraction date:** 10/17/24 13:24:27 **Extracted by:** 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA079125HEA
Instrument Used : DA-ICPMS-005 **Batch Date :** 10/17/24 12:29:41
Analyzed Date : 10/18/24 16:03:05
Dilution : 50
Reagent : 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01; 100824.R29
Consumables : 179436; 20240202; 210508058
Pipette : DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 10/20/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41017003-016
Harvest/Lot ID: 0000 0026 6431 6419
Batch# : 0000 0026 6431 Sample Size Received : 16 units
6419 Total Amount : 664 units
Sampled : 10/17/24 Completed : 10/20/24 Expires: 10/22/25
Ordered : 10/17/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4451	Weight: 1g	Extraction date: 10/17/24 13:25:38	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA079133FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 10/17/24 13:23:14
Analyzed Date : 10/17/24 13:31:49

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.455	PASS	0.85

Analyzed by: 4512, 585, 4451	Weight: 0.4204g	Extraction date: 10/17/24 16:16:22	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA079109WAT
Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe) Batch Date : 10/17/24 10:37:37
Analyzed Date : 10/18/24 09:26:28

Dilution : N/A
Reagent : 051624.02
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/20/24