

Kaycha Labs

Supply Shake 14g - Rnbw Belts (I)

Rnbw Belts (I) Matrix: Flower

Classification: High THC Type: Flower-Cured



Certificate of Analysis

Laboratory Sample ID: DA41017003-025



Production Method: Cured Harvest/Lot ID: 0000002664316242

Batch#: 0000 0026 6431 6242

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1338123062496715

Harvest Date: 09/26/24 Sample Size Received: 3 units

Total Amount: 403 units Retail Product Size: 14 gram

Servings: 1

Ordered: 10/16/24 Sampled: 10/17/24

Completed: 10/19/24 Revision Date: 10/22/24

Sampling Method: SOP.T.20.010

PASSED

Oct 22, 2024 | Sunnyside 22205 Sw Martin Hwy

indiantown, FL, 34956, US



Pages 1 of 5

SAFETY RESULTS



Pesticides PASSED



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Ratch Date: 10/17/24 12:33:48



Water Activity **PASSED**



Moisture **PASSED**



Terpenes TESTED

PASSED



Cannabinoid

20.739%



Total CBD 0.052%

Total CBD/Container: 7.280 mg



Total Cannabinoids

Total Cannabinoids/Container: 3401.720



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA079130POT

Instrument Used : DA-LC-002 Analyzed Date : 10/19/24 19:07:27

Dilution: 400

Reagent: 101424.R04; 071624.04; 100924.R17 Consumables: 947.109; 20240202; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/19/24



Kaycha Labs

Supply Shake 14g - Rnbw Belts (I)

Rnbw Belts (I) Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41017003-025 Harvest/Lot ID: 0000002664316242

Batch#: 0000 0026 6431

Sampled: 10/17/24 Ordered: 10/17/24

Sample Size Received: 3 units Total Amount: 403 units

Completed: 10/19/24 **Expires:** 10/22/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	209.30	1.495		ALPHA-CEDRENE		0.005	ND	ND	
INALOOL	0.007	64.96	0.464		ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	45.36	0.324		ALPHA-PINENE		0.007	ND	ND	
IMONENE	0.007	24.92	0.178		ALPHA-TERPINENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	20.02	0.143		ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	16.52	0.118		BETA-MYRCENE		0.007	ND	ND	
RANS-NEROLIDOL	0.005	14.42	0.103		CIS-NEROLIDOL		0.003	ND	ND	
LPHA-TERPINEOL	0.007	9.66	0.069		GAMMA-TERPINENE		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	8.82	0.063	1	Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
BETA-PINENE	0.007	4.62	0.033	Ī		1.0012g		10/17/24 13		4451
-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.	T.40.061A.FL				
ORNEOL	0.013	ND	ND		Analytical Batch : DA079122TER Instrument Used : DA-GCMS-009				Datah Da	ite: 10/17/24 12:22:20
AMPHENE	0.007	ND	ND		Analyzed Date : 10/18/24 16:04:02				patth Da	INE: 1U/11/24 12.22.2U
AMPHOR	0.007	ND	ND		Dilution: 10					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent: 090924.04					
CEDROL	0.007	ND	ND		Consumables: 947.109; 240321-634-A; 28	0670723; CE0	123			
UCALYPTOL	0.007	ND	ND		Pipette : DA-065					
ARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chr	omatography Ma:	ss Spectro	ometry. For all I	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
IEXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
IEROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
ABINENE HYDRATE	0.007	ND	ND							
/ALENCENE	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/19/24



Kaycha Labs

Supply Shake 14g - Rnbw Belts (I)

Rnbw Belts (I) Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41017003-025 Harvest/Lot ID: 0000002664316242

Batch#:0000 0026 6431

6242 Sampled: 10/17/24 Ordered: 10/17/24 Sample Size Received: 3 units Total Amount: 403 units

Completed: 10/19/24 Expires: 10/22/25 Sample Method: SOP.T.20.010 Page 3 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010			PASS	
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2		ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	P. P.	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZE	NF (PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	(1 (110)	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010		0.1	PASS PASS	ND	CAPTAN *					PASS	
DENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1		ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010			PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND ND	Analyzed by:	Weight:	Extraction	on date:		Extracted I	by:
ETHOATE	0.010		0.1	PASS		3621, 585, 4451	0.9121g	10/17/24	13:54:56		450,3379	
IOPROPHOS	0.010			PASS	ND	Analysis Method: SOP.T.30.	101.FL (Gainesville), SOP.T.30.102	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
DFENPROX	0.010 0.010		0.1	PASS	ND ND	SOP.T.40.102.FL (Davie)						
XAZOLE			0.1	PASS	ND	Analytical Batch : DA079124 Instrument Used : DA-LCMS-			Ratch	Date:10/17/	24 12-28-27	
IHEXAMID	0.010		0.1	PASS	ND	Analyzed Date: 10/18/24 15			Datei	Date . 10/1//	24 12.20.27	
IOXYCARB	0.010		0.1	PASS	ND ND	Dilution: 250						
NPYROXIMATE	0.010		0.1	PASS	ND ND	Reagent: 101624.R33; 1016	24.R03; 101624.R	35; 101624.R3	4; 082724.R	15; 101624.RC	2; 081023.01	
RONIL	0.010		0.1	PASS	ND ND	Consumables: 326250IW						
DNICAMID	0.010		0.1	PASS	ND ND	Pipette : DA-093; DA-094; DA						
JDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents		ng Liquid Chrom	atography Ti	iple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX AZALIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64EI		Evtunction	n data:		Evenence - L	
	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 4451	Weight: 0.9121q	Extraction 10/17/24			Extracted b 450.3379	y:
DACLOPRID ESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.) SOPT 40 15		
SOXIM-METHYL LATHION	0.010		0.1	PASS	ND	Analytical Batch : DA079127		,, 501.1.50.15.	T. "! L (DUVIC	,, 501.1.40.15		
ALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS			Batch Date	:10/17/24 12	:31:15	
FALAXYL FHIOCARB	0.010		0.1	PASS	ND ND	Analyzed Date : 10/18/24 15	:57:40					
	0.010		0.1	PASS	ND	Dilution: 250						
THOMYL			0.1	PASS	ND ND	Reagent: 101624.R35; 0810						
VINPHOS	0.010 0.010		0.1	PASS	ND ND	Consumables: 3262501W; 20 Pipette: DA-080: DA-146: DA		1				
CLOBUTANIL				PASS		1		a Cac Chro	oaranhu T-i-	la Ouadrua-!-	Mass Constr	ter in
LED	0.010	ppm	0.25	PA55	ND	Testing for agricultural agents accordance with F.S. Rule 64EI		iy das Criromat	ograpny IMP	ie-Quadrupole	mass spectrome	uy m

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 10/19/24



Kaycha Labs

Supply Shake 14g - Rnbw Belts (I)

Rnbw Belts (I) Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41017003-025 Harvest/Lot ID: 0000002664316242

Batch#: 0000 0026 6431

Sampled: 10/17/24 Ordered: 10/17/24 Sample Size Received: 3 units Total Amount : 403 units

Completed: 10/19/24 Expires: 10/22/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: Weight:	Extraction dat	e:	Е	xtracted	ov:
TOTAL YEAST AND MOLD	10.00	CFU/g	740	PASS	100000		10/17/24 13:5			50,3379	

Analyzed by: 4520, 585, 4451 Weight: **Extraction date:** Extracted by: 0.8212g 10/17/24 13:05:55 4044,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA079121MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 10/17/24

Scientific Isotemp Heat Block (55*C) DA-021 Analyzed Date: 10/18/24 10:40:56

Reagent: 092424.31; 090424.52; 100124.R21; 042924.39 Consumables: 7574004046

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4531, 585, 4451	0.8212a	10/17/24 13:05:55	4044.4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA079123TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 10/17/24 12:23:48

Analyzed Date: 10/19/24 19:07:12

Dilution: 10

Reagent: 092424.31; 090424.52; 082024.R18

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\$\hat{\pi}	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction dat	e:	E	xtracted I	oy:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA079126MYC Instrument Used : N/A

Batch Date: 10/17/24 12:31:13 Analyzed Date: 10/18/24 10:36:01

Dilution: 250
Reagent: 101624.R33; 101624.R03; 101624.R35; 101624.R34; 082724.R15; 101624.R02; 081023.01

Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal LOD Units Result Fail Pass / Equil Pass / Equil Action Level TOTAL CONTAMINANT LOAD METALS 0.08 ppm ND PASS 1.1 ARSENIC 0.02 ppm ND PASS 0.2 CADMIUM 0.02 ppm ND PASS 0.2 MERCURY 0.02 ppm ND PASS 0.2 LEAD 0.02 ppm ND PASS 0.5						
ARSENIC 0.02 ppm ND PASS 0.2 CADMIUM 0.02 ppm ND PASS 0.2 MERCURY 0.02 ppm ND PASS 0.2	Metal	LOD	Units	Result		Action Level
CADMIUM 0.02 ppm ND PASS 0.2 MERCURY 0.02 ppm ND PASS 0.2	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
MERCURY 0.02 ppm ND PASS 0.2	ARSENIC	0.02	ppm	ND	PASS	0.2
The second secon	CADMIUM	0.02	ppm	ND	PASS	0.2
LEAD 0.02 ppm ND PASS 0.5	MERCURY	0.02	ppm	ND	PASS	0.2
	LEAD	0.02	ppm	ND	PASS	0.5

Weight: Extraction date: Extracted by: 4056, 1022, 585, 4451 0.2671g 10/17/24 13:33:03

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA079125HEA Instrument Used : DA-ICPMS-005

Batch Date: 10/17/24 12:29:41 Analyzed Date: 10/18/24 16:03:09

Dilution: 50

Reagent: 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01; 100824.R29

Consumables: 179436; 20240202; 210508058

Pipette: DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/19/24



Kaycha Labs

Supply Shake 14g - Rnbw Belts (I)

Rnbw Belts (I) Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41017003-025 Harvest/Lot ID: 0000002664316242

Batch#: 0000 0026 6431

Sampled: 10/17/24 Ordered: 10/17/24 Sample Size Received: 3 units Total Amount : 403 units

Completed: 10/19/24 Expires: 10/22/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture Analyzei

Consumables : N/A

Pipette: DA-066

Analysis Method: SOP.T.40.021

Analyzed Date: 10/18/24 09:14:51

Reagent: 092520.50; 020124.02

Moisture

0.502g

Analytical Batch: DA079105MOI Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture

PASSED

15

Batch Date: 10/17/24

4512

Action Level

P/F

PASS

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result Filth and Foreign Material 0.100 % ND PASS **Moisture Content** 1.00 % 13.80 1 Analyzed by: 1879, 585, 4451 Extraction date: Analyzed by: 4512, 585, 4451 Extraction date Weight: Extracted by:

1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA079133FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 10/17/24 13:23:14

1g

Analyzed Date: 10/17/24 13:31:42

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

10/17/24 13:25:39



Analyte

Water Activity

LOD Units Result P/F **Action Level** PASS

Water Activity 0.010 aw 0.539 0.65 Extraction date: 10/17/24 16:27:12 Analyzed by: 4512, 585, 4451 Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA079106WAT

Instrument Used: DA-327 Rotronic Hygropalm HC2-AW (Probe) Batch Date: 10/17/24 10:14:54

Analyzed Date: 10/18/24 09:18:47

Dilution: N/A Reagent: 051624.02 Consumables : PS-14 Pipette: N/A

Revision: #1

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 10:13:57

10/17/24 16:04:46

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/19/24

This revision supersedes any and all previous versions of this document.