




Certificate of Analysis

Laboratory Sample ID: DA41018001-011



Oct 23, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



MISC.

Terpenes
TESTED



Cannabinoid

PASSED



Total THC

22.282%

Total THC/Container : 1559.740 mg



Total CBD

0.046%

Total CBD/Container : 3.220 mg



Total Cannabinoids

26.143%

Total Cannabinoids/Container : 1830.010 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|---------|-----|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.739 | 24.565 | ND | 0.053 | ND | 0.094 | 0.538 | ND | ND | ND | 0.154 |
| mg/unit | 51.73 | 1719.55 | ND | 3.71 | ND | 6.58 | 37.66 | ND | ND | ND | 10.78 |
| LOD | 0.001 | 0.001 | | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analized by:
3335, 1665, 585, 4571

Weight:
0.2006g

Extraction date:
10/21/24 09:46:56

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079237POT

Instrument Used : DA-LC-001

Analyzed Date : 10/22/24 23:02:22

Batch Date : 10/21/24 06:51:16

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/23/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-011

Harvest/Lot ID: 9400 2617 7018 3504

Batch# : 9400 2617 7018 3504

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 7 units

Total Amount : 1660 units

Completed : 10/23/24 Expires: 10/23/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 93.17 | 1.331 | | VALENCENE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 34.09 | 0.487 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 19.74 | 0.282 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 11.13 | 0.159 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 10.64 | 0.152 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 3.92 | 0.056 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| BETA-PINENE | 0.007 | 3.15 | 0.045 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 2.87 | 0.041 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 2.87 | 0.041 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-BISABOLOL | 0.007 | 2.66 | 0.038 | | 4451, 3605, 585, 4571 | 1.137g | 10/19/24 13:56:14 | 4451 | |
| ALPHA-PINENE | 0.007 | 2.10 | 0.030 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| 3-CARENE | 0.007 | ND | ND | | Analytical Batch : DA070199TER | | | | |
| BORNEOL | 0.013 | ND | ND | | Instrument Used : DA-GCMS-009 | | | | |
| CAMPHENE | 0.007 | ND | ND | | Analyzed Date : 10/21/24 12:50:14 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Dilution : 10 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Reagent : 081924.03 | | | | |
| CEDROL | 0.007 | ND | ND | | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| FARNESENE | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.331 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/23/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-011

Harvest/Lot ID: 9400 2617 7018 3504

Batch# : 9400 2617 7018
3504

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 7 units

Total Amount : 1660 units

Completed : 10/23/24 Expires: 10/23/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|--|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 3379, 3621, 585, 4571 | Weight: | 0.9708g | Extraction date: | 10/21/24 14:07:36 |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | Extracted by: | 3379 |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA079212PES | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : | DA-LCMS-003 (PES) | | | Batch Date : | 10/19/24 13:41:11 |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 10/22/24 13:38:49 | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : | 250 | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 101824.R12; 081023.01 | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 20240202; 326250IW | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | N/A | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 450, 585, 4571 | Weight: | 0.9708g | Extraction date: | 10/21/24 14:07:36 |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | Extracted by: | 3379 |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA079213VOL | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Instrument Used : | DA-GCMS-011 | | | Batch Date : | 10/19/24 13:43:28 |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 10/22/24 12:36:50 | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Dilution : | 250 | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 101824.R12; 081023.01; 101024.R05; 101024.R08 | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 20240202; 326250IW; 14725401 | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-080; DA-146; DA-218 | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/23/24



Supply Shake 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



PASSED

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-011
Harvest/Lot ID: 9400 2617 7018 3504

| | |
|---------------------------------|---|
| Batch# : 9400 2617 7018 3504 | Sample Size Received : 7 units Total Amount : 1660 units |
| Sampled : 10/18/24 | Completed : 10/23/24 Expires: 10/23/25 |
| Ordered : 10/18/24 | Sample Method : SOP T.20.010 |

Page 4 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/23/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-011

Harvest/Lot ID: 9400 2617 7018 3504

Batch# : 9400 2617 7018
3504

Sampled : 10/18/24

Ordered : 10/18/24

Sample Size Received : 7 units

Total Amount : 1660 units

Completed : 10/23/24 Expires: 10/23/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---|---------------|---------------------------------------|-----------------------|------|--------------|---|-------------------|---------------------------------------|-----------------------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 14.65 | PASS | 15 |
| Analyzed by: 1879, 585, 4571 | Weight: 1g | Extraction date: 10/20/24 11:56:43 | Extracted by: 1879 | | | Analyzed by: 4512, 585, 4571 | Weight: 0.503g | Extraction date: 10/20/24 13:52:49 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA079234FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/20/24 12:11:06 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA079196MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:07:23 Moisture Analyzer Analyzed Date : 10/21/24 12:37:07 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |
| Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|-------------------|---------------------------------------|-----------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.547 | PASS | 0.65 |
| Analyzed by: 4512, 585, 4571 | Weight: 0.651g | Extraction date: 10/20/24 14:43:18 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA079198WAT Instrument Used : DA-327 Rotronic Hygropalm HC2-AW (Probe) Batch Date : 10/19/24 11:11:47 Analyzed Date : 10/21/24 12:40:15 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | |
| Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/23/24