




Certificate of Analysis

Laboratory Sample ID: DA41018001-015



Oct 22, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
20.549%

Total THC/Container : 513.725 mg



Total CBD
0.039%

Total CBD/Container : 0.975 mg



Total Cannabinoids
23.660%

Total Cannabinoids/Container : 591.500 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.111	21.024	ND	0.045	0.036	0.068	0.266	ND	ND	ND	0.110
mg/unit	52.78	525.60	ND	1.13	0.90	1.70	6.65	ND	ND	ND	2.75
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 1665, 585, 4571

Weight:
0.2093g

Extraction date:
10/21/24 09:45:32

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079238POT

Instrument Used : DA-LC-001

Analyzed Date : 10/22/24 11:35:00

Batch Date : 10/21/24 06:52:51

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rnbw Shrbt (I)
Rnbw Shrbt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-015

Harvest/Lot ID: 5278 5673 2371 5950

Batch# : 5278 5673 2371
5950

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 1000 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	28.45	1.138		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.88	0.315		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	6.75	0.270		ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.73	0.109		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	2.35	0.094		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	2.23	0.089		BETA-PINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.05	0.082		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	2.03	0.081		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	1.73	0.069						
BETA-MYRCENE	0.007	0.73	0.029		Analysis by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.007	ND	ND		4451, 3605, 585, 4571	1.0407g	10/19/24 13:56:14	4451	
BORNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	ND	ND		Analytical Batch : DA070199TER				
CAMPHOR	0.007	ND	ND		Instrument Used : DA-GCMS-009				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Analyzed Date : 10/21/24 12:50:26				
CEDROL	0.007	ND	ND		Dilution : 10				
EUCALYPTOL	0.007	ND	ND		Reagent : 081924.03				
FARNESENE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
FENCHONE	0.007	ND	ND		Pipette : DA-065				
GERANIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.138						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rnbw Shrbt (I)

Rnbw Shrbt (I)

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41018001-015

Harvest/Lot ID: 5278 5673 2371 5950

Batch# : 5278 5673 2371
5950

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 1000 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis by: 3379, 3621, 585, 4571	Weight: 0.9443g	Extraction date: 10/21/24 14:07:36	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA079212PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 10/19/24 13:41:11	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/22/24 13:38:55					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 101824.R12; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis by: 450, 585, 4571	Weight: 0.9443g	Extraction date: 10/21/24 14:07:36	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA079213VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 10/19/24 13:43:28	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Date : 10/22/24 12:36:52					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 101824.R12; 081023.01; 101024.R05; 101024.R08					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rnbw Shrbt (I)
Rnbw Shrbt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-015

Harvest/Lot ID: 5278 5673 2371 5950

Batch# : 5278 5673 2371
5950

Sampled : 10/18/24
Ordered : 10/18/24


Sample Size Received : 11 units


Total Amount : 1000 units


Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10.00	CFU/g	10	PASS	100000	
Analyzed by: 4531, 4520, 585, 4571	Weight: 0.916g	Extraction date: 10/19/24 12:32:15	Extracted by: 4044			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA079180MIC Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Batch Date : 10/19/24 08:57:29 Analyzed Date : 10/22/24 11:58:30 Dilution : 10 Reagent : 092424.39; 090424.55; 100124.R21; 100824.R30; 042924.39 Consumables : 7576003053 Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	
Analyzed by: 3379, 3621, 585, 4571	Weight: 0.9443g	Extraction date: 10/21/24 14:07:36	Extracted by: 3379			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA079215MYC Instrument Used : N/A Batch Date : 10/19/24 13:45:12 Analyzed Date : 10/22/24 13:37:55 Dilution : 250 Reagent : 101824.R12; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	<0.100	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	<0.100	PASS	0.5	
Analyzed by: 1022, 585, 4571	Weight: 0.2243g	Extraction date: 10/19/24 12:32:28	Extracted by: 4571,1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA079204HEA Instrument Used : DA-ICPMS-004 Batch Date : 10/19/24 11:31:00 Analyzed Date : 10/22/24 11:32:40 Dilution : 50 Reagent : 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01; 100824.R29 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rnbw Shrbt (I)
Rnbw Shrbt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-015

Harvest/Lot ID: 5278 5673 2371 5950

Batch# : 5278 5673 2371
5950

Sampled : 10/18/24

Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 1000 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.85	PASS	15
Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 10/20/24 11:56:43			Extracted by: 1879	Analyzed by: 4512, 585, 4571	Weight: 0.504g	Extraction date: 10/20/24 13:52:49			Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA079234FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/20/24 12:11:03						Analysis Method : SOP.T.40.021 Analytical Batch : DA079196MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:07:23 Moisture Analyzer Analyzed Date : 10/21/24 12:37:09					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.537	PASS	0.65
Analyzed by: 4512, 585, 4571	Weight: 0.603g	Extraction date: 10/20/24 14:43:18	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA079198WAT					
Instrument Used : DA-327 Rotronic Hygropalm HC2-AW (Probe)			Batch Date : 10/19/24 11:11:47		
Analyzed Date : 10/21/24 12:40:17					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24