



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41018001-022



Nov 11, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**27.490%**

Total THC/Container : 687.250 mg



Total CBD

**0.058%**

Total CBD/Container : 1.450 mg



Total Cannabinoids

**32.218%**

Total Cannabinoids/Container : 805.450 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.895	30.325	ND	0.067	ND	0.112	0.633	ND	ND	ND	0.186
mg/unit	22.38	758.13	ND	1.68	ND	2.80	15.83	ND	ND	ND	4.65
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 1665, 585, 4571

Weight:  
0.1993g

Extraction date:  
10/21/24 09:45:32

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079238POT

Instrument Used : DA-LC-001

Analyzed Date : 10/22/24 11:35:39

Batch Date : 10/21/24 06:52:51

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/22/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rollins x Sgr Ddy (S)  
Rollins x Sgr Ddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-022

Harvest/Lot ID: 4682 8881 6806 8297

Batch# : 4682 8881 6806

8297

Sampled : 10/18/24

Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 720 units

Completed : 10/22/24 Expires: 11/11/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	40.00	1.600		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.55	0.582		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	8.28	0.331		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.68	0.187		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	4.55	0.182		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	1.60	0.064		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	1.35	0.054		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.18	0.047		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	1.15	0.046						
ALPHA-BISABOLOL	0.007	1.13	0.045		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.88	0.035		4451, 3605, 585, 4571	1.0035g	10/19/24 13:56:15	4451	
FARNESENE	0.007	0.68	0.027		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA070199TER				
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009				
CAMPHENE	0.007	ND	ND		Analyzed Date : 10/21/24 12:50:38				
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 081924.03				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
FENCHONE	0.007	ND	ND		Pipette : DA-065				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.600						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/22/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rollins x Sgr Ddy (S)

Rollins x Sgr Ddy (S)

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-022

Harvest/Lot ID: 4682 8881 6806 8297

Batch# : 4682 8881 6806  
8297

Sampled : 10/18/24

Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 720 units

Completed : 10/22/24 Expires: 11/11/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND		
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND		
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND		
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND		
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by:	3379, 3621, 585, 4571	Weight:	0.9222g	Extraction date:	10/21/24 14:07:37		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				Extracted by:	3379	
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA079212PES						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				Batch Date :	10/19/24 13:41:11	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date :	10/22/24 13:39:07						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution :	250						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent :	101824.R12; 081023.01						
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables :	20240202; 326250IW						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette :	N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 4571	Weight:	0.9222g	Extraction date:	10/21/24 14:07:37	Extracted by:	3379
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA079213VOL						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-011				Batch Date :	10/19/24 13:43:28	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date :	10/22/24 12:36:57						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution :	250						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent :	101824.R12; 081023.01; 101024.R05; 101024.R08						
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables :	20240202; 326250IW; 14725401						
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
METHOMYL	0.010	ppm	0.1	PASS	ND								
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND								
NALED	0.010	ppm	0.25	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/22/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rollins x Sgr Ddy (S)  
Rollins x Sgr Ddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-022

Harvest/Lot ID: 4682 8881 6806 8297

Batch# : 4682 8881 6806  
8297

Sampled : 10/18/24  
Ordered : 10/18/24


Sample Size Received : 11 units

Total Amount : 720 units

Completed : 10/22/24 Expires: 11/11/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 3621, 585, 4571      Weight: 0.9222g      Extraction date: 10/21/24 14:07:37      Extracted by: 3379					
TOTAL YEAST AND MOLD	10.00	CFU/g	430	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 4044, 4520, 585, 4571      Weight: 1.122g      Extraction date: 10/19/24 12:29:05      Extracted by: 4044						Analytical Batch : DA079215MYC      Instrument Used : N/A      Batch Date : 10/19/24 13:45:12					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analyzed Date : 10/22/24 13:38:00					
Analytical Batch : DA079182MIC						Dilution : 250					
Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Reagent : 101824.R12; 081023.01					
Analyzed Date : 10/22/24 12:37:34						Consumables : 20240202; 326250IW					
Dilution : 10						Pipette : N/A					
Reagent : 092424.39; 090424.55; 100124.R21; 100824.R30; 042924.39						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Consumables : 7576003053						<div><div><div>Hg</div></div></div>					
Pipette : N/A						Heavy Metals					
Analyzed by: 4044, 4520, 585, 4571      Weight: 1.122g      Extraction date: 10/19/24 12:29:05      Extracted by: 4044						PASSED					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal					
Analytical Batch : DA079183TYM						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						0.08 ppm ND PASS 1.1					
Analyzed Date : 10/22/24 11:59:29						0.02 ppm ND PASS 0.2					
Dilution : 10						0.02 ppm ND PASS 0.2					
Reagent : 092424.39; 090424.55; 082024.R18						0.02 ppm ND PASS 0.2					
Consumables : N/A						0.02 ppm <0.100 PASS 0.5					
Pipette : N/A						Analyzed by: 1022, 585, 4571      Weight: 0.2358g      Extraction date: 10/19/24 12:40:03      Extracted by: 4571,1022					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
						Analytical Batch : DA079204HEA					
						Instrument Used : DA-ICPMS-004      Batch Date : 10/19/24 11:31:00					
						Analyzed Date : 10/22/24 11:32:47					
						Dilution : 50					
						Reagent : 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01; 100824.R29					
						Consumables : 179436; 20240202; 210508058					
						Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/22/24

Revision: #2

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Rollins x Sgr Ddy (S)  
Rollins x Sgr Ddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-022

Harvest/Lot ID: 4682 8881 6806 8297

Batch# : 4682 8881 6806  
8297

Sampled : 10/18/24

Ordered : 10/18/24

Sample Size Received : 11 units

Total Amount : 720 units

Completed : 10/22/24 Expires: 11/11/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.37	PASS	15
Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 10/20/24 11:58:08	Extracted by: 1879			Analyzed by: 4512, 585, 4571	Weight: 0.5g	Extraction date: 10/20/24 13:52:49	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA079234FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/20/24 12:10:58						Analysis Method : SOP.T.40.021 Analytical Batch : DA079196MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:07:23 Moisture Analyzer Analyzed Date : 10/21/24 12:37:12					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.482	PASS	0.65
Analyzed by: 4512, 585, 4571	Weight: 0.769g	Extraction date: 10/20/24 14:43:18	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA079198WAT					
Instrument Used : DA-327 Rotronic Hygropalm HC2-AW (Probe)			Batch Date : 10/19/24 11:11:47		
Analyzed Date : 10/21/24 12:40:21					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/22/24

Revision: #2

This revision supersedes any and all previous versions of this document.