



Certificate of Analysis

Laboratory Sample ID: DA41018001-027



Production Method: Other - Not Listed
Harvest/Lot ID: 4081 0343 1279 8006
Batch#: 4081 0343 1279 8006
Cultivation Facility: FL - Indiantown (4430)
Processing Facility : FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 4446501882995346
Harvest Date: 10/16/24
Sample Size Received: 16 units
Total Amount: 375 units
Retail Product Size: 1 gram
Servings: 1
Ordered: 10/18/24
Sampled: 10/18/24
Completed: 10/22/24
Sampling Method: SOP.T.20.010

Oct 22, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
90.832%

Total THC/Container : 908.320 mg



Total CBD
0.346%

Total CBD/Container : 3.460 mg



Total Cannabinoids
94.707%

Total Cannabinoids/Container : 947.070 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	90.765	0.077	0.311	0.041	ND	2.253	ND	0.651	0.379	ND	0.230
mg/unit	907.65	0.77	3.11	0.41	ND	22.53	ND	6.51	3.79	ND	2.30
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4571

Weight:
0.1071g

Extraction date:
10/21/24 09:35:21

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079242POT

Instrument Used : DA-LC-003

Analyzed Date : 10/22/24 11:43:07

Batch Date : 10/21/24 07:02:22

Dilution : 400

Reagent : 101724.R06; 071624.04; 101724.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-027

Harvest/Lot ID: 4081 0343 1279 8006

Batch# : 4081 0343 1279
8006

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 16 units

Total Amount : 375 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.37	2.437		ISOBORNEOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	5.60	0.560		ISOPULEGOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.69	0.269		NEROL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.91	0.191		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	1.50	0.150		SABINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.35	0.135		SABINENE HYDRATE	0.007	ND	ND	
OCIMENE	0.007	1.12	0.112		ALPHA-CEDRENE	0.005	ND	ND	
TRANS-NEROLIDOL	0.005	1.06	0.106		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-PINENE	0.007	0.82	0.082		Analyzed by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	0.81	0.081		3605, 585, 4571	0.208g	10/21/24 11:42:58	3605	
ALPHA-TERPINEOL	0.007	0.70	0.070		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LINALOOL	0.007	0.67	0.067		Analytical Batch : DA079200TER				
BORNEOL	0.013	0.64	0.064		Instrument Used : DA-GCMS-004				
ALPHA-BISABOLOL	0.007	0.64	0.064		Analyzed Date : 10/22/24 12:34:53				
CARYOPHYLLENE OXIDE	0.007	0.61	0.061		Dilution : 10				
FENCHYL ALCOHOL	0.007	0.60	0.060		Reagent : 081924.03				
3-CARENE	0.007	0.56	0.056		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ALPHA-HUMULENE	0.007	0.47	0.047		Pipette : DA-065				
GERANIOL	0.007	0.45	0.045		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-PHELLANDRENE	0.007	0.44	0.044						
HEXAHYDROTHYMOL	0.007	0.43	0.043						
ALPHA-TERPINENE	0.007	0.41	0.041						
GUAIOL	0.007	0.31	0.031						
GAMMA-TERPINENE	0.007	0.30	0.030						
CAMPHERE	0.007	0.28	0.028						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
Total (%)			2.437						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41018001-027

Harvest/Lot ID: 4081 0343 1279 8006

Batch# : 4081 0343 1279
8006

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 16 units

Total Amount : 375 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND		
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND		
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND		
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND		
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis by:	3379, 3621, 585, 4571	Weight:	0.2652g	Extraction date:	10/21/24 14:14:55	Extracted by:	3379
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA079205PES						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	10/22/24 12:43:14						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250						
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	101824.R12; 081023.01						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	20240202; 326250IW						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	N/A						
FIPRONIL	0.010	ppm	0.1	PASS	ND								
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis by:	450, 585, 4571	Weight:	0.2652g	Extraction date:	10/21/24 14:14:55	Extracted by:	3379
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA079206VOL						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	10/22/24 11:42:26						
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250						
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	101824.R12; 081023.01; 101024.R05; 101024.R08						
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	20240202; 326250IW; 14725401						
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
NALED	0.010	ppm	0.25	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-027

Harvest/Lot ID: 4081 0343 1279 8006

Batch# : 4081 0343 1279
8006

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 16 units

Total Amount : 375 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4571

Weight:
0.0263g

Extraction date:
10/21/24 14:16:18

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07922450L
Instrument Used : DA-GCMS-002
Analyzed Date : 10/22/24 12:08:39

Batch Date : 10/19/24 15:22:48

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 1g - Nnapl Exp (H)
Nnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-027

Harvest/Lot ID: 4081 0343 1279 8006

Batch# : 4081 0343 1279
8006

Sampled : 10/18/24
Ordered : 10/18/24


Sample Size Received : 16 units


Total Amount : 375 units


Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4520, 585, 4571	Weight: 0.885g	Extraction date: 10/19/24 12:29:06	Extracted by: 4044		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA079182MIC Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Batch Date : 10/19/24 09:04:42 Analyzed Date : 10/22/24 12:37:42 Dilution : 10 Reagent : 092424.39; 090424.55; 100124.R21; 100824.R30; 042924.39 Consumables : 7576003053 Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 3621, 585, 4571	Weight: 0.2652g	Extraction date: 10/21/24 14:14:55	Extracted by: 3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA079207MYC Instrument Used : N/A Batch Date : 10/19/24 13:23:30 Analyzed Date : 10/22/24 12:46:19 Dilution : 250 Reagent : 101824.R12; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4571	Weight: 0.2673g	Extraction date: 10/19/24 17:21:12	Extracted by: 1879,4571,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA079221HEA Instrument Used : DA-ICPMS-004 Batch Date : 10/19/24 13:55:34 Analyzed Date : 10/22/24 12:34:22 Dilution : 50 Reagent : 101424.R01; 101424.R08; 101624.R36; 101424.R06; 101424.R07; 061724.01; 100824.R29 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41018001-027

Harvest/Lot ID: 4081 0343 1279 8006

Batch# : 4081 0343 1279
8006

Sampled : 10/18/24
Ordered : 10/18/24

Sample Size Received : 16 units

Total Amount : 375 units

Completed : 10/22/24 Expires: 10/22/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 10/20/24 11:58:08	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA079234FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 10/20/24 11:51:16

Analyzed Date : 10/20/24 12:10:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.577	PASS	0.85

Analyzed by: 4512, 585, 4571	Weight: 0.1878g	Extraction date: 10/20/24 15:14:25	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA079197WAT

Instrument Used : DA-327 Rotronic Hygropalm HC2-AW (Probe) Batch Date : 10/19/24 11:08:13

Analyzed Date : 10/21/24 12:32:12

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/22/24