



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41021002-003



Production Method: Cured
Harvest/Lot ID: 0373 4512 9856 5774
Batch#: 0373 4512 9856 5774
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 9092015022433107
Harvest Date: 10/11/24
Sample Size Received: 4 units
Total Amount: 723 units
Retail Product Size: 14 gram
Servings: 1
Ordered: 10/21/24
Sampled: 10/21/24
Completed: 10/24/24
Revision Date: 10/25/24
Sampling Method: SOP.T.20.010

Oct 25, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
 TESTED

MISC.

Cannabinoid **PASSED**



Total THC
20.759%
 Total THC/Container : 2906.260 mg



Total CBD
0.055%
 Total CBD/Container : 7.700 mg



Total Cannabinoids
23.912%
 Total Cannabinoids/Container : 3347.680 mg

| | D9-THC | THCA | CBD | CBDa | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 2.313 | 21.034 | ND | 0.063 | 0.034 | 0.081 | 0.272 | ND | ND | ND | 0.115 |
| mg/unit | 323.82 | 2944.76 | ND | 8.82 | 4.76 | 11.34 | 38.08 | ND | ND | ND | 16.10 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | | | | | | | | | | |

Analyzed by: 3335, 585, 4451 Weight: 0.2007g Extraction date: 10/22/24 13:24:33 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA079278POT
 Instrument Used : DA-LC-002 Batch Date : 10/22/24 09:59:28
 Analyzed Date : 10/23/24 09:26:49
 Dilution : 400
 Reagent : 101424.R04; 071624.04; 100924.R17
 Consumables : 947.109; 20240202; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 10/24/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41021002-003

Harvest/Lot ID: 0373 4512 9856 5774

Batch# : 0373 4512 9856
5774

Sampled : 10/21/24
Ordered : 10/21/24

Sample Size Received : 4 units

Total Amount : 723 units

Completed : 10/24/24 Expires: 10/25/25

Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes | | | | TESTED | | | |
|---------------------|---------|-----------|--------------|--|---------|-------------------|---------------|
| Terpenes | LOD (%) | mg/unit % | Result (%) | Terpenes | LOD (%) | mg/unit % | Result (%) |
| TOTAL TERPENES | 0.007 | 124.04 | 0.886 | VALENCENE | 0.007 | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | 28.42 | 0.203 | ALPHA-CEDRENE | 0.005 | ND | ND |
| LINALOOL | 0.007 | 27.30 | 0.195 | ALPHA-PHELLANDRENE | 0.007 | ND | ND |
| LIMONENE | 0.007 | 14.42 | 0.103 | ALPHA-PINENE | 0.007 | ND | ND |
| ALPHA-HUMULENE | 0.007 | 10.64 | 0.076 | ALPHA-TERPINENE | 0.007 | ND | ND |
| ALPHA-TERPINEOL | 0.007 | 9.80 | 0.070 | ALPHA-TERPINOLENE | 0.007 | ND | ND |
| FENCHYL ALCOHOL | 0.007 | 8.96 | 0.064 | CIS-NEROLIDOL | 0.003 | ND | ND |
| ALPHA-BISABOLOL | 0.007 | 8.26 | 0.059 | GAMMA-TERPINENE | 0.007 | ND | ND |
| TRANS-NEROLIDOL | 0.005 | 6.72 | 0.048 | | | | |
| BETA-MYRCENE | 0.007 | 6.16 | 0.044 | Analysis by: | Weight: | Extraction date: | Extracted by: |
| BETA-PINENE | 0.007 | 3.36 | 0.024 | 4451, 3605, 585 | 1.0851g | 10/22/24 12:58:26 | 4451 |
| 3-CARENE | 0.007 | ND | ND | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | |
| BORNEOL | 0.013 | ND | ND | Analytical Batch : DA079273TER | | | |
| CAMPHENE | 0.007 | ND | ND | Instrument Used : DA-GCMS-004 | | | |
| CAMPHOR | 0.007 | ND | ND | Analyzed Date : 10/23/24 10:36:34 | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | Dilution : 10 | | | |
| CECROL | 0.007 | ND | ND | Reagent : 081924.03 | | | |
| EUCALYPTOL | 0.007 | ND | ND | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | |
| FARNESENE | 0.001 | ND | ND | Pipette : DA-065 | | | |
| FENCHONE | 0.007 | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | |
| GERANIOL | 0.007 | ND | ND | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | |
| GUAIOL | 0.007 | ND | ND | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | |
| NEROL | 0.007 | ND | ND | | | | |
| OCIMENE | 0.007 | ND | ND | | | | |
| PULEGONE | 0.007 | ND | ND | | | | |
| SABINENE | 0.007 | ND | ND | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | |
| Total (%) | | | 0.886 | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/24/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA41021002-003

 22205 Sw Martin Hwy
 indianatown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 0373 4512 9856 5774

 Batch#: 0373 4512 9856 5774
 Sample Size Received : 4 units
 Total Amount : 723 units
 Completed : 10/24/24 Expires: 10/25/25
 Ordered : 10/21/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINO CYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 4451 Weight: 0.8625g Extraction date: 10/22/24 15:31:25 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA079267PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 10/22/24 09:18:37 Analyzed Date : 10/23/24 11:07:35 Dilution : 250 Reagent : 102124.R01; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 4451 Weight: 0.8625g Extraction date: 10/22/24 15:31:25 Extracted by: 3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA079269VOL Instrument Used : DA-GCMS-011 Batch Date : 10/22/24 09:20:33 Analyzed Date : 10/23/24 10:34:36 Dilution : 250 Reagent : 102124.R01; 081023.01; 101024.R05; 101024.R08 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/24/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41021002-003
Harvest/Lot ID: 0373 4512 9856 5774
Batch# : 0373 4512 9856 5774
Sample Size Received : 4 units
Total Amount : 723 units
Completed : 10/24/24 Expires: 10/25/25
Sample Method : SOP.T.20.010
Ordered : 10/21/24

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 30 | PASS | 100000 |
| Analyzed by: 3390, 4520, 585, 4451 Weight: 1.046g Extraction date: 10/22/24 12:29:57 Extracted by: 4044,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA079265MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 10/23/24 10:19:26 Dilution : 10 Reagent : 092424.32; 092424.34; 100824.R30; 042924.39 Consumables : 7575003012 Pipette : N/A | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 4451 Weight: 0.8625g Extraction date: 10/22/24 15:31:25 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA079268MYC Instrument Used : N/A Batch Date : 10/22/24 09:20:16 Analyzed Date : 10/23/24 10:45:24 Dilution : 250 Reagent : 102124.R01; 081023.01 Consumables : 20240202; 326250IW Pipette : N/A | | | | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-----|-------|--------|-------------|--------------|
| Analyzed by: 3390, 3621, 585, 4451 Weight: 1.046g Extraction date: 10/22/24 12:29:57 Extracted by: 4044,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA079266TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 10/22/24 09:16:49 Analyzed Date : 10/24/24 14:59:35 Dilution : 10 Reagent : 092424.32; 092424.34; 082024.R18 Consumables : N/A Pipette : N/A | | | | | |

| | | |
|---|---------------------|---------------|
|  | Heavy Metals | PASSED |
|---|---------------------|---------------|

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | <0.100 | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |

| | | | | | |
|--|--|--|--|--|--|
| Analyzed by: 1022, 585, 4451 Weight: 0.249g Extraction date: 10/22/24 11:58:13 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA079287HEA Instrument Used : DA-ICPMS-004 Batch Date : 10/22/24 11:26:13 Analyzed Date : 10/23/24 11:09:05 Dilution : 50 Reagent : 101424.R01; 102124.R07; 101624.R36; 102124.R05; 102124.R06; 061724.01; 100824.R29 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | |
|--|--|--|--|--|--|

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
10/24/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA41021002-003

Harvest/Lot ID: 0373 4512 9856 5774

 Batch# : 0373 4512 9856 5774
 Sample Size Received : 4 units
 Total Amount : 723 units
 Completed : 10/24/24 Expires: 10/25/25
 Ordered : 10/21/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material **PASSED**

Moisture **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|-------|-------|--------|------|--------------|---|------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 12.88 | PASS | 15 |
| Analyzed by: 1879, 585, 4451 Weight: 1g Extraction date: 10/23/24 09:25:37 Extracted by: 1879 Analysis Method : SOP.T.40.090 Analytical Batch : DA079320FIL Instrument Used : Filth/Foreign Material Microscope Batch Date : 10/23/24 09:19:34 Analyzed Date : 10/23/24 10:17:28 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Analyzed by: 4571, 585, 4451 Weight: 0.503g Extraction date: 10/22/24 16:13:49 Extracted by: 4571 Analysis Method : SOP.T.40.021 Analytical Batch : DA079296MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 12:22:49 Batch Date : 10/22/24 Moisture Analyzer Analyzed Date : 10/23/24 09:24:29 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.531 | PASS | 0.65 |
| Analyzed by: 4571, 585, 4451 Weight: 0.926g Extraction date: 10/22/24 16:09:09 Extracted by: 4571 Analysis Method : SOP.T.40.019 Analytical Batch : DA079301WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 10/22/24 12:34:53 Analyzed Date : 10/23/24 09:25:54 Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/24/24