



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41023006-006



Oct 27, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.621%

Total THC/Container : 836.210 mg



Total CBD

0.163%

Total CBD/Container : 1.630 mg



Total Cannabinoids

95.526%

Total Cannabinoids/Container : 955.260 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.780 | 94.460 | ND | 0.186 | 0.100 | ND | ND | ND | ND | ND | ND |
| mg/unit | 7.80 | 944.60 | ND | 1.86 | 1.00 | ND | ND | ND | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1102g

Extraction date:
10/24/24 13:16:55

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079352POT

Instrument Used : DA-LC-003

Analyzed Date : 10/27/24 10:33:18

Batch Date : 10/24/24 08:38:05

Dilution : 400

Reagent : 102324.R04; 071624.04; 101724.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-006

Harvest/Lot ID: 0907 2096 6645 0186

Batch# : 0907 2096 6645
0186

Sampled : 10/23/24
Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 551 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|-----------------|------------------------------------|--------------------|--------------------------------|
| TOTAL TERPENES | 0.007 | 43.69 | 4.369 | | PULEGONE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 19.94 | 1.994 | | SABINENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 3.52 | 0.352 | | VALENCENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 3.14 | 0.314 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 3.01 | 0.301 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 2.95 | 0.295 | | BETA-CARYOPHYLLENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 2.60 | 0.260 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 2.05 | 0.205 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 1.74 | 0.174 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-BISABOLOL | 0.007 | 1.41 | 0.141 | | Analyzed by: 3605, 585, 1440 | Weight: 0.2092g | Extraction date: 10/24/24 13:20:28 | Extracted by: 3605 | |
| BORNEOL | 0.013 | 0.90 | 0.090 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| CAMPENE | 0.007 | 0.68 | 0.068 | | Analytical Batch : DA079357TER | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.54 | 0.054 | | Instrument Used : DA-GCMS-004 | | | | |
| SABINENE HYDRATE | 0.007 | 0.36 | 0.036 | | Analyzed Date : 10/27/24 10:36:55 | | | | Batch Date : 10/24/24 08:40:33 |
| FENCHONE | 0.007 | 0.32 | 0.032 | | Dilution : 10 | | | | |
| GAMMA-TERPINENE | 0.007 | 0.29 | 0.029 | | Reagent : 081924.03 | | | | |
| ALPHA-TERPINENE | 0.007 | 0.24 | 0.024 | | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | | |
| 3-CARENE | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| CAMPOR | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FARNESENE | 0.001 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 4.369 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41023006-006

Harvest/Lot ID: 0907 2096 6645 0186

Batch# : 0907 2096 6645
0186

Sampled : 10/23/24
Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 551 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------|-------------------|---------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 0.2573g | 10/24/24 15:14:12 | 450,3621 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Analytical Batch : DA079365PES | | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | | | Batch Date : 10/24/24 08:53:36 | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 10/25/24 10:34:53 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Dilution : 250 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01 | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Consumables : 326250IW | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | 450, 585, 1440 | 0.2573g | 10/24/24 15:14:12 | 450,3621 | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA079367VOL | | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-GCMS-010 | | | | Batch Date : 10/24/24 08:58:06 | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 10/25/24 10:33:36 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 102124.R01; 081023.01; 101024.R05; 101024.R08 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | Consumables : 326250IW; 20240202; 14725401 | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Slurr-crasher Mnts (I)
Slurr-crasher Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-006

Harvest/Lot ID: 0907 2096 6645 0186

Batch# : 0907 2096 6645
0186

Sampled : 10/23/24
Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 551 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0215g

Extraction date:
10/25/24 14:43:26

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA079403SQL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/27/24 10:39:27

Batch Date : 10/24/24 13:30:54

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Slurr-crasher Mnts (I)
Slurr-crasher Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41023006-006

Harvest/Lot ID: 0907 2096 6645 0186

Batch# : 0907 2096 6645
0186

Sampled : 10/23/24
Ordered : 10/23/24


Sample Size Received : 16 units


Total Amount : 551 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | | | | | | | |
|--|-----------|-------|-------------|-------------|--------------|---|--------------------|---------------------------------------|---------------------------|-------------|--------------|
|  | Microbial | | | | | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 | Analysis by: 3379, 585, 1440 | Weight: 0.2573g | Extraction date: 10/24/24 15:14:12 | Extracted by: 450,3621 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA079343MIC | | | | | | Analytical Batch : DA079366MYC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 | | | | | | Instrument Used : N/A | | | | | |
| Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) | | | | | | Batch Date : 10/24/24 08:58:04 | | | | | |
| DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 | | | | | | Analysis Date : 10/25/24 09:49:13 | | | | | |
| Analysis Date : 10/25/24 09:48:26 | | | | | | Dilution : 250 | | | | | |
| Dilution : 10 | | | | | | Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01 | | | | | |
| Reagent : 092424.33; 092424.37; 100824.R30; 042924.39 | | | | | | Consumables : 326250IW | | | | | |
| Consumables : 7576003046 | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | |
| Pipette : N/A | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | | | | | | | |
| Analytical Batch : DA079344TYM | | | | | | | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | | | | | | | |
| Analysis Date : 10/27/24 10:28:18 | | | | | | | | | | | |
| Dilution : 10 | | | | | | | | | | | |
| Reagent : 092424.33; 092424.37; 082024.R18 | | | | | | | | | | | |
| Consumables : N/A | | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|--------------------|---------------------------------------|---------------------------|-------------|--------------|--|------|-------|--------|-------------|--------------|
|  | Mycotoxins | | | | | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 | AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 | AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 | OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 | AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 | AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analysis by: 3379, 585, 1440 | Weight: 0.2573g | Extraction date: 10/24/24 15:14:12 | Extracted by: 450,3621 | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA079366MYC | | | | | | Analytical Batch : DA079366MYC | | | | | |
| Instrument Used : N/A | | | | | | Instrument Used : N/A | | | | | |
| Analysis Date : 10/25/24 09:49:13 | | | | | | Analysis Date : 10/25/24 09:49:13 | | | | | |
| Dilution : 250 | | | | | | Dilution : 250 | | | | | |
| Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01 | | | | | | Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01 | | | | | |
| Consumables : 326250IW | | | | | | Consumables : 326250IW | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|--------------------|---------------------------------------|-----------------------|-------------|--------------|---------------------------------|--------------------|---------------------------------------|-----------------------|-------------|--------------|
|  | Heavy Metals | | | | | PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 | TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 | ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 | CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 | MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analysis by: 1022, 585, 1440 | Weight: 0.2772g | Extraction date: 10/24/24 11:11:38 | Extracted by: 4056 | | | Analysis by: 1022, 585, 1440 | Weight: 0.2772g | Extraction date: 10/24/24 11:11:38 | Extracted by: 4056 | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Slurricrasher Mnts (I)
Slurricrasher Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-006

Harvest/Lot ID: 0907 2096 6645 0186

Batch# : 0907 2096 6645
0186

Sampled : 10/23/24

Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 551 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---------------------------------|-------|-------|--------|------|--------------|
| Filtration and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 10/24/24 12:06:37 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA079402FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 10/24/24 13:54:23

Batch Date : 10/24/24 11:56:06

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.638 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.1803g | Extraction date: 10/24/24 15:19:29 | Extracted by: 4512 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA079396WAT

Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe)

Analyzed Date : 10/25/24 09:47:21

Batch Date : 10/24/24 10:44:24

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24