



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41023006-010



Oct 27, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
80.372%

Total THC/Container : 803.720 mg



Total CBD
0.187%

Total CBD/Container : 1.870 mg



Total Cannabinoids
92.133%

Total Cannabinoids/Container : 921.330 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	1.036	90.463	ND	0.214	0.074	0.165	ND	ND	ND	ND	0.181
mg/unit	10.36	904.63	ND	2.14	0.74	1.65	ND	ND	ND	ND	1.81
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1044g

Extraction date:
10/24/24 13:14:57

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA079361POT
Instrument Used : DA-LC-007
Analyzed Date : 10/25/24 09:50:32

Batch Date : 10/24/24 08:45:49

Dilution : 400
Reagent : 102324.R06; 071624.04; 101724.R04
Consumables : 947.109; 20240202; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-010

Harvest/Lot ID: 8124 3540 2972 5732

Batch# : 8124 3540 2972
5732

Sampled : 10/23/24
Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 275 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	57.22	5.722		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.11	1.411		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	12.05	1.205		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.28	0.628		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-PINENE	0.007	4.45	0.445		ALPHA-PHELLANDRENE	0.007	ND	ND	
FARNESENE	0.001	3.61	0.361		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.44	0.344		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	2.73	0.273		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.19	0.219		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	1.85	0.185		3605, 585, 1440	0.2145g	10/24/24 13:20:28	3605	
BORNEOL	0.013	0.98	0.098		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	0.86	0.086		Analytical Batch : DA079357TER				
OCIMENE	0.007	0.85	0.085		Instrument Used : DA-GCMS-004				
BETA-MYRCENE	0.007	0.85	0.085		Analyzed Date : 10/25/24 09:45:43				Batch Date : 10/24/24 08:40:33
CAMPHENE	0.007	0.68	0.068		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.58	0.058		Reagent : 081924.03				
ALPHA-BISABOLOL	0.007	0.47	0.047		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
GERANIOL	0.007	0.45	0.045		Pipette : DA-065				
ALPHA-TERPINOLENE	0.007	0.44	0.044		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	0.35	0.035						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			5.722						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41023006-010

Harvest/Lot ID: 8124 3540 2972 5732

Batch# : 8124 3540 2972
5732

Sampled : 10/23/24
Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 275 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	0.094	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	0.094	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2551g	Extraction date: 10/24/24 15:14:13	Extracted by: 450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079365PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 10/24/24 08:53:36	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/27/24 11:31:40					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2551g	Extraction date: 10/24/24 15:14:13	Extracted by: 450,3621		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA079367VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 10/24/24 08:58:06	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 10/25/24 10:33:42					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 102124.R01; 081023.01; 101024.R05; 101024.R08					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 20240202; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-010

Harvest/Lot ID: 8124 3540 2972 5732

Batch# : 8124 3540 2972
5732

Sampled : 10/23/24

Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 275 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0224g

Extraction date:
10/25/24 14:43:26

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA079403SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/27/24 10:39:31

Batch Date : 10/24/24 13:30:54

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA41023006-010
Harvest/Lot ID: 8124 3540 2972 5732
Batch# : 8124 3540 2972
 5732

Sampled : 10/23/24
Ordered : 10/23/24
Sample Size Received : 16 units
Total Amount : 275 units
Completed : 10/27/24 Expires: 10/27/25
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analized by:		Weight:		Extraction date:	
						3379, 585, 1440	0.2551g	10/24/24 15:14:13		Extracted by:	
										450,3621	
Analized by:	Weight:	Extraction date:		Extracted by:		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
4520, 585, 1440	0.991g	10/24/24 10:06:47		4520,4044		SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA079366MYC					
Analytical Batch : DA079343MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720						Batch Date : 10/24/24 08:58:04					
Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						Analized Date : 10/25/24 09:49:17					
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher						Dilution : 250					
Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat						Reagent : 101624.R32; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01;					
Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367						081023.01					
Analized Date : 10/25/24 09:48:29						Consumables : 326250IW					
Dilution : 10						Pipette : DA-093; DA-094; DA-219					
Reagent : 092424.33; 092424.37; 100824.R30; 042924.39						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in					
Consumables : 7576003046						accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analized by:	Weight:	Extraction date:		Extracted by:	
1022, 585, 1440	0.2178g	10/24/24 11:15:43		4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA079380HEA					
Instrument Used : DA-ICPMS-004					
Batch Date : 10/24/24 10:02:21					
Analized Date : 10/25/24 09:50:11					
Dilution : 50					
Reagent : 101424.R01; 102124.R07; 101624.R36; 102124.R05; 102124.R06; 061724.01;					
102324.R15					
Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-010

Harvest/Lot ID: 8124 3540 2972 5732

Batch# : 8124 3540 2972
5732

Sampled : 10/23/24

Ordered : 10/23/24

Sample Size Received : 16 units

Total Amount : 275 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filtration/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/24/24 12:06:37	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA079402FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 10/24/24 13:54:21

Batch Date : 10/24/24 11:56:06

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.531	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.1683g	Extraction date: 10/24/24 15:30:58	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA079396WAT

Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe)

Analyzed Date : 10/25/24 09:47:23

Batch Date : 10/24/24 10:44:24

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/24