



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41023006-016



Oct 27, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**19.774%**

Total THC/Container : 2768.360 mg



Total CBD

**0.028%**

Total CBD/Container : 3.920 mg



Total Cannabinoids

**22.884%**

Total Cannabinoids/Container : 3203.760 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.246	21.127	ND	0.032	0.033	0.074	0.280	ND	ND	ND	0.092
mg/unit	174.44	2957.78	ND	4.48	4.62	10.36	39.20	ND	ND	ND	12.88
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:  
4351, 1665, 585, 1440

Weight:  
0.2051g

Extraction date:  
10/24/24 13:38:42

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079362POT

Instrument Used : DA-LC-001

Analyzed Date : 10/25/24 10:07:23

Batch Date : 10/24/24 08:49:13

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Rnbw Shrft (I)  
Rnbw Shrft (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-016

Harvest/Lot ID: 0000 0026 6431 1360

Batch# : 0000 0026 6431  
1360

Sampled : 10/23/24  
Ordered : 10/23/24

Sample Size Received : 3 units

Total Amount : 414 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	314.58	2.247		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	61.32	0.438		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	59.64	0.426		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	56.00	0.400		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	28.70	0.205		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	20.86	0.149		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	18.48	0.132		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	15.82	0.113		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	14.28	0.102		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	12.46	0.089		3605, 585, 1440	1.0594g	10/24/24 13:12:58	3605	
TRANS-NEROLIDOL	0.005	11.34	0.081		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	9.10	0.065		Analytical Batch : DA079354TER				
OCIMENE	0.007	6.58	0.047		Instrument Used : DA-GCMS-009				
3-CARENE	0.007	ND	ND		Analyzed Date : 10/25/24 10:41:05				Batch Date : 10/24/24 08:39:27
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 081924.03				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.247						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Rnbw Shrbrt (I)  
Rnbw Shrbrt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA41023006-016

Harvest/Lot ID: 0000 0026 6431 1360

Batch# : 0000 0026 6431  
1360

Sampled : 10/23/24  
Ordered : 10/23/24

Sample Size Received : 3 units

Total Amount : 414 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.8646g	Extraction date: 10/24/24 12:59:15	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079368PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 10/24/24 09:01:27	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/25/24 10:37:50					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 101824.R03; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.8646g	Extraction date: 10/24/24 12:59:15	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079370VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 10/24/24 09:07:50	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/25/24 10:09:16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102124.R01; 081023.01; 101024.R05; 101024.R08					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 20240202; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41023006-016

Harvest/Lot ID: 0000 0026 6431 1360

Batch# : 0000 0026 6431  
1360

Sampled : 10/23/24  
Ordered : 10/23/24

Sample Size Received : 3 units

Total Amount : 414 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	19000	PASS	100000	Analyzed by:					
						3621, 585, 1440	Weight:	0.8646g	Extraction date:	10/24/24 12:59:15	Extracted by:
										450,585	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)				
3621, 4520, 585, 1440	0.988g	10/24/24 10:34:00	4044,3621			Analytical Batch :	DA079369MYC				
						Instrument Used :	N/A				
						Analyzed Date :	10/25/24 10:36:56				
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Dilution :	250				
Analytical Batch :	DA079345MIC					Reagent :	101824.R03; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01				
Instrument Used :	PathogenDx Scanner DA-111,Applied Biosystems 2720					Consumables :	326250IW				
	Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)					Pipette :	DA-093; DA-094; DA-219				
	DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher										
	Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat										
	Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367										
Analyzed Date :	10/25/24 10:39:15										
Dilution :	10										
Reagent :	092424.33; 092424.37; 100824.R30; 042924.39										
Consumables :	7576003046										
Pipette :	N/A										

<b>Dilution :</b> 10			
<b>Reagent :</b> 092424.33; 092424.37; 100824.R30; 042924.39			
<b>Consumables :</b> 7576003046			
<b>Pipette :</b> N/A			
<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>
3621, 4044, 585, 1440	0.988g	10/24/24 10:34:00	4044,3621
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
<b>Analytical Batch :</b> DA079346TYM			
<b>Instrument Used :</b> Incubator (25°C) DA- 328 [calibrated with DA-382]			<b>Batch Date :</b> 10/24/24 07:53:12
<b>Analyzed Date :</b> 10/27/24 10:38:11			
<b>Dilution :</b> 10			
<b>Reagent :</b> 092424.33; 092424.37; 082024.R18			
<b>Consumables :</b> N/A			
<b>Pipette :</b> N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2506g	Extraction date: 10/24/24 10:54:39	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA079378HEA					
Instrument Used : DA-ICPMS-004			Batch Date : 10/24/24 10:00:16		
Analyzed Date : 10/25/24 10:36:11					
Dilution : 50					
Reagent : 101424.R01; 102124.R07; 101624.R36; 102124.R05; 102124.R06; 061724.01; 102324.R15					
Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41023006-016

Harvest/Lot ID: 0000 0026 6431 1360

Batch# : 0000 0026 6431  
1360

Sampled : 10/23/24

Ordered : 10/23/24

Sample Size Received : 3 units

Total Amount : 414 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.43	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/24/24 12:06:38	Extracted by: 1879			Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 10/24/24 16:46:14	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA079402FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/24/24 13:54:18						Analysis Method : SOP.T.40.021 Analytical Batch : DA079385MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:14:59 Moisture Analyzer Analyzed Date : 10/25/24 09:58:11					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.546	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.844g	Extraction date: 10/24/24 15:46:56	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA079390WAT Instrument Used : DA-327 Rotronic Hygropalm HC2-AW (Probe) Batch Date : 10/24/24 10:34:43 Analyzed Date : 10/25/24 10:06:35					
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24