



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41024001-003



**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 6924503520999717

**Batch#:** TVF0814202402

**Cultivation Facility:** Homestead Cultivation

**Processing Facility:** Homestead Processing

**Source Facility:** Homestead Processing

**Seed to Sale#:** 2861097047159983

**Harvest Date:** 08/14/24

**Sample Size Received:** 15 units

**Total Amount:** 1473 units

**Retail Product Size:** 1 gram

**Retail Serving Size:** 1 gram

**Servings:** 1

**Ordered:** 10/23/24

**Sampled:** 10/24/24

**Completed:** 10/27/24

**Sampling Method:** SOP.T.20.010

Oct 27, 2024 | CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US



**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**

**85.477%**

Total THC/Container : 854.770 mg



**Total CBD**

**0.141%**

Total CBD/Container : 1.410 mg



**Total Cannabinoids**

**89.370%**

Total Cannabinoids/Container : 893.700 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.350	0.145	0.141	ND	ND	2.625	ND	0.220	0.206	ND	0.683
mg/unit	853.50	1.45	1.41	ND	ND	26.25	ND	2.20	2.06	ND	6.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1066g

Extraction date:  
10/24/24 13:08:33

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA079397POT  
Instrument Used : DA-LC-003  
Analyzed Date : 10/25/24 11:27:02

Batch Date : 10/24/24 11:06:56

Dilution : 400  
Reagent : 102324.R04; 071624.04; 101724.R03  
Consumables : 947.109; 20240202; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

SEL, Elite VapeCart, Skw, Cliq, 1.0g

Sky OG

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA41024001-003

Harvest/Lot ID: 6924503520999717

Batch# : TVF0814202402

Sampled : 10/24/24

Ordered : 10/24/24

Sample Size Received : 15 units

Total Amount : 1473 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	36.26	3.626		NEROL	0.007	ND	ND	
LIMONENE	0.007	10.83	1.083		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.82	0.682		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.71	0.271		VALENCENE	0.007	ND	ND	
ALPHA-MYRULENE	0.007	2.63	0.263		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	2.07	0.207		ALPHA-PHELLANDRENE	0.007	ND	ND	
OCIMENE	0.007	1.67	0.167		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.63	0.163		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-PINENE	0.007	1.56	0.156		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.89	0.089		3605, 585, 1440	0.2402g	10/25/24 13:53:03	3605	
ALPHA-TERPINEOL	0.007	0.63	0.063		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.59	0.059		Analytical Batch : DA079392TER				
EUCALYPTOL	0.007	0.53	0.053		Instrument Used : DA-GCMS-004				
ALPHA-TERPINOLENE	0.007	0.44	0.044		Analyzed Date : 10/27/24 10:53:57				Batch Date : 10/24/24 10:39:53
CARYOPHYLLENE OXIDE	0.007	0.43	0.043		Dilution : 10				
CAMPHENE	0.007	0.42	0.042		Reagent : 081924.03				
GUAJOL	0.007	0.42	0.042		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ALPHA-BISABOLOL	0.007	0.39	0.039		Pipette : DA-065				
GERANIOL	0.007	0.38	0.038		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
TRANS-NEROLIDOL	0.005	0.33	0.033						
SABINENE HYDRATE	0.007	0.32	0.032						
GAMMA-TERPINENE	0.007	0.29	0.029						
FENCHONE	0.007	0.28	0.028						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			3.626						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....SEL,Elite VapeCart,Skw,Cliq,1.0g

Sky OG

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA41024001-003

Harvest/Lot ID: 6924503520999717

Batch#: TVF0814202402

Sampled : 10/24/24

Ordered : 10/24/24

Sample Size Received : 15 units

Total Amount : 1473 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2594g	10/24/24 13:02:11	450,585		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079374PES					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/25/24 11:20:32					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 101824.R03; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2594g	10/24/24 13:02:11	450,585		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079377VOL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/25/24 11:18:45					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 102124.R01; 081023.01; 101024.R05; 101024.R08					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 20240202; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
SEL,Elite VapeCart,Skw,Cliq,1.0g

Sky OG

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA41024001-003

Harvest/Lot ID: 6924503520999717

Batch# : TVF0814202402

Sampled : 10/24/24

Ordered : 10/24/24

Sample Size Received : 15 units

Total Amount : 1473 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0242g

Extraction date:  
10/25/24 13:14:54

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07940450L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 10/27/24 10:51:12

Batch Date : 10/24/24 13:42:03

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 306143  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....SEL,Elite VapeCart,Skw,Cliq,1.0g

Sky OG

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA41024001-003

Harvest/Lot ID: 6924503520999717

Batch# : TVF0814202402

Sampled : 10/24/24

Ordered : 10/24/24


Sample Size Received : 15 units


Total Amount : 1473 units


Completed : 10/27/24 Expires:10/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA079359MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720					
Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C)					
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367					
Analysis Date : 10/25/24 11:25:39					
Dilution : 10					
Reagent : 092424.33; 092424.37; 100824.R30; 042924.39					
Consumables : 7576003046					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA079360TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Analysis Date : 10/27/24 10:52:20					
Dilution : 10					
Reagent : 092424.33; 092424.37; 082024.R18					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analysis by: 3621, 585, 1440	Weight: 0.2594g	Extraction date: 10/24/24 13:02:11	Extracted by: 450,585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA079376MYC					
Instrument Used : N/A					
Analysis Date : 10/25/24 11:21:32					
Batch Date : 10/24/24 09:26:54					
Dilution : 250					
Reagent : 101824.R03; 102224.R03; 102124.R01; 102224.R28; 102124.R08; 102224.R01; 081023.01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analysis by: 1022, 585, 1440	Weight: 0.2516g	Extraction date: 10/24/24 12:14:02	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA079382HEA					
Instrument Used : DA-ICPMS-004					
Analysis Date : 10/25/24 11:26:38					
Batch Date : 10/24/24 10:06:04					
Dilution : 50					
Reagent : 101424.R01; 102124.R07; 101624.R36; 102124.R05; 102124.R06; 061724.01; 102324.R15					
Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
SEL, Elite VapeCart, Skw, Cliq, 1.0g  
Sky OG  
Matrix : Derivative  
Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA41024001-003

Harvest/Lot ID: 6924503520999717

Batch# : TVF0814202402

Sampled : 10/24/24

Ordered : 10/24/24

Sample Size Received : 15 units

Total Amount : 1473 units

Completed : 10/27/24 Expires: 10/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/24/24 12:06:41	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA079402FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 10/24/24 11:56:06

Analyzed Date : 10/24/24 13:53:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.474	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.1022g	Extraction date: 10/24/24 15:30:59	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA079396WAT

Instrument Used : DA-327 Rotronic HygroPalm HC2-AW (Probe) Batch Date : 10/24/24 10:44:24

Analyzed Date : 10/25/24 09:47:30

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/27/24