

# **Kaycha Labs**

FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Tropical Punch Matrix: Edible

Classification: High THC Type: Other Edible Product



# **Certificate of Analysis**

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41025010-001



Oct 29, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Production Method: Other - Not Listed Harvest/Lot ID: 5950 2224 2029 3698

Batch#: 5950 2224 2029 3698

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1705187776287373

**Harvest Date: 10/22/24** 

Sample Size Received: 13 units Total Amount: 2984 units

Retail Product Size: 41.7995 gram

Retail Serving Size: 41 gram

Servings: 1

Ordered: 10/25/24 Sampled: 10/25/24

**Completed:** 10/29/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED** 



**Heavy Metals PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Sunnyside

Residuals Solvents **PASSED** 



Filth **PASSED** 

Batch Date: 10/28/24 07:22:12



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

**Terpenes** NOT **TESTED** 

**PASSED** 



### Cannabinoid

**Total THC** 0.241%

Total THC/Container: 100.737 mg



**Total CBD** 

Total CBD/Container: 0.000 mg



**Total Cannabinoids** .241%

Total Cannabinoids/Container: 100.737

THCA CBD CBDA D8-THC CBGA CBN THCV CBDV СВС 0.241 ND 100.74 ND 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % 0/0 %

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079492POT Instrument Used : DA-LC-007 Analyzed Date: 10/29/24 09:54:30

Analyzed by: 4351, 1665, 585, 1440

LOD

 $\label{eq:Dilution:40} \begin{array}{l} \textbf{Dilution:} \ 40 \\ \textbf{Reagent:} \ 061724.01; \ 102324.R06; \ 071124.23; \ 071624.04; \ 101724.R04 \\ \textbf{Consumables:} \ 947.109; \ 20240202; \ CE0123; \ R1KB14270 \\ \end{array}$ 

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/29/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



### **Kaycha Labs**

FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Tropical Punch Matrix : Edible

Type: Other Edible Product



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41025010-001 Harvest/Lot ID: 5950 2224 2029 3698

Batch#: 5950 2224 2029

3698 Sampled: 10/25/24 Ordered: 10/25/24 Sample Size Received: 13 units Total Amount: 2984 units

Completed: 10/29/24 Expires: 10/29/25 Sample Method: SOP.T.20.010 Page 2 of 5



### **Pesticides**

## **PASSED**

sticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
TAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
TAL SPINOSAD	0.010	1.1.	3	PASS	ND					1	PASS	ND
AMECTIN B1A	0.010	1.1.	0.3	PASS	ND	PROPICONAZOLE		0.010		_		
EPHATE	0.010	111	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
ETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
DXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	P.P.	3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
ENTHRIN	0.010	1.1.	0.5	PASS	ND	THIACLOPRID		0.010	mag	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
RBARYL	0.010	P.P.	0.5	PASS	ND			0.010		3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	- (5015) +	0.010		0.2		ND
LORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZEN	E (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
FENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
IINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	1	PASS	ND
ZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND		Walahti		ion date:	-		
ETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9899q		4 14:38:06		Extracte 3621	u by:
OPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10				SOP.T.40.101		.).
DFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	(00.110041110),		(>0+10/)		(000541110	**
XAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA079469PE						
IHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-00			Batch	Date: 10/26/	24 10:54:01	
IOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date: 10/29/24 09:25	5:43					
IPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution: 250	DOE					
RONIL	0.010	ppm	0.1	PASS	ND	Reagent: 081023.01; 102624.1 Consumables: 20240202; 326						
DNICAMID	0.010	ppm	2	PASS	ND	Pipette: N/A	2JUIVV					
JDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is	performed utilizing	Liquid Chrom	atography Tr	inle-Quadruno	le Mass Spectro	metry in
KYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER2			g.upy 11	.p. = quaurapo		
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted	by:
DACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	0.9899g	10/26/24	14:38:06		3621	-
SOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method: SOP.T.30.15		SOP.T.30.15	1A.FL (Davie	), SOP.T.40.15	1.FL	
LATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA079470V0				10/20/24 10	F7 20	
TALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-01			Batch Date	:10/26/24 10	:57:28	
THIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/29/24 09:24	+.37					
THOMYL	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 081023.01; 102624.1	DOS: 101024 DOE:	101024 000				
VINPHOS	0.010		0.1	PASS	ND	Consumables: 20240202; 326		101UZ4.NU0				
CLOBUTANIL	0.010	mag	3	PASS	ND	Pipette: DA-080; DA-146; DA-2	10					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/29/24



### **Kaycha Labs**

FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Tropical Punch Matrix: Edible

Type: Other Edible Product



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41025010-001 Harvest/Lot ID: 5950 2224 2029 3698

Batch#: 5950 2224 2029

Sampled: 10/25/24 Ordered: 10/25/24

Sample Size Received: 13 units Total Amount : 2984 units

Completed: 10/29/24 Expires: 10/29/25 Sample Method: SOP.T.20.010

Page 3 of 5



# **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0289g	Extraction date: 10/28/24 11:59:14		<b>Ext</b> 850	racted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA079478SOL Instrument Used: DA-GCMS-002

Analyzed Date: 10/28/24 14:13:11

Dilution: 1 Reagent: 030420.09 Consumables: 430274: 315545

**Pipette :** DA-310 25uL Syringe 35027; DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 10/26/24 13:03:56

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

**Vivian Celestino** Lab Director

Signature 10/29/24



### **Kaycha Labs**

FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Tropical Punch Matrix: Edible

Type: Other Edible Product



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41025010-001 Harvest/Lot ID: 5950 2224 2029 3698

Batch#: 5950 2224 2029

Sampled: 10/25/24 Ordered: 10/25/24 Sample Size Received: 13 units Total Amount : 2984 units

Completed: 10/29/24 Expires: 10/29/25 Sample Method: SOP.T.20.010

Page 4 of 5



### **Microbial**



Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	te:		Extracted	l bv:
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		0.9899g	10/26/24 14:3			3621	

Analyzed by: Weight: **Extraction date:** Extracted by: 4531, 4520, 585, 1440 0.872g 10/26/24 09:52:24

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA079443MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55\*C)
DA-020,Fisher Scientific Isotemp Heat Block (95\*C) DA-049,Fisher Batch Date: 10/26/24

Scientific Isotemp Heat Block (55\*C) DA-021

Analyzed Date: 10/29/24 10:01:08

Reagent: 092424.42; 092524.06; 100824.R30; 051624.05 Consumables: 7575003014

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4531, 4612, 3390, 585, 1440	0.872a	10/26/24 09:52:24	4531

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA079444TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with Batch Date: 10/26/24 08:12:39

**Analyzed Date :** 10/29/24 09:27:33

Dilution: 10

Reagent: 092424.42; 092524.06; 082024.R18

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

# **Mycotoxins**

# **PASSED**

ı	Analyte		LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN B	2	0.00	ppm	ND	PASS	0.02
	AFLATOXIN B	1	0.00	ppm	ND	PASS	0.02
	OCHRATOXIN	A	0.00	ppm	ND	PASS	0.02
	AFLATOXIN G	i1	0.00	ppm	ND	PASS	0.02
	AFLATOXIN G	i2	0.00	ppm	ND	PASS	0.02
	Analyzed by: Weight:		Extraction dat	te:		Extracted	by:
١	2270 585 1///	0.0000~	10/26/24 14:3	20.06		2621	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville). SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA079471MYC

Instrument Used : N/A

Batch Date: 10/26/24 10:58:15 **Analyzed Date:** 10/29/24 09:26:39

Dilution: 250

Reagent: 081023.01; 102624.R05 Consumables: 20240202; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT L	OAD METALS	0.08	ppm	ND	PASS	5	
ARSENIC		0.02	ppm	ND	PASS	1.5	
CADMIUM		0.02	ppm	ND	PASS	0.5	
MERCURY		0.02	ppm	ND	PASS	3	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by: 4056, 1022, 585, 1440	Weight: 0.2323a	Extraction	n date: 10:59:39		Extracte 4056	ed by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA079453HEA Instrument Used: DA-ICPMS-004

Batch Date: 10/26/24 09:37:22 Analyzed Date: 10/28/24 12:00:13

Dilution: 50

Reagent: 101424.R01; 102124.R07; 102524.R03; 102124.R05; 102124.R06; 061724.01;

Consumables: 418323322A: 179436: 20240202

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/29/24



### **Kaycha Labs**

FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Tropical Punch Matrix: Edible

Type: Other Edible Product



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41025010-001 Harvest/Lot ID: 5950 2224 2029 3698

Batch#: 5950 2224 2029

Sampled: 10/25/24 Ordered: 10/25/24

Sample Size Received: 13 units Total Amount : 2984 units Completed: 10/29/24 Expires: 10/29/25 Sample Method: SOP.T.20.010

Analyte

Page 5 of 5



## Filth/Foreign **Material**

# **PASSED**

# Homogeneity

**PASSED** 

Action Level

Result

Amount of tests conducted: 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: Extraction date Extracted by: 1g 10/28/24 03:09:28 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA079460FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 10/26/24 10:39:27

Analyzed Date: 10/28/24 03:25:00

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

**TOTAL THC - HOMOGENEITY** 0.001 % **PASS** 1.229 25 (RSD)

LOD

Average **Extracted By** Analyzed by Extraction date : Weight 4621, 4444, 585, 1440 4.062g 10/26/24 11:13:51

Units

Pass/Fail

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA079447HOM
Instrument Used : DA-LC-006 (Homogeneity)

Batch Date: 10/26/24 08:37:13

Analyzed Date: 10/28/24 12:01:35

Reagent: 071124.23; 020124.02; 102524.R21; 102524.R17

Consumables: 947.109; LCJ0311R; 20240202; 1009034917; 1009056395; R1KB14270; CE0123

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.699 0.85 Extracted by: 4512

Extraction date: 10/26/24 15:30:15 Analyzed by: 4512, 585, 1440 **Weight:** 7.1683g

Analytical Batch: DA079462WAT Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 10/26/24 10:43:37 **Analyzed Date:** 10/28/24 12:08:25

Dilution: N/A Reagent: 051624.02 Consumables : PS-14 Pipette: N/A

Analysis Method: SOP.T.40.019

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/29/24