



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41025010-003



Oct 29, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC  
**26.202%**

Total THC/Container : 917.070 mg



Total CBD  
**0.039%**

Total CBD/Container : 1.365 mg



Total Cannabinoids  
**30.677%**

Total Cannabinoids/Container : 1073.695 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.561	29.238	ND	0.045	0.064	0.073	0.563	ND	ND	ND	0.133
mg/unit	19.64	1023.33	ND	1.58	2.24	2.56	19.71	ND	ND	ND	4.66
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.212g

Extraction date:  
10/28/24 10:42:12

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079493POT

Instrument Used : DA-LC-001

Analyzed Date : 10/29/24 09:51:49

Batch Date : 10/28/24 07:24:41

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
10/29/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-003

Harvest/Lot ID: 0000 0126 6431 5523

Batch# : 0000 0126 6431 5523

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 20 units

Total Amount : 5294 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	74.17	2.119	VALENCENE	0.007	ND	ND
LIMONENE	0.007	21.11	0.603	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	20.65	0.590	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	6.79	0.194	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	5.32	0.152	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	4.13	0.118	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-PINENE	0.007	3.64	0.104	GAMMA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	3.01	0.086	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	2.77	0.079	Analyzed by: 3605, 585, 1440      Weight: 1.0205g      Extraction date: 10/26/24 11:28:03      Extracted by: 4571.3605			
ALPHA-BISABOLOL	0.007	2.70	0.077	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA079455TER Instrument Used : DA-GCMS-008 Analyzed Date : 10/28/24 14:18:54      Batch Date : 10/26/24 09:56:56			
ALPHA-TERPINEOL	0.007	2.49	0.071	Dilution : 10 Reagent : 022224.13 Consumables : 947.109; 240321-634-A; 280670723; CE0123 Pipette : DA-065			
OCIMENE	0.007	1.58	0.045	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.119</b>				



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA41025010-003

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 0000 0126 6431 5523

Batch#: 0000 0126 6431

Sample Size Received : 20 units

5523

Total Amount : 5294 units

Sampled : 10/25/24

Completed : 10/29/24 Expires: 10/29/25

Ordered : 10/25/24

Sample Method : SOP.T.20.010

Page 3 of 5



**Pesticides**

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.9216g <b>Extraction date:</b> 10/26/24 14:34:44 <b>Extracted by:</b> 3621					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA079463PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 10/29/24 09:41:50					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 081023.01; 102624.R05					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4640, 585, 1440 <b>Weight:</b> 0.9216g <b>Extraction date:</b> 10/26/24 14:34:44 <b>Extracted by:</b> 3621					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA079464VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-011					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 10/28/24 12:14:41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 081023.01; 102624.R05; 101024.R05; 101024.R08					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 20240202; 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/29/24



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-003

Harvest/Lot ID: 0000 0126 6431 5523

Batch#: 0000 0126 6431 5523

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 20 units

Total Amount : 5294 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	240	PASS	100000

**Analyzed by:** 4531, 4520, 585, 1440  
**Weight:** 1.19g  
**Extraction date:** 10/26/24 09:52:25  
**Extracted by:** 4531  
**Analysis Method :** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
**Analytical Batch :** DA079443MIC  
**Instrument Used :** PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
**Analyzed Date :** 10/29/24 10:01:10  
**Dilution :** 10  
**Reagent :** 092424.42; 092524.06; 100824.R30; 051624.05  
**Consumables :** 7575003014  
**Pipette :** N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

**Analyzed by:** 3379, 585, 1440  
**Weight:** 0.9216g  
**Extraction date:** 10/26/24 14:34:44  
**Extracted by:** 3621  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA079465MYC  
**Instrument Used :** N/A  
**Analyzed Date :** 10/29/24 09:40:53  
**Batch Date :** 10/26/24 10:49:46  
**Dilution :** 250  
**Reagent :** 081023.01; 102624.R05  
**Consumables :** 20240202; 326250IW  
**Pipette :** N/A  
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

**Analyzed by:** 4056, 1022, 585, 1440  
**Weight:** 0.2755g  
**Extraction date:** 10/26/24 10:09:49  
**Extracted by:** 4056  
**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA079450HEA  
**Instrument Used :** DA-ICPMS-004  
**Analyzed Date :** 10/28/24 12:15:37  
**Dilution :** 50  
**Reagent :** 101424.R01; 102524.R03; 102124.R05; 102124.R06; 061724.01; 102324.R15; 102124.R07  
**Consumables :** 179436; 20240202; 210508058  
**Pipette :** DA-061; DA-191; DA-216

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10.00	CFU/g	240	PASS	100000

**Analyzed by:** 4531, 4612, 3390, 585, 1440  
**Weight:** 1.19g  
**Extraction date:** 10/26/24 09:52:25  
**Extracted by:** 4531  
**Analysis Method :** SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
**Analytical Batch :** DA079444TYM  
**Instrument Used :** Incubator (25°C) DA- 328 [calibrated with DA-382]  
**Analyzed Date :** 10/29/24 09:27:34  
**Dilution :** 10  
**Reagent :** 092424.42; 092524.06; 082024.R18  
**Consumables :** N/A  
**Pipette :** N/A  
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-003

Harvest/Lot ID: 0000 0126 6431 5523

Batch#: 0000 0126 6431 5523

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 20 units

Total Amount : 5294 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/28/24 03:09:28	Extracted by: 1879
------------------------------	------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA079460FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 10/28/24 03:24:59  
Batch Date : 10/26/24 10:39:27

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.537	PASS	0.65

Analyzed by: 4512, 585, 1440	Weight: 0.776g	Extraction date: 10/26/24 14:41:21	Extracted by: 4512
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA079459WAT  
Instrument Used : DA256 Rotronic HygroPalm  
Analyzed Date : 10/28/24 12:49:26  
Batch Date : 10/26/24 10:23:03

Dilution : N/A  
Reagent : 051624.02  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.64	PASS	15

Analyzed by: 4512, 585, 1440	Weight: 0.503g	Extraction date: 10/26/24 14:31:43	Extracted by: 4512
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.021  
Analytical Batch : DA079451MOI  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 09:36:35  
Analyzed Date : 10/28/24 12:11:10  
Batch Date : 10/26/24

Moisture Analyzer  
Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

