



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41025010-004



Oct 29, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

24.844%

Total THC/Container : 1739.080 mg



Total CBD

0.043%

Total CBD/Container : 3.010 mg



Total Cannabinoids

29.623%

Total Cannabinoids/Container : 2073.610 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|---------|-----|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.432 | 27.836 | ND | 0.050 | 0.070 | 0.114 | 1.000 | ND | ND | ND | 0.121 |
| mg/unit | 30.24 | 1948.52 | ND | 3.50 | 4.90 | 7.98 | 70.00 | ND | ND | ND | 8.47 |
| LOD | 0.001 | 0.001 | | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.2103g

Extraction date:
10/28/24 10:42:12

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079493POT

Instrument Used : DA-LC-001

Analyzed Date : 10/29/24 09:51:49

Batch Date : 10/28/24 07:24:41

Dilution : 400

Reagent : 101424.R04; 071624.04; 101424.R05

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41025010-004

Harvest/Lot ID: 0009 7136 9397 6569

Batch# : 0009 7136 9397

6569

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 5 units

Total Amount : 1025 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|--------------------------------|------------|
| TOTAL TERPENES | 0.007 | 87.71 | 1.253 | | ALPHA-BISABOLOL | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 20.30 | 0.290 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| LIMONENE | 0.007 | 17.57 | 0.251 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 16.66 | 0.238 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 11.83 | 0.169 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 6.44 | 0.092 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| FARNESENE | 0.007 | 5.81 | 0.083 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 3.15 | 0.045 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 2.03 | 0.029 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| FENCHYL ALCOHOL | 0.007 | 1.96 | 0.028 | | 3605, 585, 1440 | 1.025g | 10/26/24 11:29:51 | 4571,3605 | |
| ALPHA-PINENE | 0.007 | 1.96 | 0.028 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| 3-CARENE | 0.007 | ND | ND | | Analytical Batch : DA079455TER | | | Batch Date : 10/26/24 09:56:56 | |
| BORNEOL | 0.013 | ND | ND | | Instrument Used : DA-GCMS-008 | | | | |
| CAMPHENE | 0.007 | ND | ND | | Analyzed Date : 10/28/24 14:18:55 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Dilution : 10 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Reagent : 022224.13 | | | | |
| CEDROL | 0.007 | ND | ND | | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| FENCHONE | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| VALENCENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.253 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA41025010-004

Harvest/Lot ID: 0009 7136 9397 6569

 Batch# : 0009 7136 9397
 6569

 Sampled : 10/25/24
 Ordered : 10/25/24

Sample Size Received : 5 units

Total Amount : 1025 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | 0.141 | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | 0.141 | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 Weight: 0.9018g Extraction date: 10/26/24 14:34:44 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA079463PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 10/26/24 10:44:02 Analyzed Date : 10/29/24 11:22:38 Dilution : 250 Reagent : 081023.01; 102624.R05 Consumables : 20240202; 326250IW Pipette : N/A | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4640, 585, 1440 Weight: 0.9018g Extraction date: 10/26/24 14:34:44 Extracted by: 3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA079464VOL Instrument Used : DA-GCMS-011 Batch Date : 10/26/24 10:45:27 Analyzed Date : 10/28/24 12:14:43 Dilution : 250 Reagent : 081023.01; 102624.R05; 101024.R05; 101024.R08 Consumables : 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-004

Harvest/Lot ID: 0009 7136 9397 6569

Batch# : 0009 7136 9397
6569

Sample Size Received : 5 units
Total Amount : 1025 units
Completed : 10/29/24 Expires: 10/29/25
Sample Method : SOP.T.20.010


Sample Size Received : 5 units


Total Amount : 1025 units


Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|------------------|---------------|---------------|--------------------------------|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 170 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA079443MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 | | | | Batch Date : 10/26/24 08:10:02 | |
| Analysis Date : 10/29/24 10:01:10 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 092424.42; 092524.06; 100824.R30; 051624.05 | | | | | |
| Consumables : 7575003014 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA079444TYM | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | Batch Date : 10/26/24 08:12:39 | |
| Analysis Date : 10/29/24 09:27:34 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 092424.42; 092524.06; 082024.R18 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|------------------------------------|---------------|--------------------|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analysis Date : 10/29/24 09:40:53 | Weight: 0.9018g | Extraction date: 10/26/24 14:34:44 | | Extracted by: 3621 | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA079465MYC | | | | | |
| Instrument Used : N/A | | | | | |
| Batch Date : 10/26/24 10:49:46 | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 081023.01; 102624.R05 | | | | | |
| Consumables : 20240202; 326250IW | | | | | |
| Pipette : N/A | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|------------------------------------|---------------|--------------------|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | <0.100 | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analysis Date : 10/28/24 12:15:37 | Weight: 0.2819g | Extraction date: 10/26/24 10:09:11 | | Extracted by: 4056 | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA079450HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Batch Date : 10/26/24 09:35:25 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 101424.R01; 102524.R03; 102124.R05; 102124.R06; 061724.01; 102324.R15; 102124.R07 | | | | | |
| Consumables : 179436; 20240202; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-004

Harvest/Lot ID: 0009 7136 9397 6569

Batch# : 0009 7136 9397
6569

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 5 units

Total Amount : 1025 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---|---------------|---------------------------------------|--------|------|-----------------------|---|-------------------|---------------------------------------|--------|------|-----------------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 14.57 | PASS | 15 |
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 10/28/24 03:09:28 | | | Extracted by: 1879 | Analyzed by: 4512, 585, 1440 | Weight: 0.502g | Extraction date: 10/26/24 14:31:43 | | | Extracted by: 4512 |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA079460FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/28/24 03:24:59 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA079451MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:36:35 Moisture Analyzer Analyzed Date : 10/28/24 12:11:12 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |
| Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|-------------------|---------------------------------------|--------------------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.537 | PASS | 0.65 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.756g | Extraction date: 10/26/24 14:41:22 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analytical Batch : DA079459WAT | | | | | |
| Instrument Used : DA256 Rotronic HygroPalm | | | Batch Date : 10/26/24 10:23:03 | | |
| Analyzed Date : 10/28/24 12:49:27 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 051624.02 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24