



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41025010-008



Oct 29, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

82.178%

Total THC/Container : 410.890 mg



Total CBD

0.135%

Total CBD/Container : 0.675 mg



Total Cannabinoids

85.949%

Total Cannabinoids/Container : 429.745 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.136	0.048	0.135	ND	ND	2.527	ND	0.654	0.328	ND	0.121
mg/unit	410.68	0.24	0.68	ND	ND	12.64	ND	3.27	1.64	ND	0.61
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1007g

Extraction date:
10/28/24 10:38:58

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079490POT

Instrument Used : DA-LC-003

Analyzed Date : 10/29/24 09:53:00

Batch Date : 10/28/24 07:14:38

Dilution : 400

Reagent : 102324.R04; 073024.51; 101724.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Pnapl Xp (H)

Pnapl Xp (H)

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41025010-008
Harvest/Lot ID: 4865302794011849

Batch# : 4865 3027 9401
1849

Sampled : 10/25/24
Ordered : 10/25/24

Sample Size Received : 31 units

Total Amount : 1102 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.20	5.240		ISOBORNEOL	0.007	ND	ND	
ALPHA-PINENE	0.007	5.77	1.153		ISOPULEGOL	0.007	ND	ND	
BETA-MYRCENE	0.007	5.01	1.002		NEROL	0.007	ND	ND	
LIMONENE	0.007	3.64	0.728		PULEGONE	0.007	ND	ND	
BETA-PINENE	0.007	3.37	0.673		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.80	0.560		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.15	0.230		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	0.92	0.183		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	0.43	0.085		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	0.42	0.084		Analytical Batch : DA079456TER				
GAMMA-TERPINENE	0.007	0.41	0.081		Instrument Used : DA-GCMS-009				
TRANS-NEROLIDOL	0.005	0.40	0.079		Analyzed Date : 10/29/24 09:53:02				Batch Date : 10/26/24 10:01:27
LINALOOL	0.007	0.36	0.072		Dilution : 10				
VALENCENE	0.007	0.30	0.060		Reagent : 022224.13				
CARYOPHYLLENE OXIDE	0.007	0.22	0.044		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CAMPHENE	0.007	0.17	0.034		Pipette : DA-065				
ALPHA-TERPINEOL	0.007	0.17	0.034		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	0.16	0.031						
OCIMENE	0.007	0.16	0.031						
FENCHYL ALCOHOL	0.007	0.15	0.029						
ALPHA-CEDRENE	0.005	0.14	0.027						
SABINENE	0.007	0.10	0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%) 5.240

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Pnapl Xp (H)
Pnapl Xp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41025010-008
Harvest/Lot ID: 4865302794011849

Batch# : 4865 3027 9401
Sample Size Received : 31 units
Total Amount : 1102 units
Completed : 10/29/24 Expires: 10/29/25
Ordered : 10/25/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2527g	Extraction date: 10/26/24 14:36:17	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079466PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/26/24 10:50:58			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/29/24 10:02:19					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 081023.01; 102624.R05					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440	Weight: 0.2527g	Extraction date: 10/26/24 14:36:17	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079467VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/26/24 10:52:28			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/28/24 12:56:03					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 081023.01; 102624.R05; 101024.R05; 101024.R08					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Pnapl Xp (H)

Pnapl Xp (H)

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41025010-008

Harvest/Lot ID: 4865302794011849

Batch# : 4865 3027 9401
1849

Sampled : 10/25/24

Ordered : 10/25/24

Sample Size Received : 31 units

Total Amount : 1102 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0244g

Extraction date:
10/28/24 11:59:15

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07947850L
Instrument Used : DA-GCMS-002
Analyzed Date : 10/28/24 14:13:29

Batch Date : 10/26/24 13:03:56

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 315545
Pipette : DA-310 25uL Syringe 35027; DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Pnapl Xp (H)
Pnapl Xp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41025010-008
Harvest/Lot ID: 4865302794011849

Batch# : 4865 3027 9401
Sample Size Received : 31 units
Total Amount : 1102 units
Completed : 10/29/24 Expires: 10/29/25
Ordered : 10/25/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED											
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.00	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.00	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.00	ppm	ND	PASS	0.02					
ECOLI SHIGELLA			Not Present	PASS													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		Analyzed by: 3379, 585, 1440	Weight: 0.2527g	Extraction date: 10/26/24 14:36:17		Extracted by: 3621						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),											
Analytical Batch : DA079443MIC						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						Analytical Batch : DA079468MYC											
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						Instrument Used : N/A											
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher						Batch Date : 10/26/24 10:53:04											
Scientific Isotemp Heat Block (55°C) DA-021						Analyzed Date : 10/29/24 10:03:15											
Analyzed Date : 10/29/24 10:01:12																	
Dilution : 10						Dilution : 250											
Reagent : 092424.42; 092524.06; 100824.R30; 051624.05						Reagent : 081023.01; 102624.R05											
Consumables : 7575003014						Consumables : 20240202; 326250IW											
Pipette : N/A						Pipette : N/A											
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyzed by: 4531, 4612, 3390, 585, 1440								Heavy Metals					PASSED				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal							LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DA079444TYM						TOTAL CONTAMINANT LOAD METALS							0.08	ppm	ND	PASS	1.1
Instrument Used : Incubator (25°C) DA- 328 [calibrated with						ARSENIC							0.02	ppm	ND	PASS	0.2
DA-382]						CADMIUM							0.02	ppm	ND	PASS	0.2
Batch Date : 10/26/24 08:12:39						MERCURY							0.02	ppm	ND	PASS	0.2
Analyzed Date : 10/29/24 09:27:38						LEAD							0.02	ppm	ND	PASS	0.5
Dilution : 10						Analyzed by: 4056, 1022, 585, 1440							Weight: 0.2731g	Extraction date: 10/26/24 11:10:14		Extracted by: 4056	
Reagent : 092424.42; 092524.06; 082024.R18						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Consumables : N/A						Analytical Batch : DA079452HEA											
Pipette : N/A						Instrument Used : DA-ICPMS-004							Batch Date : 10/26/24 09:36:50				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed Date : 10/28/24 12:50:28											
						Dilution : 50											
						Reagent : 101424.R01; 102124.R07; 102524.R03; 102124.R05; 102124.R06; 061724.01; 102324.R15											
						Consumables : 179436; 20240202; 210508058											
						Pipette : DA-061; DA-191; DA-216											
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Pnapl Xp (H)
Pnapl Xp (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41025010-008

Harvest/Lot ID: 4865302794011849

Batch# : 4865 3027 9401
1849

Sampled : 10/25/24
Ordered : 10/25/24

Sample Size Received : 31 units

Total Amount : 1102 units

Completed : 10/29/24 Expires: 10/29/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 10/28/24 03:09:29	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA079460FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 10/26/24 10:39:27

Analyzed Date : 10/28/24 03:24:56

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.492	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2545g	Extraction date: 10/26/24 15:30:15	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA079462WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 10/26/24 10:43:37

Analyzed Date : 10/28/24 12:08:27

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/29/24