

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41029003-003

Certificate of Analysis

Kaycha Labs

Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix: Derivative Classification: High THC



Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 2175723031327078 Batch#: 2175723031327078 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 5847361723978921 Harvest Date: 10/22/24 Sample Size Received: 16 units Total Amount: 2125 units Retail Product Size: 1 gram Servings: 1 Ordered: 10/28/24 Sampled: 10/29/24 Completed: 10/31/24 Revision Date: 11/01/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

MISC

SUNNYSIDE DA402903-003

Nov 01, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

SAFETY R	ESULTS										MISC.
R 0		Hg	(F	Ş	0 10 0	Ä			\bigcirc		Ô
Pesticio PASS		wy Metals ASSED	Microbials PASSED	Mycoto: PASS		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpene TESTEE
Ä	Cannab	oinoid								I	PASSE
	1	.905) (al CBD			-)8	al Cannabinoids)
	Total T	HC/Container	: 839.050 mg		 Tota 	l CBD/Container	: 1.840 mg	r	✓ Total mg	Cannabinoids/Conta	ainer : 877.21
0	D9-THC 83.860	THCA 0.052	CBD 0.148	CBDA 0.042	D8-THC	свс 2.591	CBGA	сви 0.657	тнсv 0.339	CBDV	свс 0.032
g/unit	838.60	0.52	1.48	0.42	ND	25.91	ND	6.57	3.39	ND	0.32
DD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
lyzed by: 1, 1665, 585,	, 1440			Weight: 0.1146g		Extraction date: 10/29/24 14:09:5	5			Extracted by: 4351	
alytical Batch trument Used	: SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.031 : DA-LC-003 10/30/24 08:33:54						Batch Date : 10/29/24	10:43:56			
nsumables : 9	24.R04; 071624.04; 47.109; 04311046 5; DA-063; DA-067	101724.R03 ; 20240202; R1KB1	4270								
pectrum can	nabinoid analysis utili	zing High Performance	e Liquid Chromatography	with UV detection in ac	ccordance with F.S	5. Rule 64ER20-39.					

Sunnyside^{*}

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41029003-003 Harvest/Lot ID: 2175723031327078 Batch#: 2175723031327078 Sample Size Received: 16 units Sampled : 10/29/24 Ordered : 10/29/24

Total Amount : 2125 units Completed : 10/31/24 Expires: 11/01/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	39.56	3.956		SABINENE HYDRATE	0.007	ND	ND	
IMONENE	0.007	13.38	1.338		VALENCENE	0.007	ND	ND	
ETA-MYRCENE	0.007	11.41	1.141		ALPHA-CEDRENE	0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	3.30	0.330		ALPHA-PHELLANDRENE	0.007	ND	ND	
ETA-PINENE	0.007	2.85	0.285		ALPHA-TERPINENE	0.007	ND	ND	
PHA-PINENE	0.007	2.55	0.255		CIS-NEROLIDOL	0.003	ND	ND	
NALOOL	0.007	2.35	0.235		GAMMA-TERPINENE	0.007	ND	ND	
AMPHENE	0.007	0.78	0.078		TRANS-NEROLIDOL	0.005	ND	ND	
LPHA-HUMULENE	0.007	0.73	0.073		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
ENCHYL ALCOHOL	0.007	0.57	0.057		4451, 3605, 585, 1440	0.2072g		24 12:32:52	4451
CIMENE	0.007	0.56	0.056		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL			
LPHA-BISABOLOL	0.007	0.39	0.039		Analytical Batch : DA079536TER Instrument Used : DA-GCMS-008			Babah Dat	e:10/29/2411:24:33
PHA-TERPINEOL	0.007	0.38	0.038		Analyzed Date : 10/30/24 08:33:56			Batch Dat	e:10/29/2411:24:33
PHA-TERPINOLENE	0.007	0.31	0.031		Dilution : 10				
CARENE	0.007	ND	ND		Reagent : 022224.13				
DRNEOL	0.013	ND	ND		Consumables : 947.109; 240321-634-A; 2806	70723; CE0123			
AMPHOR	0.007	ND	ND		Pipette : DA-065				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	atograpny Mass Spectro	ometry. For all I	riower sample	s, the Total Terpenes % is dry-weight corrected.
DROL	0.007	ND	ND						
ICALYPTOL	0.007	ND	ND						
ARNESENE	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
SOPULEGOL NEROL PULEGONE	0.007	ND	ND						
IEROL	0.007	ND ND	ND ND						

Total (%)

3.956

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA41029003-003 Harvest/Lot ID: 2175723031327078

Sampled : 10/29/24 Ordered : 10/29/24

Batch#: 2175723031327078 Sample Size Received: 16 units Total Amount : 2125 units Completed : 10/31/24 Expires: 11/01/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
IFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
DSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND			0.010		0.1	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN						
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	PCNB) *	0.010		0.15	PASS	ND
ILORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ILORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND		Malak				Future at a d	
METHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2317g		ion date: 4 14:36:54		Extracted 3621	by:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL				OP T 40 101		
OFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	(ouncorne), oo		211 2 (Barre)) 5		2 (00000000000)	,
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079509PES						
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (F			Batch I	Date:10/29/2	4 09:24:36	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/30/24 10:23:00)					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250		02024 00	1. 100104 000	. 102224 001	. 001022.01	
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 102424.R01; 102224.R0 Consumables : 326250IW	13; 102024.R05; 1	UZ824.RU	1; 102124.R00	3; 102224.RU1	1; 081023.01	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-219						
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perf	formed utilizina Lia	uid Chrom	atography Trig	le-Ouadrupole	Mass Spectrom	netry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39			····· 5· - p· · ·) · · · p			
IAZALIL	0.010	ppm	0.1	PASS	ND		Weight:		on date:		Extracted	by:
IIDACLOPRID	0.010	ppm	0.4	PASS	ND).2317g		14:36:54		3621	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL	. (Gainesville), SO	P.T.30.15	1A.FL (Davie),	SOP.T.40.151	.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079511VOL			Datab Dat	10/20/24 00 2	7.46	
ETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :10/30/24 09:36:54			Batch Date :	10/29/24 09:2	27:40	
ETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	r					
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 102624.R05; 081023.01	: 102824.R16 10	2824.R17				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 240321			01			
			0.1	DACC	ND							
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

 \mathbb{Z}

Signature 10/31/24



Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41029003-003 Harvest/Lot ID: 2175723031327078 Sampled : 10/29/24 Ordered : 10/29/24

Batch#: 2175723031327078 Sample Size Received: 16 units Total Amount : 2125 units Completed : 10/31/24 Expires: 11/01/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
CETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
EPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
OLUENE	15.000	ppm	150	PASS	ND		
OTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.022g	Extraction date: 10/30/24 12:48:51		Extracted by: 850			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA079541SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/30/24 13:24:18			Batch Date : 10/29/24 1	5:17:19			
Dilution : 1							

Dilution: 1 Reagent : 030420.09 Consumables : 430274: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41029003-003 Harvest/Lot ID: 2175723031327078 Batch#: 2175723031327078 Sample Size Received: 16 units

Sampled : 10/29/24 Total Amount : 2125 units Ordered : 10/29/24 Completed : 10/31/24 Expires: 11/01/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ5	Microb	oial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	S NIGER S FUMIGATUS	I		Not Present Not Present Not Present Not Present Not Present	PASS PASS PASS PASS PASS	Level	AFLATOXIN AFLATOXIN OCHRATOXI AFLATOXIN AFLATOXIN	B1 N A G1		0.00 0.00 0.00 0.00 0.00	ppm ppm ppm ppm ppm	ND ND ND ND	PASS PASS PASS PASS PASS	0.02 0.02 0.02 0.02 0.02 0.02
ECOLI SHIGE		10.00) CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3621, 585, 144	10	Weight: 0.2317g	Extraction da 10/29/24 14:			Extracted 3621	l by:
Analyzed by: 4531, 4520, 58		Weight: 0.846g	Extraction dat 10/29/24 11:2		Extracted 4044,453			FL (Davie),	SOP.T.40.102	inesville), SOP.T. .FL (Davie)	40.101.FL	. (Gainesv	ille),	
Instrument Use 2720 Thermocy DA-020,Fisher Scientific Isote Analyzed Date Dilution : 10	h : DA079521MIC ed : PathogenDx Sc ycler DA-010,Fishe Scientific Isotemp mp Heat Block (55 : 10/30/24 11:07:1 +24.38; 092524.11	er Scientific Is Heat Block (*C) DA-021 I4	sotemp Heat E 95*C) DA-049	Block (55*C) 1	atch Date : 0:28:07	10/29/24	081023.01 Consumables Pipette : DA-0	424.R01; 1 : 326250IW 93; DA-094	02224.R03; 10 ; DA-219)2624.R05; 1028				
Consumables : Pipette : N/A	7576003050						Mycotoxins tes accordance wit	h F.S. Rule 6	4ER20-39.	ography with Triple	-Quadrupo			
Analyzed by: 4531, 3390, 58	5, 1440	5	Extraction dat 10/29/24 11:2	26:14	Extracted 4044,453		Hg	Hea	avy M	etals			PAS	SED
Analytical Batc Instrument Use DA-382]	<pre>d : SOP.T.40.208 (h : DA079522TYM ed : Incubator (25* 10/31/24 16:35/4</pre>	C) DA- 328 [d			te : 10/29/2	4 10:30:22		AMINANT	LOAD META	LOD LS 0.08	Units	Result	Pass / Fail PASS	Action Level
Analyzed Date : 10/31/24 16:35:47 Dilution : 10 Reagent : 092424.38; 092524.11; 082024.R18 Consumables : N/A Pipette : N/A							ARSENIC CADMIUM MERCURY LEAD			0.02 0.02 0.02 0.02	ppm ppm ppm ppm	ND ND ND ND	PASS PASS PASS PASS	0.2 0.2 0.2 0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analyzed by: 1022, 585, 144	10	Weight: 0.2276g	Extraction dat 10/29/24 11:3			(tracted b 022,4056	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA079 ed : DA-ICP	MS-004		h Date :]	0/29/24 0	9:50:26	
							Dilution: 50 Reagent: 101 102324.R15			02524.R03; 1028	24.R18; 1	.02824.R1	9; 061724	4.01;

Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



Page 6 of 6

Supply Vape Cartridge 1g - Grand Daddy Purp (I) Grand Daddy Purp (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41029003-003 Harvest/Lot ID: 2175723031327078 Batch#: 2175723031327078 Sample Size Received: 16 units Sampled : 10/29/24 Ordered : 10/29/24

Total Amount : 2125 units Completed : 10/31/24 Expires: 11/01/25 Sample Method : SOP.T.20.010

	Filth/Fo Materia	PASSED				
Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440		raction da 01/24 09:		Ex N/	tracted by: A	
	I: Filth/Foreign Mater 10/30/24 14:21:18	rial Micro	oscope	Batch I	Date : 10/30	0/24 09:36:54
	naterial inspection is pe cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope
(\bigcirc)	Water A	ctiv	vity		ΡΑ	SSED
Analyte		LOD	Units	Result	P/F	Action Level

Water Activity	0	.010 aw	0.493	PASS	0.85		
Analyzed by: 4571, 585, 1440	Weight: 0.5082g	Extraction d 10/29/24 14			Extracted by: 4571		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-(Analyzed Date : 10/30/	79540WAT 028 Rotronic Hyg	ıropalm	Batch Dat	te : 10/29/2	24 11:44:41		
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2