

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Cartificate of Analysis

### **Kaycha Labs**

..... Good News Vape Cartridge 500mg - Pssn Frt



**Passion Fruit** Matrix: Derivative Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 5981 8358 2438 3761

COM		CE FO	<b>LE</b> <b>R RETA</b> 01005-003		-	iiys	13	Process	tion Facilit ing Facility Source Fac	y: FL - Indi : FL - Indi ility: FL - Indi	8358 2438 379 antown (443 antown (443 diantown (443 57009929174
									Sample		Date: 10/25/2 ived: 15.5 gra
	<b>i</b> .										ount: 945 un
	courty 41 promotions a courty of a	an increase and a comparison of the comparison o									<b>: Size:</b> 0.5 gra
	iz z								Ret	ail Serving	<b>Size:</b> 0.5 gra
	5 Cartrido	SUNNYSIDE DA41101005-003								0	Servings:
	6000 NEWS	In uuu									lered: 11/01/2 npled: 11/01/2
	8.8										leted: 11/01/.
									Samp	-	d: SOP.T.20.03
ov 05	, 2024	Sunnysi	de				_		▶ R	•	
	lartin Hwy	Sunnysh	uc		C				<b>-</b>		PASSE
	FL, 34956, US						<b>y</b> SI	de*	Page	es 1 of 6	
FETY R	ESULTS						-				MISC.
- F			~		8 0	00			$\overline{\mathbf{a}}$	$\wedge$	A
R 0		Hg	105	٩ <u>ر</u>	)°	Ц		(	()		$\langle \bigcirc \rangle$
			~ Miawahiala	Muss	5 C		•	N/aha		Malatura	Tornonoo
Pesticio PASSI		vy Metals ASSED	Microbials PASSED	,		Residuals Solvents	Filth PASSE		r Activity SSED	Moisture	Terpenes TESTED
						PASSED					
Ľ	Cannab	inoid									PASSE
	-	THC <b>266</b> HC/Container :			3 0.	nl CBD 951% CBD/Container	-			Cannabinoid 4749 nnabinoids/Co	ds /0 ntainer : 432.370
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
ig/unit	81.217 406.09	0.057 0.29	0.951 4.76	ND ND	ND ND	3.131 15.66	ND ND	0.571 2.86	0.343 1.72	ND ND	0.204 1.02
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
yzed by: , 1665, 585,	, 1440			Weight: 0.1002g		Extraction date: 11/04/24 09:53:	11			Extracted by: 3335	
ytical Batch ument Used	: SOP.T.40.031, SC : DA079726POT I: DA-LC-003 11/05/24 10:40:59	DP.T.30.031		5			Batch Date : 11/04	/24 07:20:32			

Reagent : 110424.R06; 073024.51; 101724.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24



Good News Vape Cartridge 500mg - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41101005-003 Harvest/Lot ID: 5981 8358 2438 3761 Batch# : 5981 8358 2438 3761 Sampled : 11/01/24 Complet

Ordered : 11/01/24

338 3761 Sample Size Received : 15.5 gram Total Amount : 945 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 2 of 6

# $\bigcirc$

Те	rb	en	es

	LOD (%)	mg/unit	%	Result (%)	
	0.007	ND	ND		
	0.007	ND	ND		
ΓE	0.007	ND	ND		
	0.007	ND	ND		
	0.005	ND	ND		
RENE	0.007	ND	ND		
	0.003	ND	ND		
L	0.005	ND	ND		
Weight:	F	Extraction date	o.		Extracted by:
0.2089g		1/03/24 10:49			4571,3605
P.T.30.061A.FL, SOP.T.40.061A.FL					
079699TER					
A-GCMS-004 5/24 12:25:50			Batch Da	ate: 11/02/24 12:03:	34
5124 12:25:50					
09; 240321-634-A; 280670723; CE0	0123				
formed utilizing Gas Chromatography Ma	ass Spectr	rometry. For all I	Flower sampl	oles, the Total Terpenes 9	% is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

## TESTED

PASSED



..... ..... . . . . . . . . . . . . ...... Good News Vape Cartridge 500mg - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41101005-003 Harvest/Lot ID: 5981 8358 2438 3761 Batch# : 5981 8358 2438

3761 Sampled : 11/01/24 Ordered : 11/01/24

Sample Size Received : 15.5 gram Total Amount : 945 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
FOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND				3	PASS	ND
FOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm			
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND			ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID			0.1		ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		ppm		PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.0		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 585, 1440 0.2501g		i <b>on date:</b> 4 16:44:18		Extracted b 4640,3379	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gaine			SOP T 40 101		)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	Svinc), SOI .1.SO.1	52.1 E (Duvie),	501.11.40.101	In E (Guinesville	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079700PES					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date:11/02/2	24 12:04:05	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/05/24 11:28:44					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 110224.R01; 081023.01 Consumables : 240321-634-A; 20240202;	3262501W				
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	520250100				
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	itilizina Liauid Chror	matography Tr	iple-Ouadrupol	e Mass Spectror	metry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		····· 9· -· p· · · ) · · ·			
IMAZALIL	0.010	ppm	0.1	PASS	ND			raction date:		Extracted	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND			02/24 16:44:1		4640,3379	9
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gaine	sville), SOP.T.30.15	51A.FL (Davie)	), SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079702VOL		Datab Data	-11/02/24 12	05.20	
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :11/05/24 11:26:16		Batch Date	:11/02/24 12:	86.00	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 110224.R01; 081023.01; 10282	4.R16: 102824 R1	7			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202;					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed u	tilizing Gas Chroma	tography Tripl	le-Quadrupole	Mass Spectrome	etry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

## PASSED

PASSED



Good News Vape Cartridge 500mg - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com 
 Sample : DA41101005-003

 Harvest/Lot ID: 5981 8358 2438 3761

 Batch# : 5981 8358 2438

 3761

 Sampled : 11/01/24

 Ordered : 11/01/24

/438 3761
Sample Size Received : 15.5 gram
Total Amount : 945 units
Completed : 11/05/24 Expires: 11/05/25
Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result					
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND					
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND					
2-PROPANOL	50.000	ppm	500	PASS	ND					
CETONE	75.000	ppm	750	PASS	ND					
CETONITRILE	6.000	ppm	60	PASS	ND					
ENZENE	0.100	ppm	1	PASS	ND					
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND					
HLOROFORM	0.200	ppm	2	PASS	ND					
DICHLOROMETHANE	12.500	ppm	125	PASS	ND					
THANOL	500.000	ppm	5000	PASS	ND					
THYL ACETATE	40.000	ppm	400	PASS	ND					
THYL ETHER	50.000	ppm	500	PASS	ND					
THYLENE OXIDE	0.500	ppm	5	PASS	ND					
EPTANE	500.000	ppm	5000	PASS	ND					
IETHANOL	25.000	ppm	250	PASS	ND					
HEXANE	25.000	ppm	250	PASS	ND					
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND					
ROPANE	500.000	ppm	5000	PASS	ND					
OLUENE	15.000	ppm	150	PASS	ND					
OTAL XYLENES	15.000	ppm	150	PASS	ND					
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND					
nalyzed by: 50, 585, 1440	Weight: 0.0242g	Extraction date: 11/04/24 15:23:52		<b>E</b> x 85	tracted by:					
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA079712SOL nstrument Used : DA-GCMS-002 nalyzed Date : 11/05/24 12:27:43	DA079712SOL DA-GCMS-002 Batch Date : 11/02/24 14:34:39									
Dilution : 1 Reagent : N/A Consumables : N/A										

Consumables : N/ Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

### PASSED



. Good News Vape Cartridge 500mg - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41101005-003 Harvest/Lot ID: 5981 8358 2438 3761 Batch# : 5981 8358 2438

3761 Sampled : 11/01/24 Ordered : 11/01/24

Sample Size Received : 15.5 gram Total Amount : 945 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microb	oial			PAS	SED	ڳ	Ν	lycotox	ins			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
SPERGILLUS				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLUS	<b>FUMIGATUS</b>			Not Present	PASS		OCHRATOX	IN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGE				Not Present	PASS		Analyzed by:		Weight:	Extraction dat	e:		xtracted b	y:
TOTAL YEAST	AND MOLD	10.0	00 CFU/g	<10	PASS	100000			0.2501g	11/02/24 16:4			640,3379	
nalyzed by: 520, 585, 144	Weigh 0.934		traction date: /02/24 11:12:5		Extracted b 4044,4520	y:	SOP.T.30.102	.FL (Da	P.T.30.101.FL (Gai vie), SOP.T.40.102		40.101.FI	L (Gainesv	ille),	
nalytical Batc	d:SOP.T.40.056C 1:DA079681MIC d:PathogenDx So				Batch Date :		Analytical Bat Instrument Us Analyzed Date	sed : N/		В	atch Date	e:11/02/2	4 12:07:3	5
cientific Isoter	Scientific Isotemp np Heat Block (55 11/05/24 12:24:1	5*C) DA-021		9,Fisher			Reagent : 110 Consumables Pipette : N/A		1; 081023.01 21-634-A; 2024020	02; 326250IW				
Dilution : 10 Reagent : 0925 Consumables : Pipette : N/A	24.04; 092524.07 7576003052	; 092524.1	8; 100824.R30	; 051624.05					izing Liquid Chromato ule 64ER20-39.	ography with Triple	-Quadrupo	ole Mass Spe	ectrometry	in
analyzed by: 520, 3390, 58		Weight: 0.934g	Extraction d 11/02/24 11		<b>Extracted</b> 4044,452		[Hg	Н	eavy M	etals			PAS	SED
nalytical Batc	d:SOP.T.40.208 ( n:DA079682TYM				. 11/02/2	4 00:40:20	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-3821	<b>d :</b> Incubator (25*	C) DA- 328	[calibrated wi	in Batch Da	te:11/02/2	4 08:48:30	TOTAL CON	TAMIN	ANT LOAD META	LS 0.08	ppm	ND	PASS	1.1
	11/05/24 10:39:4	40					ARSENIC			0.02	ppm	ND	PASS	0.2
ilution: 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	24.04; 092524.07	; 092524.1	8;082024.R18	5			MERCURY			0.02	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.02	ppm	ND	PASS	0.5
otal yeast and r	nold testing is perfor F.S. Rule 64ER20-39		g MPN and tradit	ional culture base	ed techniques	in	Analyzed by: 1022, 585, 14	40	Weight: 0.2478g	Extraction dat 11/02/24 14:0			xtracted b 879,1022	y:
iccordance with	r.s. kule 04ek20-39	7.					Analysis Meth Analytical Bat Instrument Us Analyzed Date	tch : DA sed : DA	A-ICPMS-004		h Date :	11/02/24 1	2:06:06	
							102324.R15		1; 102824.R20; 10		24.R18; 1	102824.R1	9; 061724	4.01;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24



Page 6 of 6

..... Good News Vape Cartridge 500mg - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41101005-003 Harvest/Lot ID: 5981 8358 2438 3761 Batch# : 5981 8358 2438 3761 Sampled : 11/01/24 Ordered : 11/01/24

Sample Size Received : 15.5 gram Total Amount : 945 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

		Filth/For Materia	PASSED					
	nalyte ilth and Fore	ign Material	<b>LOD</b> 0.100	<b>Units</b> %	<b>Result</b> ND	P/F PASS	Action Level	
	nalyzed by: 379, 585, 1440	Weight: 1g	=/(1)	raction da 04/24 14:		Extracted by: 1879		
Ar In	nalytical Batch strument Used	: SOP.T.40.090 : DA079733FIL : Filth/Foreign Mater 11/04/24 16:05:37	rial Micro	oscope	Batch I	<b>Date :</b> 11/04	4/24 14:29:34	
Re	lution: N/A agent: N/A onsumables: N pette: N/A	/A						
		naterial inspection is pe cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope	
	$(\bigcirc)$	Water A	ctiv	ity		ΡΑ	SSED	

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.528	P/F PASS	Action Level 0.85				
Analyzed by:         Weight:         Extraction date:         Extracted           4512, 585, 1440         0.1069g         11/03/24 14:20:54         4512										
Analysis Method : SOP.T.40.019           Analytical Batch : DA079711WAT           Instrument Used : DA257 Rotronic HygroPalm         Batch Date : 11/02/24 13:13:30           Analyzed Date : 11/04/24 13:43:35										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24