

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41101005-004

1

Nov 05, 2024 | Sunnyside

Certificate of Analysis

Kaycha Labs

Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix: Derivative Classification: High THC



PASSED

MISC.

Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 6995077256304393 Batch#: 6995 0772 5630 4393 **Cultivation Facility: FL - Indiantown (4430)** Source Facility: FL - Indiantown (4430) Seed to Sale#: 2721864672235390 Harvest Date: 10/22/24 Sample Size Received: 16 gram Total Amount: 1225 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 11/01/24 Sampled: 11/01/24 Completed: 11/05/24 Sampling Method: SOP.T.20.010

Pages 1 of 6



SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

в Ø	•	Hg	Ç	ş		Ä			\bigcirc		Ô
Pesticio PASSI		vy Metals ASSED	Microbials PASSED	Mycotoxin PASSED		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpene TESTE
Ä	Cannab	inoid								I	PASSE
Total THC 82.085% Total THC/Container : 820.850 mg Total CBD/Container : 9.590 mg Total CBD/Container : 9.590 mg Total Cannabinoids/Container : 871.590											
									iiig		
	D9-THC	тнса	CBD	CBDA E	08-ТНС	CBG	CBGA	CBN	тнсу	CBDV	CBC
	82.027	0.067	0.959		ND	3.151	ND	0.563	0.341	ND	0.051
ng/unit	820.27	0.67	9.59	ND I	ND	31.51	ND	5.63	3.41	ND	0.51
DD	0.001	0.001	0.001	0.001 0	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
lyzed by: 5, 1665, 585,	, 1440			Weight: 0.1017g		Extraction date: 11/04/24 09:53:12	1			Extracted by: 3335	
alytical Batch trument Used	: SOP.T.40.031, SC : DA079726POT : DA-LC-003 11/05/24 10:41:01	DP.T.30.031					Batch Date : 11/04/24	07:20:32			
nsumables : 9	24.R06; 073024.51; 47.109; 20240202; 9; DA-108; DA-078		70								
Spectrum can	nabinoid analysis utiliz	ing High Performance	Liquid Chromatography	with UV detection in accord	lance with F.S. F	Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24



Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41101005-004 Harvest/Lot ID: 6995077256304393 Batch# : 6995 0772 5630 Samp

4393 Sampled : 11/01/24 Ordered : 11/01/24 Sample Size Received :16 gram Total Amount : 1225 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

TOTAL TERPENES IMONENE BETA-MYRCENE BETA-CARYOPHYLLENE ALPHA-PINENE LINALOOL BETA-PINENE	(%) 0.007 0.007 0.007 0.007 0.007 0.007	16.46 2.94 2.07 1.52 1.43	1.646 0.294 0.207 0.152		NEROL		(%)			
ETA-MYRCENE ETA-CARYOPHYLLENE LPHA-PINENE INALOOL	0.007 0.007 0.007 0.007	2.07 1.52	0.207				0.007	ND	ND	
ETA-CARYOPHYLLENE LPHA-PINENE INALOOL	0.007 0.007 0.007	1.52			OCIMENE		0.007	ND	ND	
LPHA-PINENE INALOOL	0.007		0.152		SABINENE HYDRATE		0.007	ND	ND	
INALOOL	0.007	1.43			ALPHA-CEDRENE		0.005	ND	ND	
			0.143		ALPHA-PHELLANDRENE		0.007	ND	ND	
ETA-PINENE		1.38	0.138		ALPHA-TERPINENE		0.007	ND	ND	
	0.007	0.92	0.092		CIS-NEROLIDOL		0.003	ND	ND	
LPHA-BISABOLOL	0.007	0.58	0.058		TRANS-NEROLIDOL		0.005	ND	ND	
AMMA-TERPINENE	0.007	0.57	0.057		Analyzed by:	Weight:	F	xtraction date		Extracted by:
LPHA-HUMULENE	0.007	0.56	0.056		3605, 585, 1440	0.2063g		1/03/24 10:52		4571,3605
LPHA-TERPINEOL	0.007	0.55	0.055		Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL				
ARNESENE	0.001	0.50	0.050		Analytical Batch : DA079699TER					
LPHA-TERPINOLENE	0.007	0.50	0.050		Instrument Used : DA-GCMS-004 Analyzed Date : 11/05/24 12:25:51				Batch	Date: 11/02/24 12:03:34
ARYOPHYLLENE OXIDE	0.007	0.45	0.045		Dilution : 10					
ULEGONE	0.007	0.44	0.044		Reagent: 090924.01					
UAIOL	0.007	0.37	0.037	1	Consumables : 947.109; 240321-634-	A; 280670723; CE0	123			
ALENCENE	0.007	0.37	0.037		Pipette : DA-065					
ENCHYL ALCOHOL	0.007	0.36	0.036		Terpenoid testing is performed utilizing Gas	s Chromatography Ma	ss Spectr	ometry. For all F	lower sam	nples, the Total Terpenes % is dry-weight corrected.
ABINENE	0.007	0.36	0.036							
JCALYPTOL	0.007	0.33	0.033							
AMPHENE	0.007	0.26	0.026							
CARENE	0.007	ND	ND							
ORNEOL	0.013	ND	ND							
AMPHOR	0.007	ND	ND							
EDROL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

TESTED



. Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41101005-004 Harvest/Lot ID: 6995077256304393

Batch#: 6995 0772 5630 4393 Sampled : 11/01/24 Ordered : 11/01/24

Sample Size Received : 16 gram Total Amount : 1225 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010) ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND) ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET					
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE) ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN) ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010) ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010) ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010) ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010) ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE) ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID) ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND				0.5		ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM) ppm		PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *) PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010) PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070) PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *) PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight 3621, 585, 1440 0.2555		ion date: 4 16:44:18		Extracted b 4640.3379	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gaine			SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.5viiic), 501.11.50.10	02.1 E (Duvic),	501.11.40.101	In E (Guinesville	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079700PES					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date:11/02/	24 12:04:05	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/05/24 11:28:46					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 110224.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202	326250IW				
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	520250111				
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizina Liauid Chror	matography Tr	riple-Ouadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					,
IMAZALIL	0.010	ppm	0.1	PASS	ND			raction date:		Extracted	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND			02/24 16:44:1		4640,3379	9
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine	esville), SOP.T.30.15	51A.FL (Davie), SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch :DA079702VOL Instrument Used :DA-GCMS-010		Batch Data	:11/02/24 12	.0E.20	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/05/24 11:26:17		parcii pate	•••1/02/24 12	.03.30	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 110224.R01: 081023.01: 10282	4.R16: 102824.R17	7			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chroma	atography Trip	le-Quadrupole	Mass Spectrome	etry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

PASSED

PASSED



Page 4 of 6

Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41101005-004 Harvest/Lot ID: 6995077256304393 Batch# : 6995 0772 5630 Samp

4393 Sampled : 11/01/24 Ordered : 11/01/24 Sample Size Received :16 gram Total Amount : 1225 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
ETHYL ETHER	50.000	ppm	500	PASS	ND			
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
METHANOL	25.000	ppm	250	PASS	ND			
N-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
FOLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
Analyzed by: 350, 585, 1440	Weight: 0.0232g	Extraction date: 11/04/24 15:23:52		Extracted by: 850				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA079712SOL Instrument Used : DA-GCMS-002 Analyzed Date : 11/05/24 12:27:44	Batch: DA079712SOL Batch Date: 11/02/24 14:34:39 Used: DA-GCMS-002 Batch Date: 11/02/24 14:34:39							
Dilution : 1 Reagent : N/A Consumables : N/A								

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/05/24



Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41101005-004 Harvest/Lot ID: 6995077256304393

Batch#: 6995 0772 5630 4393 Sampled : 11/01/24 Ordered : 11/01/24

Sample Size Received : 16 gram Total Amount : 1225 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microb	ial				PAS	SED	သို့	M	ycotox	ins			PAS	SED	
Analyte		LO	D	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLU	5 TERREUS				Not Present	PASS	Level	AFLATOXIN	B2		0.00	maa	ND	PASS	0.02	
ASPERGILLUS					Not Present	PASS		AFLATOXIN	B1		0.00	1.1.	ND	PASS	0.02	
ASPERGILLU	5 FUMIGATUS				Not Present	PASS		OCHRATOXI	N A		0.00	ppm	ND	PASS	0.02	
ASPERGILLUS	5 FLAVUS				Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02	
SALMONELL/	SPECIFIC GENE				Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02	
ECOLI SHIGE	LLA				Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:	E	xtracted b	iv:	
TOTAL YEAS	AND MOLD	10.	00	CFU/g	<10	PASS	100000	3621, 585, 144	10	0.2555g	11/02/24 16:			640,3379		
nalyzed by: 520, 585, 144	Weight 0 0.8g			on date: 4 11:12:50		Extracted by 4044,4520	r:	SOP.T.30.102.	FL (Davie	T.30.101.FL (Gai e), SOP.T.40.102		.40.101.F	L (Gainesv	ille),		
nalytical Batc	d : SOP.T.40.056C, h : DA079681MIC d : PathogenDx Sca					Batch Date :	11/02/24	Analytical Bate Instrument Us Analyzed Date	ed:N/A		I	Batch Date	e:11/02/24	4 12:07:3	5	
A-020,Fisher cientific Isote	ycler DA-010,Fisher Scientific Isotemp H mp Heat Block (55* : 11/05/24 12:24:1	leat Block C) DA-02	k (95*)8:43:50		Dilution : 250 Reagent : 110 Consumables : Pipette : N/A		081023.01 634-A; 2024020	02; 326250IW					
ilution : 10 eagent : 0925 onsumables : ipette : N/A	24.04; 092524.07; 7576003052	092524.1	L8; 10	0824.R30;	051624.05			Mycotoxins tesi accordance wit	h F.S. Rule			e-Quadrupo				
analyzed by: 520, 3390, 58		Veight:).8g		raction dat 02/24 11:1		Extracted 4044,4520		Hg	Не	avy M	etals			PAS	SED	
nalytical Batc	d:SOP.T.40.208 (C h:DA079682TYM					11/02/2	4 00.40.30	Metal			LOD	Units	Result	Pass / Fail	Action Level	
A-3821	d : Incubator (25*C	.) DA- 328	cdll	uidteu Witi	Batch Da	te:11/02/24	+ 00:40:30	TOTAL CONT		IT LOAD META	LS 0.08	ppm	ND	PASS	1.1	
	11/05/24 10:39:43	1						ARSENIC			0.02	ppm	ND	PASS	0.2	
ilution : 10								CADMIUM			0.02	1.1.	ND	PASS	0.2	
eagent : 0925	24.04; 092524.07;	092524.1	L8; 08	2024.R18				MERCURY			0.02		ND	PASS	0.2	
onsumables : ipette : N/A	N/A							LEAD			0.02	ppm	ND	PASS	0.5	
otal yeast and r	nold testing is perform	ned utilizin	ig MPN	and traditio	nal culture base	d techniques	in	Analyzed by: Weight: Extraction date: 1022, 585, 1440 0.2747g 11/02/24 14:09:44						Extracted by: 1879,1022		
accordance with F.S. Rule 64ER20-39.						Analysis Metho Analytical Bato Instrument Us Analyzed Date	:h : DA07 ed : DA-I0	CPMS-004		ch Date :	11/02/24 1	2:06:06				
								102324.R15		102824.R20; 10		824.R18; :	102824.R1	9; 061724	4.01;	

Consumables : 179436: 20240202: 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24



Good News Vape Cartridge 1g - Pssn Frt Passion Fruit Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41101005-004 Harvest/Lot ID: 6995077256304393 Batch# : 6995 0772 5630 Samp

4393 Sampled : 11/01/24 Ordered : 11/01/24 Sample Size Received : 16 gram Total Amount : 1225 units Completed : 11/05/24 Expires: 11/05/25 Sample Method : SOP.T.20.010



 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 1879, 585, 1440
 1g
 11/05/24 11:35:38
 N/A

 Analysis Method : SOP.T.40.090
 Analysis Method : SOP.7.38
 N/A

 Analysis Method : DA079733FL
 Instrument Used : Filth/Foreign Material Microscope
 Batch Date : 11/04/24 14:29:34

 Analyzed Date : 11/04/24 16:05:36
 Dilution : N/A
 Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	LOD Units Results 0.010 aw 0.4			P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.2659g		traction /03/24 1			tracted by:
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 11/04/	79711WAT 257 Rotronic Hygi	roPalm	1	Batch Da	nte : 11/02/2	24 13:13:30
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/05/24

PASSED

Page 6 of 6